


Mirvac

Hazardous Chemicals Survey

410 Ann Street, Brisbane City QLD 4000

7 June 2022



Experience comes to life when it is powered by expertise This page has been left intentionally blank

Hazardous Chemicals Survey

Prepared for Mirvac

Prepared by Tetra Tech Coffey Pty Ltd Level 19, Tower B, 799 Pacific Highway Chatswood NSW 2067 Australia t: +61 2 9406 1000 f: +61 2 9406 1002 ABN: 55 139 460 521

Quality information

Revision history

Revision	Description	Date	Originator	Reviewer	Approver
R01	Final	07/06/2022	Phoebe Quessy	Raghuram Muguli	Raghuram Muguli

Distribution

Report Status	No. of copies	Format	Distributed to	Date
R01 Final	1	PDF	Mirvac	07/06/2022

7 June 2022

754-SYDEN228268

Table of contents

1.	Introd	luction	.1
	1.1.	Objective	.1
	1.2.	Site Description	.1
	1.3.	Scope	.1
2.	Metho	odology	.2
3.	Back	ground Information	.2
	3.1.	Definition of Risk Groups	.2
	3.2.	Risk Management of Hazardous Chemicals	.2
	3.3.	Classification of Hazardous Chemicals	.3
	3.4.	Segregation of Hazardous Chemicals	
4.	Asses	ssment Findings	.7
	4.1.	Results	.7
5.	Concl	lusions	.9
6.	Reco	mmendations	.9
7.	Refer	ences	10
8.	Limita	ations	10

Appendices

Appendix A – Photographs

Appendix B – Hazardous Chemicals Register

Executive Summary

Tetra Tech Coffey Pty Ltd (Coffey) was commissioned by Mirvac to conduct a Hazardous Chemicals Survey at 410 Ann Street, Brisbane City QLD 4000 (the site). This report is required to assist Mirvac in meeting its obligations under QLD Works Health and Safety Act and Regulation 2011.

The assessment was undertaken by Patricy Cortes and Phoebe Quessy of Tetra Tech Coffey on the 7th April 2022.

The Hazardous Chemicals Assessment method applied is based on the requirements of the National Code of Practice *Managing risk of hazardous chemicals in the workplace (*Safe Work Australia, 2012) and from statutory requirements of the Work Health and Safety Act 2011, Part 14: Section.274; Schedule 1, and the QLD Work Health and Safety Regulation (2011), Chapter 7 Part 7.1 and the intent of the QLD Work Health and Safety Act and Regulation 2011. The assessment drew information from consultation with stakeholders, review of records and systems and observation of work practices and the work environments at the site.

The Assessment identified the following classes of Hazardous Chemicals:

- Class 2.2 Gas cylinders and pressure vessels;
- Class 3 Flammable Liquids;
- Class 5.1 Oxidising agents; and
- Class 8 Corrosive.

The assessment also established that the majority of chemicals stored or used at the site are brought to the workplaces by sub-contractors (such as paints, thinners, mineral turpentine, aerosols, and waxes) and by cleaning contractors in the form of products for use in commercial cleaning and maintenance (floor and window cleaners, bleaches and polishers).

It is concluded from the survey that the aggregated risk relating to storage and handling Hazardous Chemicals for the site is considered low.

Unmanaged contractors expose the site to increased risk of non-compliance and steps should be taken to ensure chemicals generally are managed safely, including specific site requirements for storage and/or disposal of chemicals from the site.

The Cooling Tower Water Treatment Contractor and the cleaning contractors are the main user of Hazardous Chemicals. These chemicals are used for the purpose of chemical dosing of cooling towers and commercial cleaning purpose.

1. Introduction

Tetra Tech Coffey Pty Ltd (Coffey) was commissioned by Mirvac (the client) to conduct a Hazardous Chemicals Survey of the office building located at 410 Ann Street, Brisbane City QLD 4000 (the site).

The assessment was conducted on the basis of the type, quantity and storage method of various hazardous chemicals stored on site and previous hazardous chemicals survey reports issued by the client.

1.1. Objective

The objectives of this assessment were to:

- Assess the client's exposure to risk relating to storage and handling of hazardous chemicals;
- Identify classes and volumes of Hazardous Chemicals at the premises and review the existing management practices; and
- Prepare a Hazardous Chemicals register to assist the client to manage identified risks.

1.2. Site Description

The survey is of a multi-storey office building located at 410 Ann Street, Brisbane City QLD 4000. The building was occupied at the time of the survey.

Table 1: Site Information									
Site:	410 Ann Street, Brisbane City QLD 4000								
Assessors:	Patricy Cortes and Phoebe Quessy								
Age (Circa):	1988 Approximate area: 20,521 m ²								
Chemical Storage:	Raff Street (underground), Cleaners Store, Diesel Generator Room and Cooling Towers								

1.3. Scope

The scope of work required Coffey to:

- Mobilise a consultant onsite;
- Liaise with personnel and collect data on the location, type, quantities, use and function of the hazardous chemicals stores onsite;
- Identify and record the presence of hazardous chemicals at major plant, building services and storage locations/tenancies onsite (as at the time of inspection);
- Assess the risk of the storage of the hazardous chemicals onsite;
- Document the hazardous chemicals identified; and
- Record, collate and report the findings in an updated format of the previous report.

2. Methodology

The survey was undertaken in the following manner:

- Review Key legislative required documentation such as the current Register for Hazardous Chemicals either as a hard copy or electronic and historical Hazardous Chemicals Surveys.
- Liaise with relevant persons to obtain information in relation to the storage and handling of Hazardous Chemicals;
- An inspection of nominated Hazardous Chemicals storage locations to identify Hazardous Chemicals; and
- An assessment of key parameters of the storage of Hazardous Chemicals at the site.

3. Background Information

3.1. Definition of Risk Groups

The number of persons (describe in workers and general public terms) occupying the premises is variable. There are 3 defined groups who (may) interact with Hazardous Chemicals at the site, these are:

- Building Management and operations management workers;
- Tenants and Occupiers and their workers; and
- Sub-contractors.

The risk to these groups may vary according to their proximity and access to the identified Hazardous Chemicals and whether they are workers or visitors at the site greatly effects the frequency and duration of their exposure to risk.

3.2. Risk Management of Hazardous Chemicals

Hazardous Chemicals are substances and articles that are potentially hazardous to people and property. They may be toxic, radioactive, corrosive, flammable, explosive, oxidizing or reactive with water. Hazardous Chemicals are regulated by the QLD Work Health and Safety Act and Regulation 2011 and the National Code of Practice *Managing risk of hazardous chemicals in the workplace*, Safe Work Australia, 2012. The different pieces of legislation are designed to provide protection for persons at workplaces, the general public and the environment from the adverse effects of Hazardous Chemicals use, handling, storage and disposal.

The Code of Practice provides general guidance for risk management of Hazardous Chemicals including:

- Controlling conditions to ensure stability
- Controls for associated plant
- Bulk container management
- Protection against impact and other damage
- Spill containment
- Ignition source protection
- Ventilation and atmosphere control

- Cleaning maintenance and inspection
- Work in/on plant, tanks and vessels
- Building controls
- Gas installations for plant

3.3. Classification of Hazardous Chemicals

Australia has adopted a system of classification and labelling for Hazardous Chemicals transport, storage and handling. This system helps people to quickly recognize Hazardous Chemicals, their properties and dangers. Hazardous Chemicals are divided into nine classes based on their hazardous properties. Except for very small packages, all packages and containers, shipping containers, unit loads, tankers, etc. which contain Hazardous Chemicals for transport must carry the correct Class Label. This label (or diamond sign) shows the nature of the hazard by the colour and symbol, and the Class of the goods by numeral. The responsibility for classification of products lies with the manufacturer or person packaging the products. The WHS Regulations implement a system of chemical hazard classification, labelling and safety data sheets (SDS) requirements based on the Globally Harmonized System.





Table 1. – Hazardous Chemicals Classification

Toxic GAS 2	Class 2.3 – Gases likely to cause death or serious injury to human health if exposed or by skin contact. (White background)	FLAMMABLE 3	Class 3 –Liquids, the vapours of which can ignite in air on contact with a source of ignition. (Red background)
FLAMMABLE SOLID	Class 4.1 – Solids easily ignited e.g. by sparks or flames, or liable to cause fire through friction. (Red and white stripe background)	SPONTANEOUSLY COMBUSTIBLE 4	Class 4.2 – Substances liable to spontaneously heat up and ignite. (Red background to lower half)
DANGEROUS WHEN WET 4	Class 4.3 – Substance which emits flammable or toxic gases when wet. (Blue background)	OXIDIZING AGENT 5.1	Class 5.1 - Substance likely to increase the risk and intensity of fire in other materials (yellow background)
ORGANIC PEROXIDE 52	Class 5.2 - Substances that are thermally unstable and likely to react dangerously with other substances. (Yellow background)		Class 6.1 – Toxic substances likely to cause death or severe injury to human or animal health if swallowed, inhaled or by skin contact. (White background)
INFECTIOUS SUBSTANCE 6	Class 6.2 - Infectious substances liable to cause death or severe injury to human or animal health if swallowed, inhaled or by skin contact. (White background)	RADIOACTIVE I CONTENTS ACTIVE 7	Class 7 – Substances (solid or liquid) which spontaneously emit ionising radiation. Category I, determined by radiation level of transport package. (Lowest level) (White background)



3.4. Segregation of Hazardous Chemicals

Segregation means keeping incompatible goods apart from one another in a room, using a barrier or intervening space. Some Hazardous Chemicals must be segregated when either stored or shipped together to ensure they do not mix in case of spillage or other event. Table 2 can be used to determine which goods should be segregated.

To use Table 2, select two of the Classes of Hazardous Chemicals to be kept in the mixed class storage area. Locate the first Class on the top line of class numbers, and the second Class in the column on the left hand side of the table. Read the code at the intersection of the line and column.

Class	2.1	2.2	3	4.1	4.2	4.3	5.1	5.2	6	8
2.1										
2.2										
3										
4.1										
4.2										
4.3										
5.1										
5.2										
6										
8										

Table 2. - Indication of Compatibility Based on Class of Hazardous Chemicals

Keys

SEPARATE	Hazardous Chemicals of these two classes should be kept apart by at least three metres or other suitable control measures. Consult Safety Data Sheet or supplier
SEGREGATE	Hazardous Chemicals of these two classes are likely to interact with each other in such a way as to significantly increase risk and should not be kept in the same area unless it can be demonstrated that the risks can be fully controlled. Consult SDS for further guidance .
ISOLATE	Dedicated stores or storage cabinets are recommended. Adequate separation from other buildings and boundaries is required. Consult SDS for further guidance .
REFERS TO SDS	Segregation of these two classes may be necessary. Refer to the SDS for further guidance. All Class 9 Hazardous Chemicals should be segregated in accordance with the SDS.
ок	Hazardous Chemicals of the same class have similar primary hazards and are usually considered compatible. Consult with the SDS or supplier about requirements for individual substances .

CLASS TYPES:

- Class 2.1—Flammable Gas
- Class 2.2—Non Flammable Non Toxic Gas
- Class 3—Flammable Liquid
- Class 4.1—Flammable Solid
- Class 4.2—Spontaneously Combustible
- Class 4.3—Dangerous When Wet
- Class 5.1—Oxidising Agent
- Class 5.2—Organic Peroxide
- Class 6—Toxic
- Class 8—Corrosive

Source: Adapted from AS/NZS 3833:2007

4. Assessment Findings

The findings of this assessment are presented in tabulated format in **Appendix B: Hazardous Chemicals Register** of this assessment report. Refer to **Appendix A: Photographs** for photographic reference for some of the chemicals identified.

The key findings are detailed in the following sections.

4.1. Results

Survey results and recommendations for each area are contained in the Hazardous Chemicals Register attached as **Appendix A**. Within the Register, each Hazardous Chemical is given a risk score of High, Medium or Low with the following meanings:

- High Risk: High risk Hazardous Chemicals satisfy at least one of the following criteria:
 - They may pose an immediate risk to life, property and/or the environment,
 - They are a major contravention to legislation, for example large quantities of flammable liquids not being placarded.
- Medium Risk: Medium risk Hazardous Chemicals satisfy at least one of the following criteria:
 - They may pose a risk to life, property and/or the environment under certain circumstances of use such as incompatible materials inadvertently being mixed together,
 - They are a minor contravention to legislation, such as small quantities of incompatible Hazardous Chemicals stored within 3 metres of each other.
- Low Risk: Low risk Hazardous Chemicals satisfy at least one of the following criteria:
 - They may cause ill-health effects to people or negative effects to the environment if used incorrectly, for example, if contact is made with a person's skin or the material enters a drain.
 - These represent a contravention of safe work procedures as outlined in Safety Data Sheets, for example, not wearing appropriate gloves when handling

The survey established that the office building located at 410 Ann Street, Brisbane City QLD 4000 contains the following Hazardous Chemical classes:

- Class 2.2 Gas cylinders and pressure vessels;
- Class 3 Flammable Liquids;
- Class 5.1 Oxidising agents; and
- Class 8 Corrosive.

Table 3 below presents the summary result regarding volume of Hazardous Chemicals by class stored at the site.

Description of Dangerous Goods	Packaging Group	Placarding Quantity	Stored at 410 Ann Street, Brisbane City QLD 4000	Comments
Class 2.2 (excluding Sub. Risk 5.1)	N/A	5000L	2sm ²	Stored in Cooling Tower Area
Class 3	I	50 kg or L	5 L	Minor quantities stored in Cleaners Store
	11	250 kg or L	<250 L	Quantities stored in Diesel Generator Room
	Ш	1000 kg or L	>1000 L	Large quantities stored in Raff Street, Underground Tank
Class 5.1	I	50 kg or L	2sm ²	Small quantities stored in Cooling Tower Area
	II	250 kg or L	<250 kg	Quantities stored in Cooling Tower Area
	ш	1000 kg or L	N/A	-
Class 8	1	50 kg or L	<50 kg	Small quantities stored in Cleaners Store
	11	250 kg or L	<250 kg or L	Quantities stored in Diesel Generator Room and Cooling Tower Area
	111	1000 kg or L	N/A	-

Table 3. Hazardous Chemicals Placarding Quantities requirement for the Site.

The survey identified no high risk non-compliance relate issues for the storage of Hazardous Chemicals at the site.

Finally, the remainder of chemicals stored / used is either for cleaning or building maintenance purposes (such as paints, thinners, mineral turpentine, aerosols, and chlorines), products for industrial cleaning purposes (floor and window cleaners, bleaches and polishers) and cooling water treatment chemicals. Aerosol cans containing manufactured products, such as deodorants, perfume and other personal hygiene products are not classified as Hazardous Chemicals.

The following specific observations were recorded from inspections conducted at the site:

- A copy of the complete Hazardous Chemicals Register was not found onsite; and
- Missing Safety Data Sheets (SDS) for some of the chemicals stored onsite (Refer Appendix B) was found during the audit.

5. Conclusions

The Conclusions, recommendations or stability of Hazardous Chemicals contained in this report shall not abrogate a person of their responsibility to work in accordance with Statutory Requirements, Codes of Practice, Guidelines, Safety Data Sheets, Work Instructions or reasonable work practices.

While the general exposure to risk associated with Hazardous Chemicals as determined by volume is assessed to be medium at the site, the actual risk to exposed groups in certain areas of the site are assessed as low. Specific risks requiring attention are as follows:

The survey has also identified deficiencies in management of Hazardous Chemicals at the site in relation to:

- Incomplete Hazardous Chemicals Register;
- Incorrect storage of Class 3 and Class 8 chemicals in the cleaners room; and
- Copies of all SDS not stored onsite.

6. Recommendations

Based on the survey and observations, it is recommended that:

- Adequate measures are to be employed to ensure that the flammable liquids can be stored and used safely;
- Class 3 and Class 8 chemicals stored in the cleaners room should be kept apart by at least three metres or other suitable control measures.
- Prepare and maintain a Safety Data Sheet (SDS) register to hold the safety information for all workplace chemicals used at the site. Assign a management representative to have responsibility for this;
- Copies of SDS for all chemicals stored onsite should be placed in a designated location within the site;
- Require as a condition of service contract, that all contractors engaged at the site provide to Site management a list of chemicals they intend to use and verification by citing their SDS information set;
- Develop and present a Chemical Safety Management Training Program for all management and staff at the site;
- Produce a General Chemical Safety Management Procedure and make this available to staff and tenants. Support this procedure as necessary with the creation and display of applicable signage;
- It is recommended that Mirvac initiate a periodic Dangerous Goods Audit of the Site to ensure the requirements are being maintained. The QLD WHS Regulations 2011, part 7.1, recommend that such a review is performed at least once every five years, or when significant changes are made to the hazardous chemicals used onsite; and
- A copy of this report and register should be kept at the site.

7. References

QLD Work Health and Safety Act and Regulation 2011

QLD Work Health and Safety Act 2011, Part 14: Section.274; Schedule 1

QLD Work Health and Safety Regulation 2011, Chapter 7 - Part 7.1

SafeWork Australia Code of Practice for Managing Risks of Hazardous Chemicals in the Workplace (July 2012)

Australian Standard 1940: 2004 'The Storage and Handling of Flammable and Combustible Liquids"

Standards Australian (2008) Australian Standard 1596:2008 "The Storage and Handling of LP Gas"

Standards Australian (2007) Australian Standard 3833:2007 'The Storage and Handling of Mixed Classes of Dangerous Goods in Packages and Intermediate Bulk Containers'.

8. Limitations

This report and the associated services performed by Tetra Tech Coffey are in accordance with the scope of services set out in the contract between Tetra Tech Coffey and the Client. The scope of services was defined by the requests of the Client, by the time and budgetary constraints imposed by the Client, and by the availability of access to the site.

Tetra Tech Coffey derived the data in this report primarily from visual inspections, examination of available records, interviews with individuals with information about the site, and if requested, limited samples collection and analysis made on the dates indicated. In preparing this report, Tetra Tech Coffey has relied upon, and presumed accurate, certain information (or absence thereof) provided by government authorities, the Client and others identified herein. Except as otherwise stated in the report, Tetra Tech Coffey has not attempted to verify the accuracy or completeness of any such information.

No warranty, undertaking, or guarantee, whether expressed or implied, is made with respect to the data reported or to the findings, observations, conclusions and recommendations expressed in this report. Furthermore, such data, findings, observations, conclusions and recommendations are based solely upon existence at the time of the investigation. The passage of time, manifestation of latent conditions or impacts of future events (e.g. changes in legislation, scientific knowledge, land uses, etc.) may require further investigation at the site with subsequent data analysis and re-evaluation of the findings, observations, conclusions expressed in this report.

This report has been prepared on behalf of and for the exclusive use of the Client, and is subject to and issued in connection with the provisions of the agreement between Tetra Tech Coffey and the Client. Tetra Tech Coffey accepts no liability or responsibility whatsoever and expressly disclaims any responsibility for or in respect of any use of or reliance upon this report by any third party or parties. It is the responsibility of the Client to accept if the Client so chooses any recommendations contained within and implement them in an appropriate, suitable and timely manner.

TETRA TECH COFFEY PTY LTD

Appendix A – Photographs

This page has been left intentionally blank





Photo 1 Cleaners Store, Chemical Storage

Photo 2 Cleaners Store, Chemical Storage



Photo 3 Cooling Towers, Chemical Storage



Photo 4 Cooling Towers, Chemical Storage



Photo 5 Raff Street, Diesel Fuel Storage (Underground Tank)



Photo 6 Diesel Generator Room, Diesel Fuel Storage



Photo 7 Diesel Generator Room, Battery Storage

Photo 8 Diesel Generator Room, Battery Storage

Appendix B – Hazardous Chemicals Register

This page has been left intentionally blank



HAZARDOUS CHEMICALS REGISTER

Instructions

Complete, keep and maintain this *Hazardous Chemicals Register* for all existing and new chemicals used by staff. This register should be readily accessible by all staff who use or who may be affected or exposed to any of the hazardous chemicals listed herein.

All hazardous chemicals must have a current safety data sheet (SDS) and an accompanying risk assessment that is no more than five years old. The SDS must state whether the product is hazardous and, in case of dangerous goods, provide the proper shipping name, UN number, class label, and subsidiary risk details. Copies of the SDSs must be attached to this register.

Date of register		th April 2022						
Name		Patricy Cortes and Phoebe Quessy	Position title	Hazardous Materials Consultant				
Assessor	Company	Hazsure Consultants	Client Contact Name	Doug Smith				

Product name (chemical name and commercial name)	Location where the product is stored or used	quantities held y unit e.g. 4 x 250g)	let (Y/N)	erous good class applicable)	Sat	ety Data	Sheet (SDS)	Risk	Comments
		Usual quar held (specify unit x 250g)	Is the product hazardous? (Y/N)	Dangerous class no. (if appli	SDS available (Y/N)	Date of issue	Date that the new SDS is required		
Diesel Fuel	Raff Street, Underground Tank	43,000L	Y	3	Y	2016	ASAP	Medium	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Diesel Fuel	Raff Street, fuel transfer pumps	Unknown	Y	3	Y	2016	ASAP	Medium	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Batteries (Super Charge)	Diesel Generator Room	2 units	Y	8	Y	2018	2023	Low	-
Batteries (Odyssey)	Diesel Generator Room	12 units	Y	8	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.



Diesel Fuel	Diesel Generator Room	Unknown	Y	3	Y	2016	ASAP	Medium	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Oil	Diesel Generator Room	420L	Ν	-	Y	2016	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Hydrochem Hydro 407X	Cooling Towers	3 x 15L	Y	-	Y	2018	2023	Low	-
Hydrochem bioTEC 9270	Cooling Towers	3 x 15L	Y	8	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Hydrochem Hydro 262X	Cooling Towers	3 x 15L	Y	8	Y	2017	2022	Low	-
Hydrochem Hydro 375	Cooling Towers	4 x 15kg	Y	5.1,8	Y	2016	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Integra CWT 325	Cooling Towers	Unknown	Y	Unknown	N	-	ASAP	Med	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Hydrochem Hydro 428	Cooling Towers	15L	Y	-	Y	2016	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Refrigerant R134a	Chiller	Unknown	Y	2.2	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Hydrochem Hydro 255	Diesel Generator Room	15L	Y	8	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Hydrochem Hydro 262X	Diesel Generator Room	15L	Y	8	Y	2017	2022	Low	-
Hydrochem Hydro 407X	Diesel Generator Room	15L	Y	-	Y	2018	2023	Low	-



Hydrochem Hydro 407X	Cooling towers	3 x 15L	Y	-	Y	2018	2023	Low	-
Hydrochem bioTEC 9270	Cooling towers	3 x 15L	Y	8	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Hydrochem Hydro 262X	Cooling towers	3 x 15L	Y	8	Y	2017	2022	Low	-
Hydrochem Hydro 428	Cooling towers	15L	Y	-	Y	2016	ASAP	Low	-
Oxygen Bottle	Cooling Towers	1 x 2sm ³	Y	2.2 & 5.1	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Acetylene Bottle	Cooling Towers	1 x 2sm ³	Y	2	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Diesel Fuel	Diesel Generator Room	Unknown	Y	3	Y	2016	2021	Low	-
Batteries (Super Charge)	Diesel Generator Room	2 units	Y	8	Y	2018	2023	Low	-
Batteries (Odyssey)	Diesel Generator Room	12 units	Y	8	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
3M stainless Steel Cleaner and Polish	Cleaners Room	1 can	Y	2.1	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Refresh Azure Foam	Cleaners Room	1L x 2	N	-	Y	-	Unknown	Low	-
3M Trouble Shooter Baseboard Stripper	Cleaners Room	1 can	Y	8	N	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.



Enzyme Wizard All purpose surface spray	Cleaners Room	1L x 1 5L x 2	Y	-	N	2018	2023	Low	-
Jasol Instant Hand Sanitiser	Cleaners Room	1L	Y	2	Y	2016	2021	Low	-
Enzyme Wizard, no rinse floor cleaner	Cleaners Room	5L	Y	-	Y	2015	2020	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Hypo Chlor Liquid Bleach 4%	Cleaners Room	5L	Y	8	No	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Bowline Toilet and Washroom Cleaner	Cleaners Room	5L	Y	-	No	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Enzyme Wizard Urine stain and odour remover	Cleaners Room	2 x 5L	Y	-	No	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Green Glitz Eucalyptus Oil	Cleaners Room	250mL	Y	3	No	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Orchid Dust Action Deodoriser and Cleaner	Cleaners Room	5L	Y	-	No	-	ASAP	Low	Current SDS for the chemical should be sourced and kept onsite within the SDS folder.
Enzyme Wizard, urinal cleaner	Cleaners Room	1L	Y	-	Ν	2017	Sept 2022	Low	-