

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 18646 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 22 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18647 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 20 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18648 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 18 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18649 | Corymbia citriodora | Spotted Gum | 330 | 160 | 367 | 20 | 6 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18650 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 15 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18651 | Acacia concurrens | Black Wattle | 100 | | 100 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18652 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 16 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18653 | Acacia concurrens | Black Wattle | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18654 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18655 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18656 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18657 | Eucalyptus tereticornis | Forest Red Gum | 340 | | 340 | 22 | 6 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18658 | DEAD/STAG | | 830 | | 830 | 22 | 6 | 10.0 | 3.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Retain P9 BAL VMP |
| 18659 | Alphitonia excelsa | Red Ash | 160 | | 160 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18660 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18661 | Alphitonia excelsa | Red Ash | 160 | | 160 | 10 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18662 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 22 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18663 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18664 | Alphitonia excelsa | Red Ash | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18665 | Acacia concurrens | Black Wattle | 110 | | 110 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18666 | Alphitonia excelsa | Red Ash | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18667 | Allocasuarina littoralis | Black Sheoak | 220 | | 220 | 12 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18668 | Allocasuarina littoralis | Black Sheoak | 220 | | 220 | 12 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18669 | Alphitonia excelsa | Red Ash | 140 | | 140 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18670 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18671 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 10 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18676 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18677 | Allocasuarina littoralis | Black Sheoak | 250 | | 250 | 12 | 3 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18678 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 16 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18679 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 10 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18680 | Allocasuarina littoralis | Black Sheoak | 120 | | 120 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18681 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 14 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18682 | Allocasuarina littoralis | Black Sheoak | 190 | | 190 | 12 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18683 | Allocasuarina littoralis | Black Sheoak | 190 | | 190 | 12 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18684 | Allocasuarina littoralis | Black Sheoak | 260 | | 260 | 12 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18685 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18686 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18687 | Alphitonia excelsa | Red Ash | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18688 | Allocasuarina littoralis | Black Sheoak | 170 | | 170 | 10 | 2 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18689 | Alphitonia excelsa | Red Ash | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18690 | Eucalyptus crebra | Narrow-leaved Ironbark | 100 | | 100 | 10 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 18691 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 20 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18692 | Allocasuarina littoralis | Black Sheoak | 230 | | 230 | 12 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18693 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 22 | 6 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18694 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 25 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18695 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18696 | Alphitonia excelsa | Red Ash | 200 | | 200 | 10 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18697 | Alphitonia excelsa | Red Ash | 110 | | 110 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18698 | Angophora leiocarpa | Smooth-barked Apple | 210 | | 210 | 16 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18699 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18700 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18701 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 22 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18702 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18703 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 18 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18704 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | 100 | 156 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18705 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 24 | 8 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18706 | Eucalyptus tereticornis | Forest Red Gum | 370 | | 370 | 25 | 8 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18707 | Eucalyptus crebra | Narrow-leaved Ironbark | 400 | 390 | 559 | 24 | 10 | 6.7 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18708 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | 210 | 326 | 16 | 6 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18709 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 14 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18710 | Corymbia citriodora | Spotted Gum | 290 | 150 | 326 | 18 | 6 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18711 | Eucalyptus tereticornis | Forest Red Gum | 260 | 250 | 361 | 18 | 6 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18712 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 15 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 18726 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 16 | 4 | 2.4 | 1.7 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18727 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 15 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18728 | Angophora leiocarpa | Smooth-barked Apple | 200 | | 200 | 15 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18729 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 15 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18730 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 16 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18731 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 24 | 8 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18732 | Corymbia citriodora | Spotted Gum | 450 | | 450 | 22 | 8 | 5.4 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18733 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 18 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18734 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 14 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18735 | Eucalyptus tereticornis | Forest Red Gum | 260 | 190 | 322 | 14 | 3 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18736 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18737 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 24 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18738 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 18 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18739 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 16 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18740 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 25 | 8 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18741 | Acacia concurrens | Black Wattle | 150 | | 150 | 6 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18742 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18743 | Angophora leiocarpa | Smooth-barked Apple | 210 | | 210 | 12 | 2 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18744 | Angophora leiocarpa | Smooth-barked Apple | 270 | | 270 | 12 | 2 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18745 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18746 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18747 | Acacia concurrens | Black Wattle | 120 | | 120 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18748 | Angophora leiocarpa | Smooth-barked Apple | 120 | | 120 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18749 | Corymbia citriodora | Spotted Gum | 490 | | 490 | 22 | 8 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18750 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 14 | 2 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18751 | Corymbia citriodora | Spotted Gum | 200 | 190 | 276 | 15 | 6 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18752 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18753 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 18 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18754 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 24 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18755 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 22 | 6 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18756 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 20 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18757 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 14 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18758 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 14 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18759 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18760 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 24 | 12 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18761 | Alphitonia excelsa | Red Ash | 120 | | 120 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18762 | Eucalyptus tereticornis | Forest Red Gum | 280 | 240, 150 | 398 | 24 | 6 | 4.8 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18763 | Alphitonia excelsa | Red Ash | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18764 | Corymbia intermedia | Pink Bloodwood | 160 | | 160 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18765 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18766 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18767 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 18 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18768 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 14 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 18769 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 10 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18770 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18771 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18772 | Alphitonia excelsa | Red Ash | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18773 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18774 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18775 | Corymbia tessellaris | Moreton Bay Ash | 160 | | 160 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18776 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18777 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 15 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18778 | Eucalyptus crebra | Narrow-leaved Ironbark | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18779 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18780 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 15 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18781 | Eucalyptus crebra | Narrow-leaved Ironbark | 100 | | 100 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18782 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 16 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18783 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 16 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18784 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18785 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 12 | 2 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18786 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18787 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18788 | Alphitonia excelsa | Red Ash | 150 | | 150 | 14 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 18802 | Corymbia citriodora | Spotted Gum | 260 | 180,200 | 374 | 22 | 6 | 4.5 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18803 | Eucalyptus crebra | Narrow-leaved Ironbark | 110 | | 110 | 10 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Poor | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18804 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 24 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18805 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 22 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18806 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 20 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18807 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 25 | 12 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18808 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 20 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18809 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18810 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 14 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18811 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 22 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18812 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 25 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18813 | Corymbia citriodora | Spotted Gum | 260 | 180 | 316 | 22 | 6 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18814 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 14 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18815 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 24 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18816 | Corymbia citriodora | Spotted Gum | 240 | 160 | 288 | 22 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18817 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 26 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18818 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 10 | 1 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18819 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 22 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18820 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 24 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18821 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 26 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18822 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18823 | Corymbia citriodora | Spotted Gum | 250 | 220 | 333 | 22 | 6 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18824 | Corymbia citriodora | Spotted Gum | 210 | 130 | 247 | 16 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18825 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 15 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18826 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 25 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18827 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 28 | 8 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18828 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 26 | 12 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18829 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18830 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18831 | Eucalyptus tereticornis | Forest Red Gum | 140 | | 140 | 18 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18832 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | 130 | 198 | 15 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18833 | Alphitonia excelsa | Red Ash | 170 | 110 | 202 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18834 | Eucalyptus crebra | Narrow-leaved Ironbark | 130 | | 130 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18835 | Allocasuarina littoralis | Black Sheoak | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18836 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 15 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18837 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 25 | 8 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18838 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 18 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18839 | Corymbia citriodora | Spotted Gum | 510 | | 510 | 25 | 8 | 6.1 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18840 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 14 | 2 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18841 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 25 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18842 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 18 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18843 | Corymbia citriodora | Spotted Gum | 260 | 250, 200, 180 | 450 | 22 | 8 | 5.4 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18844 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 12 | 2 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18845 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 22 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18846 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 24 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18847 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 24 | 8 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18848 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 20 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18849 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18850 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18851 | Allocasuarina littoralis | Black Sheoak | 210 | | 210 | 10 | 2 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18852 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18853 | Acacia concurrens | Black Wattle | 120 | | 120 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18854 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 18 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18855 | Eucalyptus crebra | Narrow-leaved Ironbark | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18856 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18857 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18858 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 14 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18859 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 16 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18860 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 14 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18861 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 18 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18862 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18863 | Corymbia citriodora | Spotted Gum | 280 | 160 | 322 | 25 | 8 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18864 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 14 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typ | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 18878 | Acacia concurrens | Black Wattle | 110 | | 110 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18879 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 22 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18880 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18881 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18882 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18883 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18884 | Corymbia citriodora | Spotted Gum | 480 | | 480 | 25 | 12 | 5.8 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18885 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 15 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 18886 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 22 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18887 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 12 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18888 | Eucalyptus tereticornis | Forest Red Gum | 600 | | 600 | 24 | 8 | 7.2 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18889 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 12 | 2 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18890 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18891 | Alphitonia excelsa | Red Ash | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18892 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18893 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 12 | 3 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18894 | Corymbia intermedia | Pink Bloodwood | 290 | | 290 | 16 | 4 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18895 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 15 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18896 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 15 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18897 | Eucalyptus crebra | Narrow-leaved Ironbark | 360 | | 360 | 25 | 8 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18898 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 20 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18899 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 22 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18900 | Acacia concurrens | Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18901 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18902 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18903 | Acacia leiocalyx | Early-flowering Black Wattle | 150 | | 150 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18904 | Acacia concurrens | Black Wattle | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18905 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18906 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 16 | 5 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18907 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 25 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18908 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18909 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18910 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18911 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18912 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 16 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18913 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 18 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18914 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18915 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 24 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18916 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18918 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 5 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18920 | Eucalyptus tereticornis | Forest Red Gum | 150 | | 150 | 14 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18921 | Corymbia intermedia | Pink Bloodwood | 160 | 150 | 219 | 14 | 4 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18922 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | 220 | 318 | 20 | 8 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18923 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18924 | Eucalyptus crebra | Narrow-leaved Ironbark | 100 | | 100 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18925 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18926 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 24 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18927 | Eucalyptus tereticornis | Forest Red Gum | 290 | | 290 | 24 | 6 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18928 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18929 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18930 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18931 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18936 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18937 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18938 | Angophora leiocarpa | Smooth-barked Apple | 290 | 280, 180 | 441 | 16 | 8 | 5.3 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18939 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18940 | Angophora leiocarpa | Smooth-barked Apple | 310 | 230 | 386 | 22 | 8 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 18941 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 22 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18942 | Angophora leiocarpa | Smooth-barked Apple | 100 | | 100 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18943 | Angophora leiocarpa | Smooth-barked Apple | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18944 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 20 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18945 | Corymbia citriodora | Spotted Gum | 330 | | 330 | 26 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 18946 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 24 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 19036 | Corymbia citriodora | Spotted Gum | 370 | 300, 160 | 502 | 28 | 12 | 6.0 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19037 | Alphitonia excelsa | Red Ash | 120 | | 120 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19038 | Eucalyptus crebra | Narrow-leaved Ironbark | 100 | | 100 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19039 | Alphitonia excelsa | Red Ash | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19040 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19041 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19042 | Alphitonia excelsa | Red Ash | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19043 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19044 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 26 | 10 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19045 | Eucalyptus crebra | Narrow-leaved Ironbark | 390 | | 390 | 28 | 14 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19046 | Acacia disparrima | Hickory Wattle | 150 | | 150 | 8 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19047 | Angophora leiocarpa | Smooth-barked Apple | 100 | | 100 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19048 | Eucalyptus crebra | Narrow-leaved Ironbark | 410 | | 410 | 26 | 10 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19049 | Alphitonia excelsa | Red Ash | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19050 | Corymbia citriodora | Spotted Gum | 200 | 170 | 262 | 20 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19051 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19052 | Alphitonia excelsa | Red Ash | 120 | 100 | 156 | 10 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19053 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 26 | 14 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19054 | Alphitonia excelsa | Red Ash | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19055 | Alphitonia excelsa | Red Ash | 140 | | 140 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19056 | Corymbia citriodora | Spotted Gum | 290 | | 290 | 25 | 12 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19057 | Corymbia citriodora | Spotted Gum | 320 | 190 | 372 | 28 | 14 | 4.5 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19058 | Alphitonia excelsa | Red Ash | 180 | | 180 | 10 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19059 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 25 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19060 | Corymbia citriodora | Spotted Gum | 200 | 100 | 224 | 12 | 3 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19061 | Allocasuarina littoralis | Black Sheoak | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19062 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 25 | 12 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19063 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 24 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19064 | Acacia concurrens | Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19065 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19066 | Alphitonia excelsa | Red Ash | 180 | | 180 | 8 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19067 | Alphitonia excelsa | Red Ash | 140 | | 140 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19068 | Alphitonia excelsa | Red Ash | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19069 | Corymbia citriodora | Spotted Gum | 520 | | 520 | 28 | 14 | 6.2 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19070 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19071 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19072 | Alphitonia excelsa | Red Ash | 140 | | 140 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19073 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 28 | 14 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19074 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19075 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 16 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19076 | Allocasuarina littoralis | Black Sheoak | 180 | | 180 | 8 | 2 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19077 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 18 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19078 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 8 | 1 | 3.4 | 1.9 | Regular | - | - | - | Epicormic | Lopped | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19079 | Alphitonia excelsa | Red Ash | 200 | | 200 | 12 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19080 | Acacia disparrima | Hickory Wattle | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19081 | Corymbia citriodora | Spotted Gum | 300 | 170 | 345 | 26 | 10 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19082 | Corymbia citriodora | Spotted Gum | 290 | | 290 | 28 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19083 | Acacia disparrima | Hickory Wattle | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19084 | Eucalyptus tereticornis | Forest Red Gum | 140 | | 140 | 15 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19085 | Acacia disparrima | Hickory Wattle | 150 | | 150 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19086 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19087 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 8 | 1 | 2.9 | 1.8 | Regular | - | - | - | Epicormic | Lopped | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19088 | Corymbia citriodora | Spotted Gum | 250 | 230 | 340 | 10 | 2 | 4.1 | 2.1 | Regular | - | - | - | Epicormic | Lopped | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19089 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19090 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 18 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19091 | Allocasuarina littoralis | Black Sheoak | 230 | | 230 | 8 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19092 | Corymbia citriodora | Spotted Gum | 430 | | 430 | 28 | 16 | 5.2 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19093 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 15 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19094 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19095 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19096 | Eucalyptus tereticornis | Forest Red Gum | 370 | | 370 | 26 | 8 | 4.4 | 2.2 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19097 | Allocasuarina littoralis | Black Sheoak | 200 | | 200 | 12 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19098 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 19188 | Allocasuarina littoralis | Black Sheoak | 210 | | 210 | 8 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19189 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 22 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19190 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19191 | Allocasuarina littoralis | Black Sheoak | 210 | | 210 | 6 | 2 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19192 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19193 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 15 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19194 | Allocasuarina littoralis | Black Sheoak | 120 | | 120 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19195 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19196 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 16 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19197 | Eucalyptus tereticornis | Forest Red Gum | 430 | 420 | 601 | 26 | 14 | 7.2 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19198 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 15 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19199 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 22 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19200 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 22 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19201 | Corymbia citriodora | Spotted Gum | 470 | | 470 | 25 | 12 | 5.6 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19202 | Corymbia citriodora | Spotted Gum | 170 | | 170 | 10 | 2 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19203 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19204 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19205 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19206 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19207 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19208 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19209 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19210 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19211 | Alphitonia excelsa | Red Ash | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19212 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 16 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19213 | Alphitonia excelsa | Red Ash | 150 | | 150 | 6 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19214 | Alphitonia excelsa | Red Ash | 150 | | 150 | 6 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19215 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 6 | 1 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19216 | Alphitonia excelsa | Red Ash | 110 | | 110 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19217 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19218 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19219 | Acacia dispartima | Hickory Wattle | 150 | | 150 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19220 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19221 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19222 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19223 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19224 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19225 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19226 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19227 | Acacia dispartima | Hickory Wattle | 170 | | 170 | 8 | 2 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19228 | Alphitonia excelsa | Red Ash | 130 | | 130 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19229 | Corymbia citriodora | Spotted Gum | 570 | | 570 | 26 | 16 | 6.8 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19230 | Alphitonia excelsa | Red Ash | 210 | | 210 | 8 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19231 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 15 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19232 | Alphitonia excelsa | Red Ash | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19233 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 24 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19234 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 10 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19235 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 10 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19236 | Allocasuarina littoralis | Black Sheoak | 140 | 100 | 172 | 8 | 3 | 2.1 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19237 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 26 | 14 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19238 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19239 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19240 | Allocasuarina littoralis | Black Sheoak | 120 | | 120 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19241 | Allocasuarina littoralis | Black Sheoak | 190 | | 190 | 10 | 2 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19242 | Lophostemon suaveolens | Swap Box | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19243 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19244 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19245 | Allocasuarina littoralis | Black Sheoak | 220 | | 220 | 10 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19246 | Alphitonia excelsa | Red Ash | 230 | | 230 | 12 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19247 | Allocasuarina littoralis | Black Sheoak | 210 | | 210 | 10 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19248 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 10 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19249 | Allocasuarina littoralis | Black Sheoak | 220 | | 220 | 10 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19250 | Allocasuarina littoralis | Black Sheoak | 170 | | 170 | 12 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19251 | Allocasuarina littoralis | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 19264 | Eucalyptus tereticornis | Forest Red Gum | 170 | | 170 | 12 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19265 | Allocasuarina littoralis | Black Sheoak | 210 | | 210 | 12 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19266 | Eucalyptus tereticornis | Forest Red Gum | 460 | | 460 | 25 | 14 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19267 | Eucalyptus tereticornis | Forest Red Gum | 140 | | 140 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19268 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 22 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19269 | Lophostemon suaveolens | Swap Box | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19270 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19271 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19272 | Allocasuarina littoralis | Black Sheoak | 120 | | 120 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19273 | Eucalyptus crebra | Narrow-leaved Ironbark | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19274 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 10 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19275 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 22 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19276 | Alphitonia excelsa | Red Ash | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19277 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19278 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19279 | Allocasuarina littoralis | Black Sheoak | 170 | | 170 | 8 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19280 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 8 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19281 | Allocasuarina littoralis | Black Sheoak | 220 | | 220 | 10 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19282 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19283 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19284 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19285 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19286 | Corymbia citriodora | Spotted Gum | 530 | | 530 | 25 | 12 | 6.4 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19287 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19288 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19289 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 24 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19290 | Alphitonia excelsa | Red Ash | 120 | | 120 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19291 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 16 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19292 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 16 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19293 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 16 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19294 | Alphitonia excelsa | Red Ash | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19295 | Corymbia citriodora | Spotted Gum | 390 | | 390 | 25 | 14 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19296 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 25 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19297 | Acacia concurrens | Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19298 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 18 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19299 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19300 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19301 | Acacia concurrens | Black Wattle | 130 | | 130 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19302 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 20 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19303 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | 210 | 311 | 24 | 10 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19304 | Eucalyptus tereticornis | Forest Red Gum | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19305 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 22 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19306 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 18 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19307 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 24 | 10 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19308 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19309 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19310 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19311 | Eucalyptus tereticornis | Forest Red Gum | 150 | | 150 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19312 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 24 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19313 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19314 | Acacia leiocalyx | Early-flowering Black Wattle | 150 | | 150 | 6 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19315 | Corymbia citriodora | Spotted Gum | 370 | | 370 | 25 | 12 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19316 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 16 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19317 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19318 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 16 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19319 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19320 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 12 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19321 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19322 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19323 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19324 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 20 | 6 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19325 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 18 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19326 | Eucalyptus tereticornis | Forest Red Gum | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19327 | Eucalyptus tereticornis | Forest Red Gum | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 19340 | Eucalyptus crebra | Narrow-leaved Ironbark | 100 | | 100 | 5 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19341 | Eucalyptus crebra | Narrow-leaved Ironbark | 140 | | 140 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19342 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 16 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19343 | Eucalyptus crebra | Narrow-leaved Ironbark | 140 | | 140 | 15 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19344 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19345 | Alphitonia excelsa | Red Ash | 100 | | 100 | 5 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19346 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 6 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19347 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 16 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19348 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 10 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19349 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 5 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19350 | Allocasuarina littoralis | Black Sheoak | 200 | | 200 | 6 | 2 | 2.4 | 1.7 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19351 | Allocasuarina littoralis | Black Sheoak | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19352 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19353 | Eucalyptus crebra | Narrow-leaved Ironbark | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19354 | Allocasuarina littoralis | Black Sheoak | 240 | | 240 | 12 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19355 | Eucalyptus crebra | Narrow-leaved Ironbark | 140 | | 140 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19356 | Allocasuarina littoralis | Black Sheoak | 240 | | 240 | 12 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19357 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 12 | 3 | 2.0 | 1.5 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19358 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19359 | Allocasuarina littoralis | Black Sheoak | 240 | | 240 | 12 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19360 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19361 | Allocasuarina littoralis | Black Sheoak | 120 | | 120 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19362 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 20 | 6 | 2.8 | 1.8 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19363 | Lophostemon suaveolens | Swap Box | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19364 | Allocasuarina littoralis | Black Sheoak | 220 | | 220 | 12 | 3 | 2.6 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19365 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 16 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19366 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 25 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19367 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 20 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19368 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 26 | 10 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19369 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 18 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19370 | Acacia disparrima | Hickory Wattle | 160 | | 160 | 10 | 4 | 2.0 | 1.5 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19371 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 18 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19372 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 22 | 6 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19373 | Eucalyptus crebra | Narrow-leaved Ironbark | 110 | | 110 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19374 | Eucalyptus tereticornis | Forest Red Gum | 170 | | 170 | 15 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19375 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 10 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19376 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19377 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19378 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19379 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19380 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19381 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19382 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19383 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 18 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19384 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 8 | 2 | 2.0 | 0.5 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19385 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19386 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19387 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19388 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19389 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 15 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19390 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19391 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19392 | Corymbia citriodora | Spotted Gum | 170 | | 170 | 16 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19393 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19394 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19395 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 24 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19396 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19397 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19398 | Acacia disparrima | Hickory Wattle | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19399 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19400 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19401 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 18 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19402 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 19416 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 26 | 12 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19417 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19418 | Allocasuarina littoralis | Black Sheoak | 200 | | 200 | 8 | 3 | 2.4 | 0.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19419 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19420 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 20 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19421 | Allocasuarina littoralis | Black Sheoak | 150 | | 150 | 10 | 3 | 2.0 | 1.5 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19422 | Alphitonia excelsa | Red Ash | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19423 | Alphitonia excelsa | Red Ash | 110 | | 110 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19424 | Alphitonia excelsa | Red Ash | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19425 | Alphitonia excelsa | Red Ash | 150 | | 150 | 8 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19426 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19427 | Eucalyptus crebra | Narrow-leaved Ironbark | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19428 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 5 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19429 | Acacia disparima | Hickory Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19430 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 20 | 6 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19431 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 5 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19432 | Eucalyptus tereticornis | Forest Red Gum | 140 | | 140 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19433 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 16 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19434 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 16 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19435 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 24 | 10 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19436 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 24 | 10 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19437 | Eucalyptus crebra | Narrow-leaved Ironbark | 140 | | 140 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19438 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19439 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 16 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19440 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 14 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19441 | Eucalyptus tereticornis | Forest Red Gum | 140 | | 140 | 15 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19442 | Allocasuarina littoralis | Black Sheoak | 160 | | 160 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19443 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 25 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19444 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 22 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19445 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 24 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19446 | Allocasuarina littoralis | Black Sheoak | 140 | | 140 | 8 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19447 | Allocasuarina littoralis | Black Sheoak | 120 | | 120 | 6 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19448 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19449 | Allocasuarina littoralis | Black Sheoak | 100 | | 100 | 5 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19450 | Allocasuarina littoralis | Black Sheoak | 170 | | 170 | 10 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19451 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19452 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 15 | 3 | 3.0 | 1.8 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19453 | Eucalyptus tereticornis | Forest Red Gum | 120 | | 120 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19454 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 25 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19455 | Allocasuarina littoralis | Black Sheoak | 190 | | 190 | 12 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19456 | Alphitonia excelsa | Red Ash | 120 | | 120 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19457 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 24 | 8 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19458 | Allocasuarina littoralis | Black Sheoak | 130 | | 130 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19459 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 15 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19460 | Eucalyptus tereticornis | Forest Red Gum | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19461 | Allocasuarina littoralis | Black Sheoak | 110 | | 110 | 8 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19462 | Alphitonia excelsa | Red Ash | 140 | | 140 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19463 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19464 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 11 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19465 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 16 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19466 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | Die-back | - | - | Poor | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19468 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19469 | Acacia leiocalyx | Early-flowering Black Wattle | 150 | | 150 | 7 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19470 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19471 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 7 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19475 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19476 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19477 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19478 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | 110 | 163 | 7 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19479 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 7 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19480 | Acacia leiocalyx | Early-flowering Black Wattle | 150 | | 150 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19481 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19482 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19483 | Acacia leiocalyx</ | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|--------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 19496 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 6 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19497 | Eucalyptus tereticornis | Forest Red Gum | 120 | | 120 | 5 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19498 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 27 | 12 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Retain P9 BAL VMP |
| 19499 | Eucalyptus tereticornis | Forest Red Gum | 580 | | 580 | 27 | 9 | 7.0 | 2.6 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19500 | Eucalyptus tereticornis | Forest Red Gum | 620 | | 620 | 28 | 12 | 7.4 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | New | - | - | - | - | Remove P9 BAL VMP |
| 19501 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19502 | Acacia leiocalyx | Early-flowering Black Wattle | 180 | | 180 | 6 | 2 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19503 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 5 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19504 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 5 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19505 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 5 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19506 | Alphitonia excelsa | Soap Tree | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19513 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19514 | Eucalyptus tereticornis | Forest Red Gum | 570 | | 570 | 27 | 9 | 6.8 | 2.6 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19515 | Acacia leiocalyx | Early-flowering Black Wattle | 150 | | 150 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19523 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 150 | | 150 | 10 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 19524 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19525 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19526 | Eucalyptus tereticornis | Forest Red Gum | 720 | | 720 | 33 | 14 | 8.6 | 2.9 | Regular | - | - | - | - | - | Typical | - | Both | - | - | Typical | Old | Old | - | - | - | - | Retain P9 BAL VMP |
| 19527 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 23 | 7 | 4.8 | 2.3 | Regular | - | - | - | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19528 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19529 | Acacia concurrens | Black Wattle | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19530 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19531 | Eucalyptus tereticornis | Forest Red Gum | 180 | | 180 | 14 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | Old | - | - | - | - | Retain P9 BAL VMP |
| 19532 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19533 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19534 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 15 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19535 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19536 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 6 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19537 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 5 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19538 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19539 | Acacia concurrens | Black Wattle | 100 | | 100 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19540 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 130 | | 130 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19541 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 200 | | 200 | 10 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19542 | Acacia concurrens | Black Wattle | 180 | | 180 | 7 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19543 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 390 | | 390 | 19 | 7 | 4.7 | 2.2 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19544 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19545 | Eucalyptus tereticornis | Forest Red Gum | 670 | | 670 | 28 | 14 | 8.0 | 2.8 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19546 | Eucalyptus tereticornis | Forest Red Gum | 370 | | 370 | 22 | 8 | 4.4 | 2.2 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19547 | Alphitonia excelsa | Soap Tree | 110 | | 110 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19548 | Alphitonia excelsa | Soap Tree | 130 | | 130 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19549 | DEAD/STAG | | 370 | | 370 | 16 | 7 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19550 | Allocauarina littoralis | Black She-oak | 160 | | 160 | 13 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19551 | Eucalyptus tereticornis | Forest Red Gum | 140 | | 140 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19552 | Alphitonia excelsa | Soap Tree | 130 | | 130 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19553 | Allocauarina littoralis | Black She-oak | 130 | | 130 | 9 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19554 | Allocauarina littoralis | Black She-oak | 110 | | 110 | 9 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19555 | Allocauarina littoralis | Black She-oak | 110 | | 110 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19556 | Lophostemon suaveolens | Swamp Box | 110 | | 110 | 9 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19557 | Alphitonia excelsa | Soap Tree | 110 | | 110 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19558 | Allocauarina littoralis | Black She-oak | 110 | | 110 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19559 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19560 | Allocauarina littoralis | Black She-oak | 120 | | 120 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19561 | Eucalyptus tereticornis | Forest Red Gum | 130 | | 130 | 11 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19562 | Acacia concurrens | Black Wattle | 110 | | 110 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19563 | Eucalyptus tereticornis | Forest Red Gum | 500 | | 500 | 23 | 7 | 6.0 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19564 | Allocauarina littoralis | Black She-oak | 150 | | 150 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 19565 | Allocauarina littoralis | Black She-oak | 130 | | 130 | 9 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19566 | DEAD/STAG | | 300 | | 300 | 20 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19567 | Allocauarina littoralis | Black She-oak | 190 | | 190 | 8 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19568 | Allocauarina littoralis | Black She-oak | 190 | | 190 | 12 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19569 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 16 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19570 | Lophostemon suaveolens | Swamp Box | 110 | | 110 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19571 | Allocauarina littoralis | Black She-oak | 140 | | 140 | 6 | 3 | 2.0 | 1.4 | One-sided | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 19585 | Allocasuarina littoralis | Black She-oak | 190 | | 190 | 7 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19586 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 8 | 2 | 2.0 | 1.5 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19587 | Allocasuarina littoralis | Black She-oak | 140 | | 140 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19588 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 14 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19589 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 8 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19590 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 11 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19591 | Allocasuarina littoralis | Black She-oak | 160 | | 160 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19592 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19593 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 10 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19594 | Lophostemon suaveolens | Swamp Box | 200 | 140 | 244 | 12 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19595 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 16 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19596 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 7 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19597 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19598 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19599 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19600 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 16 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19601 | Alphitonia excelsa | Soap Tree | 140 | | 140 | 9 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19602 | Acacia concurrens | Black Wattle | 130 | | 130 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19603 | Acacia concurrens | Black Wattle | 130 | | 130 | 5 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19604 | Acacia leiocalyx | Early-flowering Black Wattle | 150 | | 150 | 5 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19605 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19606 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 5 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19607 | Eucalyptus tereticornis | Forest Red Gum | 310 | | 310 | 21 | 5 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19608 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 5 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19609 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19610 | Acacia concurrens | Black Wattle | 100 | | 100 | 6 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19611 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 16 | 7 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19612 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 5 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19613 | Acacia concurrens | Black Wattle | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19614 | Acacia concurrens | Black Wattle | 120 | | 120 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19615 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19616 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 5 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19617 | Acacia disparrima | Hickory Wattle | 110 | | 110 | 5 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19618 | Corymbia citriodora | Spotted Gum | 230 | 120 | 259 | 15 | 5 | 3.1 | 1.9 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19619 | Acacia concurrens | Black Wattle | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19620 | Acacia concurrens | Black Wattle | 130 | | 130 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19621 | Alphitonia excelsa | Soap Tree | 140 | | 140 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19622 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19623 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19624 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 19 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19625 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19626 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19627 | Acacia concurrens | Black Wattle | 110 | | 110 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19628 | Acacia concurrens | Black Wattle | 100 | | 100 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19629 | Eucalyptus tereticornis | Forest Red Gum | 340 | | 340 | 18 | 6 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19630 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 18 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19631 | Acacia concurrens | Black Wattle | 130 | | 130 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19632 | Acacia concurrens | Black Wattle | 100 | | 100 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19633 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 13 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19634 | Acacia disparrima | Hickory Wattle | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19635 | Acacia concurrens | Black Wattle | 120 | | 120 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19644 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19645 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 8 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19646 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 8 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19709 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 5 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19710 | Acacia concurrens | Black Wattle | 110 | | 110 | 5 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19714 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 340 | | 340 | 27 | 11 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19715 | Eucalyptus tereticornis | Forest Red Gum | 330 | | 330 | 26 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19722 | DEAD/STAG | | 210 | | 210 | 17 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19724 | Eucalyptus tereticornis | Forest Red Gum | 310 | | 310 | 19 | 5 | 3.7 | 2.0 | One-sided | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19725 | Acacia concurrens | Black Wattle | 120 | | 120 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19726 | Eucalyptus tereticornis | Forest Red Gum | 170 | | 170 | 16 | 1 | 2.0 | 1.6 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19727 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19728 | Eucalyptus tereticornis | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|----------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|--------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 19741 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 26 | 13 | 4.2 | 2.1 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19742 | Corymbia citriodora | Spotted Gum | 430 | 270 | 508 | 30 | 13 | 6.1 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19743 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 19 | 6 | 2.5 | 1.7 | One-sided | - | Thinning | - | Epicormic | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19792 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19793 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 9 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19794 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 7 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19795 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 18 | 5 | 3.6 | 2.0 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19797 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 350 | | 350 | 26 | 10 | 4.2 | 2.1 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19798 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 170 | | 170 | 12 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19799 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 23 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19800 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 290 | | 290 | 25 | 10 | 3.5 | 2.0 | Irregular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19801 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 130 | | 130 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19802 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 210 | | 210 | 21 | 5 | 2.5 | 1.7 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19803 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | Die-back | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19804 | DEAD/STAG | | 230 | | 230 | 13 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19805 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19807 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 260 | | 260 | 23 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19808 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 23 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19809 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 250 | | 250 | 25 | 11 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19810 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 260 | | 260 | 28 | 11 | 3.1 | 1.9 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19811 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 190 | | 190 | 18 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19812 | DEAD/STAG | | 140 | | 140 | 15 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19813 | DEAD/STAG | | 190 | | 190 | 15 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19814 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 21 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19815 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 230 | | 230 | 21 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19816 | Eucalyptus tereticornis | Forest Red Gum | 120 | | 120 | 11 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19817 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 100 | | 100 | 9 | 1 | 2.0 | 1.3 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19818 | DEAD/STAG | | 150 | | 150 | 12 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19819 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 280 | | 280 | 28 | 11 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19820 | DEAD/STAG | | 130 | | 130 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19821 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 20 | 4 | 2.4 | 1.7 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19822 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 250 | | 250 | 21 | 9 | 3.0 | 1.8 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19823 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 25 | 6 | 3.4 | 1.9 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19824 | DEAD/STAG | | 170 | | 170 | 14 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19825 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 160 | | 160 | 17 | 4 | 2.0 | 1.5 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19826 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 18 | 4 | 2.8 | 1.8 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19827 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 240 | | 240 | 25 | 7 | 2.9 | 1.8 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19828 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 30 | 14 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19829 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 240 | | 240 | 18 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19830 | Eucalyptus tereticornis | Forest Red Gum | 100 | | 100 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19831 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 22 | 12 | 3.7 | 2.0 | Regular | - | - | Die-back | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19832 | Corymbia citriodora | Spotted Gum | 280 | 250 | 375 | 24 | 10 | 4.5 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19833 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 180 | | 180 | 14 | 5 | 2.2 | 1.6 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19834 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 240 | | 240 | 24 | 7 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19835 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 180 | | 180 | 12 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19836 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 210 | | 210 | 25 | 7 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19837 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19838 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 4 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19839 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 22 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19840 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 180 | | 180 | 16 | 5 | 2.2 | 1.6 | Regular | - | - | - | Epicormic | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19841 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 300 | | 300 | 26 | 14 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19842 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 4 | 2.8 | 1.8 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19843 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 23 | 8 | 4.3 | 2.2 | Regular | - | - | Die-back | - | - | Poor | - | - | Trunk Dmg. | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19844 | DEAD/STAG | | 220 | | 220 | 22 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19845 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 200 | | 200 | 19 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19846 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 180 | | 180 | 10 | 2 | 2.2 | 1.6 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19847 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19848 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 16 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19849 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 7 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | Major | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19850 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 21 | 7 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | Old | - | - | - | - | Remove P9 BAL VMP |
| 19851 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19852 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 220 | | 220 | 16 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19853 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 16 | 5 | 2.3 | 1.6 | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 19867 | Eucalyptus tereticornis | Forest Red Gum | 110 | | 110 | 13 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19868 | Allocasuarina littoralis | Black She-oak | 150 | | 150 | 7 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19869 | Allocasuarina littoralis | Black She-oak | 140 | | 140 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19870 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 23 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | Old | - | - | - | - | Retain P9 BAL VMP |
| 19871 | Allocasuarina littoralis | Black She-oak | 160 | | 160 | 7 | 3 | 2.0 | 1.5 | One-sided | - | - | Die-back | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19872 | Acacia disparrima | Hickory Wattle | 140 | | 140 | 6 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19873 | Acacia disparrima | Hickory Wattle | 130 | | 130 | 6 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19874 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19876 | Eucalyptus tereticornis | Forest Red Gum | 180 | | 180 | 14 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19941 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 140 | | 140 | 14 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19942 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 170 | | 170 | 12 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19943 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 12 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19944 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 220 | | 220 | 14 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19945 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 21 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 19946 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 120 | | 120 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19947 | Eucalyptus tereticornis | Forest Red Gum | 130 | | 130 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19949 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 430 | | 430 | 28 | 15 | 5.2 | 2.3 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19950 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 14 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19951 | Eucalyptus tereticornis | Forest Red Gum | 180 | | 180 | 16 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19952 | Acacia disparrima | Hickory Wattle | 170 | | 170 | 8 | 6 | 2.0 | 1.6 | Regular | - | - | - | - | Lopped | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19953 | Acacia disparrima | Hickory Wattle | 210 | | 210 | 5 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | Minor | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19954 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 15 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19955 | Eucalyptus tereticornis | Forest Red Gum | 110 | | 110 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19956 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 130 | | 130 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19957 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | 100 | 141 | 7 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19958 | Corymbia citriodora | Spotted Gum | 620 | | 620 | 27 | 12 | 7.4 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19959 | Acacia leiocalyx | Early-flowering Black Wattle | 125 | 90 | 154 | 7 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19960 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 285 | 220 | 360 | 17 | 9 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19961 | Acacia leiocalyx | Early-flowering Black Wattle | 115 | | 115 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19962 | DEAD/STAG | | 170 | | 170 | 8 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19963 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19964 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19965 | Acacia leiocalyx | Early-flowering Black Wattle | 135 | | 135 | 8 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19966 | Corymbia citriodora | Spotted Gum | 235 | | 235 | 18 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19967 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 8 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19968 | Acacia leiocalyx | Early-flowering Black Wattle | 155 | | 155 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19969 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19970 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | 100 | 141 | 8 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19971 | Corymbia citriodora | Spotted Gum | 135 | | 135 | 13 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19972 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 11 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19973 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | 100 | 156 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19974 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | 90 | 150 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19975 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19976 | Corymbia citriodora | Spotted Gum | 235 | | 235 | 17 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19977 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19978 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19979 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19980 | Corymbia citriodora | Spotted Gum | 225 | | 225 | 17 | 8 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19981 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 7 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 19982 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19983 | Acacia leiocalyx | Early-flowering Black Wattle | 155 | | 155 | 8 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19984 | Acacia leiocalyx | Early-flowering Black Wattle | 125 | | 125 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19985 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19986 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | 100 | 141 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19987 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19988 | Acacia leiocalyx | Early-flowering Black Wattle | 110 | | 110 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19989 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19990 | Acacia leiocalyx | Early-flowering Black Wattle | 120 | | 120 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19991 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 17 | 8 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19992 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19993 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 18 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19994 | Eucalyptus tereticornis | Forest Red Gum | 290 | | 290 | 19 | 7 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 19995 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|--------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 20009 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20010 | Eucalyptus tereticornis | Forest Red Gum | 315 | | 315 | 19 | 8 | 3.8 | 2.0 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20011 | Acacia leiocalyx | Early-flowering Black Wattle | 105 | 80 | 132 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20012 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20013 | Acacia leiocalyx | Early-flowering Black Wattle | 125 | | 125 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20014 | Acacia leiocalyx | Early-flowering Black Wattle | 105 | | 105 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20015 | Corymbia citriodora | Spotted Gum | 265 | | 265 | 19 | 7 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20016 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 9 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20017 | Allocasuarina littoralis | Black She-oak | 140 | | 140 | 8 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20018 | Corymbia citriodora | Spotted Gum | 370 | | 370 | 26 | 9 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20019 | Eucalyptus tereticornis | Forest Red Gum | 145 | | 145 | 13 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20020 | Eucalyptus tereticornis | Forest Red Gum | 285 | | 285 | 21 | 8 | 3.4 | 2.0 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20021 | Eucalyptus tereticornis | Forest Red Gum | 185 | | 185 | 17 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20022 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 19 | 7 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20023 | Corymbia citriodora | Spotted Gum | 185 | | 185 | 17 | 7 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20024 | Corymbia citriodora | Spotted Gum | 560 | | 560 | 28 | 13 | 6.7 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20025 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 11 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20026 | Corymbia citriodora | Spotted Gum | 110 | 80 | 136 | 11 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20027 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 165 | | 165 | 17 | 6 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20028 | Acacia leiocalyx | Early-flowering Black Wattle | 135 | | 135 | 7 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20029 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20030 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20031 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20032 | Allocasuarina littoralis | Black She-oak | 255 | | 255 | 13 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20033 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 27 | 8 | 4.9 | 2.3 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20034 | Acacia disparrima | Hickory Wattle | 260 | | 260 | 9 | 4 | 3.1 | 1.9 | Regular | - | Thinning | Die-back | - | - | Typical | Minor | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20035 | Acacia disparrima | Hickory Wattle | 170 | | 170 | 9 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20036 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 460 | 160 | 487 | 20 | 7 | 5.8 | 2.4 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20037 | Acacia leiocalyx | Early-flowering Black Wattle | 155 | | 155 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20038 | Acacia leiocalyx | Early-flowering Black Wattle | 145 | | 145 | 9 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20039 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 5 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20040 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20041 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 17 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20042 | Acacia leiocalyx | Early-flowering Black Wattle | 125 | | 125 | 7 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20043 | Acacia disparrima | Hickory Wattle | 155 | | 155 | 7 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | Minor | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20044 | Eucalyptus tereticornis | Forest Red Gum | 610 | | 610 | 28 | 13 | 7.3 | 2.7 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20045 | Acacia disparrima | Hickory Wattle | 155 | | 155 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20046 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 7 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20047 | Allocasuarina littoralis | Black She-oak | 130 | | 130 | 11 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20048 | Allocasuarina littoralis | Black She-oak | 175 | | 175 | 11 | 5 | 2.1 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20049 | Allocasuarina littoralis | Black She-oak | 145 | | 145 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20050 | Acacia leiocalyx | Early-flowering Black Wattle | 145 | | 145 | 8 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20051 | Corymbia citriodora | Spotted Gum | 265 | | 265 | 22 | 9 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20052 | Acacia leiocalyx | Early-flowering Black Wattle | 145 | | 145 | 7 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20053 | Acacia leiocalyx | Early-flowering Black Wattle | 150 | | 150 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20054 | Acacia leiocalyx | Early-flowering Black Wattle | 145 | | 145 | 7 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20055 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 285 | | 285 | 19 | 3 | 3.4 | 2.0 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20056 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 490 | | 490 | 27 | 13 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20057 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 9 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20058 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 520 | | 520 | 24 | 9 | 6.2 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20059 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 470 | | 470 | 23 | 9 | 5.6 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20060 | Allocasuarina littoralis | Black She-oak | 150 | | 150 | 10 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20061 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 9 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20062 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 370 | | 370 | 21 | 9 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20063 | DEAD/STAG | | 265 | | 265 | 14 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20064 | Alphitonia excelsa | Soap Tree | 255 | | 255 | 12 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20065 | Eucalyptus tereticornis | Forest Red Gum | 710 | | 710 | 28 | 12 | 8.5 | 2.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20066 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 16 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20067 | Eucalyptus tereticornis | Forest Red Gum | 165 | | 165 | 12 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20068 | Eucalyptus tereticornis | Forest Red Gum | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20069 | Acacia leiocalyx | Early-flowering Black Wattle | 155 | | 155 | 7 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20070 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20071 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|--------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 20087 | Acacia leiocalyx | Early-flowering Black Wattle | 160 | | 160 | 7 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20088 | DEAD/STAG | | 630 | | 630 | 27 | 11 | 7.6 | 2.7 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 20089 | Acacia leiocalyx | Early-flowering Black Wattle | 140 | | 140 | 8 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20090 | Alphitonia excelsa | Soap Tree | 165 | | 165 | 11 | 6 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20091 | Allocasuarina littoralis | Black She-oak | 145 | | 145 | 7 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20092 | Allocasuarina littoralis | Black She-oak | 135 | | 135 | 8 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20093 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20204 | Acacia leiocalyx | Early-flowering Black Wattle | 100 | | 100 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20205 | Acacia leiocalyx | Early-flowering Black Wattle | 130 | | 130 | 6 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20206 | Acacia leiocalyx | Early-flowering Black Wattle | 160 | 135 | 209 | 7 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20207 | Acacia leiocalyx | Early-flowering Black Wattle | 125 | | 125 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20208 | Allocasuarina littoralis | Black She-oak | 125 | | 125 | 7 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20209 | Eucalyptus tereticornis | Forest Red Gum | 630 | | 630 | 27 | 12 | 7.6 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20210 | Eucalyptus tereticornis | Forest Red Gum | 470 | | 470 | 29 | 12 | 5.6 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20211 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 11 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20212 | Corymbia intermedia | Pink Bloodwood | 300 | | 300 | 17 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20213 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 26 | 11 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20214 | Eucalyptus tereticornis | Forest Red Gum | 300 | 320, 320 | 543 | 26 | 9 | 6.5 | 2.6 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | Old | Old | - | - | - | - | Remove P9 BAL VMP |
| 20215 | Eucalyptus tereticornis | Forest Red Gum | 460 | | 460 | 29 | 13 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20216 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 490 | | 490 | 27 | 13 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20217 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 27 | 9 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20218 | Eucalyptus tereticornis | Forest Red Gum | 255 | | 255 | 18 | 6 | 3.1 | 1.9 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20219 | Eucalyptus tereticornis | Forest Red Gum | 235 | | 235 | 22 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20220 | Eucalyptus tereticornis | Forest Red Gum | 150 | | 150 | 17 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20221 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 17 | 3 | 2.4 | 1.7 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20222 | Eucalyptus tereticornis | Forest Red Gum | 165 | | 165 | 17 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20223 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 230 | | 230 | 18 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20224 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 27 | 9 | 4.8 | 2.3 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20225 | Eucalyptus tereticornis | Forest Red Gum | 285 | | 285 | 21 | 6 | 3.4 | 2.0 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20226 | Eucalyptus tereticornis | Forest Red Gum | 375 | | 375 | 24 | 7 | 4.5 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20227 | DEAD/STAG | | 165 | | 165 | 12 | 1 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20228 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 20 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20229 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 205 | | 205 | 21 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20230 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 19 | 3 | 2.0 | 1.5 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20231 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 30 | 11 | 4.3 | 2.2 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20232 | Eucalyptus tereticornis | Forest Red Gum | 255 | | 255 | 23 | 7 | 3.1 | 1.9 | One-sided | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20233 | Melaleuca quinquenervia | Broad-leaved Paperbark | 255 | | 255 | 16 | 5 | 3.1 | 1.9 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20234 | Melaleuca quinquenervia | Broad-leaved Paperbark | 235 | | 235 | 12 | 6 | 2.8 | 1.8 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20235 | Allocasuarina littoralis | Black She-oak | 165 | | 165 | 11 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20236 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 460 | | 460 | 32 | 11 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20237 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 32 | 11 | 4.7 | 2.2 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20238 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 19 | 4 | 2.4 | 1.7 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20239 | DEAD/STAG | | 255 | | 255 | 17 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20240 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 185 | | 185 | 17 | 3 | 2.2 | 1.6 | One-sided | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20241 | Eucalyptus tereticornis | Forest Red Gum | 185 | | 185 | 19 | 5 | 2.2 | 1.6 | One-sided | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20242 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 26 | 9 | 4.9 | 2.3 | Regular | - | Thinning | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20243 | Corymbia citriodora | Spotted Gum | 570 | | 570 | 26 | 11 | 6.8 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20244 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 29 | 7 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | New | - | - | - | - | Remove P9 BAL VMP |
| 20245 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 32 | 11 | 4.2 | 2.1 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20246 | Eucalyptus tereticornis | Forest Red Gum | 145 | | 145 | 19 | 4 | 2.0 | 1.5 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20247 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 200 | | 200 | 17 | 7 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20248 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 11 | 5 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20249 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 16 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20250 | Eucalyptus tereticornis | Forest Red Gum | 420 | | 420 | 25 | 11 | 5.0 | 2.3 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20251 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 205 | | 205 | 19 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20252 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 27 | 11 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20253 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 165 | | 165 | 12 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20254 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 22 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20255 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 200 | | 200 | 18 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20256 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 24 | 9 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20257 | Eucalyptus tereticornis | Forest Red Gum | 135 | | 135 | 11 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20258 | Eucalyptus tereticornis | Forest Red Gum | 255 | | 255 | 23 | 7 | 3.1 | 1.9 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20259 | Eucalyptus tereticornis | Forest Red Gum | 420 | | 420 | 31 | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|--------|--------------|-------------|--------------|-------|-----------|---------|-------|--------------|---------|---|
| 20339 | Eucalyptus tereticornis | Forest Red Gum | 130 | | 130 | 11 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20340 | Eucalyptus tereticornis | Forest Red Gum | 155 | | 155 | 14 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20341 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 165 | | 165 | 12 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20342 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 190 | | 190 | 22 | 7 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20343 | DEAD/STAG | | 190 | | 190 | 19 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20344 | Corymbia citriodora | Spotted Gum | 125 | | 125 | 12 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20345 | DEAD/STAG | | 155 | | 155 | 17 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20346 | Corymbia citriodora | Spotted Gum | 255 | | 255 | 19 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20347 | Acacia disparrima | Hickory Wattle | 140 | | 140 | 8 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20348 | Acacia leiocalyx | Early-flowering Black Wattle | 135 | | 135 | 8 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20349 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20350 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 13 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20351 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 17 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20352 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 4 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20353 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 17 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | Minor | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20354 | Corymbia citriodora | Spotted Gum | 710 | | 710 | 34 | 14 | 8.5 | 2.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | Small | - | - | Remove P9 BAL VMP |
| 20355 | DEAD/STAG | | 480 | | 480 | 23 | 7 | 5.8 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 20356 | Alphitonia excelsa | Soap Tree | 130 | | 130 | 8 | 2 | 2.0 | 1.4 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20357 | Alphitonia excelsa | Soap Tree | 145 | | 145 | 9 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20358 | Corymbia citriodora | Spotted Gum | 175 | | 175 | 13 | 3 | 2.1 | 1.6 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20359 | Corymbia citriodora | Spotted Gum | 155 | | 155 | 15 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20360 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 13 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Poor | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20361 | Corymbia citriodora | Spotted Gum | 620 | | 620 | 27 | 14 | 7.4 | 2.7 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | Small | - | - | - | Retain P9 BAL VMP |
| 20362 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 20 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20363 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 21 | 9 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20364 | Corymbia citriodora | Spotted Gum | 185 | | 185 | 19 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20365 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 170 | | 170 | 18 | 7 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20366 | Alphitonia excelsa | Soap Tree | 200 | | 200 | 10 | 5 | 2.4 | 1.7 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20367 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 26 | 9 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20368 | Corymbia citriodora | Spotted Gum | 185 | 95 | 208 | 17 | 7 | 2.5 | 1.7 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20369 | Acacia disparrima | Hickory Wattle | 200 | 155, 210 | 329 | 10 | 7 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20370 | Corymbia intermedia | Pink Bloodwood | 190 | | 190 | 14 | 6 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20371 | Corymbia citriodora | Spotted Gum | 290 | | 290 | 23 | 9 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20372 | Corymbia citriodora | Spotted Gum | 185 | | 185 | 20 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20373 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 380 | | 380 | 23 | 11 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 20374 | DEAD/STAG | | 480 | | 480 | 28 | 9 | 5.8 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20447 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 17 | 7 | 2.4 | 1.7 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20448 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 17 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20449 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 185 | | 185 | 18 | 7 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20450 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 165 | | 165 | 17 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20451 | Allocasuarina littoralis | Black She-oak | 130 | | 130 | 7 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20452 | Eucalyptus tereticornis | Forest Red Gum | 125 | | 125 | 13 | 5 | 2.0 | 1.4 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20453 | Corymbia citriodora | Spotted Gum | 285 | | 285 | 23 | 9 | 3.4 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20454 | Eucalyptus tereticornis | Forest Red Gum | 135 | | 135 | 14 | 2 | 2.0 | 1.4 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20455 | Eucalyptus tereticornis | Forest Red Gum | 265 | | 265 | 19 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20456 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 140 | | 140 | 13 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20457 | Eucalyptus tereticornis | Forest Red Gum | 145 | | 145 | 14 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20458 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 140 | | 140 | 12 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20459 | Eucalyptus tereticornis | Forest Red Gum | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20460 | Eucalyptus crebra | Narrow-leaved Red Ironbark | 145 | | 145 | 10 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20461 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 22 | 9 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20462 | Allocasuarina littoralis | Black She-oak | 185 | | 185 | 11 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20463 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 22 | 7 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20464 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 13 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20465 | Eucalyptus tereticornis | Forest Red Gum | 175 | | 175 | 17 | 5 | 2.1 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20466 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 19 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20467 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 16 | 8 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20468 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 15 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20469 | Alphitonia excelsa | Soap Tree | 155 | | 155 | 10 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20470 | Corymbia citriodora | Spotted Gum | 145 | | 145 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20471 | Corymbia citriodora | Spotted Gum | 135 | | 135 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20472 | Corymbia tessellaris | Moreton Bay Ash | 125 | | 125 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20473 | Corymbia tessellaris | Moreton Bay Ash | 110 | | 110 | 11 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | -</ | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 20487 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 15 | 7 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20488 | Acacia disparima | Hickory Wattle | 210 | 160 | 264 | 6 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20489 | Eucalyptus crebra | Narrow-leaved Ironbark | 265 | | 265 | 16 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20490 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 18 | 9 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20491 | Eucalyptus tereticornis | Forest Red Gum | 255 | 180 | 312 | 17 | 8 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20492 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 16 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20493 | Eucalyptus tereticornis | Forest Red Gum | 200 | 160 | 256 | 16 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20494 | Eucalyptus tereticornis | Forest Red Gum | 330 | | 330 | 18 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20495 | Eucalyptus crebra | Narrow-leaved Ironbark | 215 | | 215 | 16 | 7 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20496 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 15 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20497 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 12 | 4 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20498 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 11 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20499 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 11 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20500 | Corymbia citriodora | Spotted Gum | 660 | | 660 | 20 | 11 | 7.9 | 2.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20501 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 9 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20502 | Eucalyptus tereticornis | Forest Red Gum | 385 | | 385 | 17 | 8 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20503 | Corymbia tessellaris | Moreton Bay Ash | 190 | | 190 | 14 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20504 | Corymbia citriodora | Spotted Gum | 205 | | 205 | 15 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20505 | Acacia disparima | Hickory Wattle | 165 | | 165 | 10 | 6 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20506 | Eucalyptus siderophloia | Grey Ironbark | 175 | | 175 | 15 | 5 | 2.1 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20507 | Alphitonia excelsa | Soap Tree | 150 | | 150 | 10 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20508 | Angophora leiocarpa | Smooth-barked Apple | 360 | | 360 | 18 | 9 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20509 | Eucalyptus crebra | Narrow-leaved Ironbark | 380 | | 380 | 16 | 6 | 4.6 | 2.2 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20510 | Eucalyptus tereticornis | Forest Red Gum | 370 | | 370 | 20 | 11 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20511 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 19 | 10 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20512 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 16 | 7 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20513 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 21 | 11 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20514 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20515 | Eucalyptus tereticornis | Forest Red Gum | 305 | | 305 | 20 | 9 | 3.7 | 2.0 | Regular | - | Thinning | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20516 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 20 | 11 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20517 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 15 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20518 | Alphitonia excelsa | Soap Tree | 200 | | 200 | 10 | 8 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20519 | Eucalyptus crebra | Narrow-leaved Ironbark | 225 | | 225 | 19 | 9 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20520 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 18 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20521 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 21 | 11 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20522 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 17 | 6 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20523 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20524 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 17 | 8 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20525 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 15 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20526 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 18 | 9 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20527 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 22 | 12 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | Old | - | - | - | - | - | Remove P9 BAL VMP |
| 20528 | Corymbia citriodora | Spotted Gum | 340 | 195 | 392 | 20 | 11 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20529 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 18 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | Old | - | - | - | - | - | Remove P9 BAL VMP |
| 20530 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 17 | 7 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20531 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 15 | 1 | 2.0 | 1.5 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20532 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 15 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20533 | Corymbia citriodora | Spotted Gum | 265 | | 265 | 17 | 6 | 3.2 | 1.9 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20534 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 18 | 10 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20535 | Corymbia citriodora | Spotted Gum | 170 | 105 | 200 | 16 | 7 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20536 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 17 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | Old | - | - | - | - | - | Remove P9 BAL VMP |
| 20537 | Eucalyptus crebra | Narrow-leaved Ironbark | 135 | | 135 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20538 | Eucalyptus crebra | Narrow-leaved Ironbark | 215 | | 215 | 12 | 6 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20539 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 20 | 10 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20540 | Eucalyptus crebra | Narrow-leaved Ironbark | 285 | | 285 | 18 | 9 | 3.4 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20541 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 18 | 10 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20542 | Eucalyptus crebra | Narrow-leaved Ironbark | 235 | | 235 | 19 | 7 | 2.8 | 1.8 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20543 | Corymbia citriodora | Spotted Gum | 315 | | 315 | 19 | 9 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20544 | Corymbia citriodora | Spotted Gum | 325 | | 325 | 20 | 12 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20545 | Eucalyptus crebra | Narrow-leaved Ironbark | 255 | | 255 | 16 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20546 | Eucalyptus crebra | Narrow-leaved Ironbark | 205 | | 205 | 15 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20547 | Eucalyptus crebra | Narrow-leaved Ironbark | 165 | | 165 | 14 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20548 | Corymbia intermedia | Pink Bloodwood | 145 | | 145 | 9 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20549 | Acacia disparima | Hickory Wattle | 175 | | 175 | 9 | 8 | 2.1 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 20563 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 21 | 12 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20564 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 20 | 11 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20565 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 16 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20566 | Corymbia intermedia | Pink Bloodwood | 260 | | 260 | 19 | 8 | 3.1 | 1.9 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20567 | Corymbia tessellaris | Moreton Bay Ash | 170 | | 170 | 14 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20568 | Eucalyptus tereticornis | Forest Red Gum | 355 | | 355 | 21 | 12 | 4.3 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20569 | Corymbia citriodora | Spotted Gum | 285 | | 285 | 18 | 9 | 3.4 | 2.0 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20570 | Eucalyptus crebra | Narrow-leaved Ironbark | 205 | | 205 | 15 | 8 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20571 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 20 | 11 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20572 | Corymbia intermedia | Pink Bloodwood | 220 | 215 | 308 | 16 | 9 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20573 | Eucalyptus tereticornis | Forest Red Gum | 330 | | 330 | 17 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | Old | - | - | - | - | - | Remove P9 BAL VMP |
| 20574 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20575 | Corymbia intermedia | Pink Bloodwood | 265 | | 265 | 18 | 9 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20576 | Corymbia intermedia | Pink Bloodwood | 185 | | 185 | 16 | 7 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20577 | Corymbia intermedia | Pink Bloodwood | 295 | | 295 | 17 | 9 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20578 | Corymbia intermedia | Pink Bloodwood | 195 | | 195 | 15 | 7 | 2.3 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20579 | Corymbia intermedia | Pink Bloodwood | 315 | | 315 | 17 | 8 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20580 | Corymbia citriodora | Spotted Gum | 115 | | 115 | 16 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20581 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20582 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 15 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | Old | - | - | - | - | - | Remove P9 BAL VMP |
| 20583 | Corymbia intermedia | Pink Bloodwood | 170 | | 170 | 12 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20584 | Corymbia intermedia | Pink Bloodwood | 155 | | 155 | 12 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20585 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 12 | 5 | 2.4 | 1.7 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20586 | Corymbia citriodora | Spotted Gum | 105 | | 105 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20587 | Eucalyptus tereticornis | Forest Red Gum | 295 | 275 | 403 | 17 | 7 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20588 | Corymbia intermedia | Pink Bloodwood | 320 | | 320 | 20 | 11 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20589 | Eucalyptus tereticornis | Forest Red Gum | 420 | | 420 | 22 | 12 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | Old | - | - | - | - | - | Remove P9 BAL VMP |
| 20590 | Melaleuca quinquenervia | Broad-leaved Paperbark | 130 | | 130 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20591 | Corymbia tessellaris | Moreton Bay Ash | 115 | | 115 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20592 | Corymbia tessellaris | Moreton Bay Ash | 120 | 65 | 136 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20593 | Allocasuarina littoralis | Black She-oak | 150 | | 150 | 8 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20594 | Allocasuarina littoralis | Black She-oak | 150 | | 150 | 6 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20595 | Allocasuarina littoralis | Black She-oak | 175 | | 175 | 8 | 4 | 2.1 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20596 | Allocasuarina littoralis | Black She-oak | 220 | | 220 | 9 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20597 | Acacia disparima | Hickory Wattle | 165 | | 165 | 8 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20598 | Corymbia intermedia | Pink Bloodwood | 100 | | 100 | 9 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20599 | Corymbia intermedia | Pink Bloodwood | 130 | | 130 | 14 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20600 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 17 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20601 | Allocasuarina littoralis | Black She-oak | 155 | | 155 | 10 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20602 | Allocasuarina littoralis | Black She-oak | 175 | 110, 175 | 271 | 10 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20603 | Melaleuca quinquenervia | Broad-leaved Paperbark | 130 | | 130 | 11 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20604 | Melaleuca quinquenervia | Broad-leaved Paperbark | 120 | | 120 | 9 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20605 | Melaleuca quinquenervia | Broad-leaved Paperbark | 125 | | 125 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20606 | Allocasuarina littoralis | Black She-oak | 130 | | 130 | 9 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20607 | Lophostemon suaveolens | Swamp Box | 105 | | 105 | 9 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20608 | Melaleuca quinquenervia | Broad-leaved Paperbark | 185 | | 185 | 14 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20609 | Melaleuca quinquenervia | Broad-leaved Paperbark | 100 | | 100 | 9 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20610 | Corymbia tessellaris | Moreton Bay Ash | 140 | | 140 | 12 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20611 | Allocasuarina littoralis | Black She-oak | 150 | | 150 | 10 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20612 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | 205 | 301 | 15 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20613 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 14 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20614 | Melaleuca quinquenervia | Broad-leaved Paperbark | 105 | 85 | 135 | 11 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20615 | Melaleuca quinquenervia | Broad-leaved Paperbark | 145 | | 145 | 12 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20616 | Melaleuca quinquenervia | Broad-leaved Paperbark | 120 | | 120 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20617 | Eucalyptus tereticornis | Forest Red Gum | 500 | | 500 | 23 | 12 | 6.0 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20618 | Eucalyptus tereticornis | Forest Red Gum | 420 | 405 | 583 | 23 | 14 | 7.0 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20619 | Lophostemon suaveolens | Swamp Box | 115 | | 115 | 8 | 4 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20620 | Lophostemon suaveolens | Swamp Box | 115 | | 115 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20621 | Lophostemon suaveolens | Swamp Box | 100 | | 100 | 6 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20622 | Lophostemon suaveolens | Swamp Box | 145 | | 145 | 12 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20623 | Lophostemon suaveolens | Swamp Box | 145 | | 145 | 12 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20624 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20625 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 12 | 6 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|--------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 20639 | Eucalyptus tereticornis | Forest Red Gum | 235 | | 235 | 19 | 9 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20640 | Allocasuarina littoralis | Black She-oak | 185 | | 185 | 14 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20641 | Allocasuarina littoralis | Black She-oak | 265 | | 265 | 15 | 9 | 3.2 | 1.9 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20642 | Eucalyptus tereticornis | Forest Red Gum | 180 | | 180 | 15 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20643 | Allocasuarina littoralis | Black She-oak | 225 | | 225 | 15 | 8 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20644 | Allocasuarina littoralis | Black She-oak | 225 | | 225 | 16 | 8 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20645 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20646 | Melaleuca quinquenervia | Broad-leaved Paperbark | 125 | | 125 | 12 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20647 | Allocasuarina littoralis | Black She-oak | 160 | | 160 | 12 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20648 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 12 | 8 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20649 | Lophostemon suaveolens | Swamp Box | 145 | 105 | 179 | 12 | 5 | 2.1 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20650 | Lophostemon suaveolens | Swamp Box | 120 | | 120 | 8 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20651 | Eucalyptus crebra | Narrow-leaved Ironbark | 135 | | 135 | 11 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20652 | Allocasuarina littoralis | Black She-oak | 160 | | 160 | 15 | 6 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20653 | Lophostemon suaveolens | Swamp Box | 100 | | 100 | 5 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20654 | Corymbia citriodora | Spotted Gum | 280 | 175 | 330 | 20 | 9 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20655 | Eucalyptus crebra | Narrow-leaved Ironbark | 110 | | 110 | 15 | 5 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20656 | Allocasuarina littoralis | Black She-oak | 185 | | 185 | 15 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20657 | Lophostemon suaveolens | Swamp Box | 135 | | 135 | 11 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20658 | Lophostemon suaveolens | Swamp Box | 130 | | 130 | 10 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20659 | Corymbia citriodora | Spotted Gum | 115 | | 115 | 16 | 4 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20660 | Allocasuarina littoralis | Black She-oak | 165 | | 165 | 12 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20661 | Allocasuarina littoralis | Black She-oak | 175 | | 175 | 12 | 5 | 2.1 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20662 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 16 | 7 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20663 | Allocasuarina littoralis | Black She-oak | 150 | | 150 | 6 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20664 | Allocasuarina littoralis | Black She-oak | 155 | | 155 | 14 | 6 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20665 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 14 | 6 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20666 | Allocasuarina littoralis | Black She-oak | 160 | | 160 | 12 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20667 | Allocasuarina littoralis | Black She-oak | 160 | | 160 | 12 | 7 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20668 | Allocasuarina littoralis | Black She-oak | 185 | | 185 | 15 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20669 | Eucalyptus tereticornis | Forest Red Gum | 435 | | 435 | 20 | 12 | 5.2 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20670 | Acacia disparrima | Hickory Wattle | 205 | | 205 | 12 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20671 | Acacia disparrima | Hickory Wattle | 185 | 135 | 229 | 11 | 7 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20672 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 16 | 7 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20673 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 15 | 6 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20674 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 15 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20675 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 15 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20676 | Eucalyptus tereticornis | Forest Red Gum | 275 | | 275 | 21 | 12 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20677 | Allocasuarina littoralis | Black She-oak | 155 | | 155 | 14 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20678 | Allocasuarina littoralis | Black She-oak | 155 | | 155 | 12 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20679 | Eucalyptus tereticornis | Forest Red Gum | 155 | | 155 | 12 | 4 | 2.0 | 1.5 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20680 | Eucalyptus tereticornis | Forest Red Gum | 185 | | 185 | 16 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20681 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 14 | 6 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20682 | Acacia disparrima | Hickory Wattle | 170 | | 170 | 12 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20683 | Eucalyptus crebra | Narrow-leaved Ironbark | 350 | | 350 | 24 | 14 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20684 | Eucalyptus crebra | Narrow-leaved Ironbark | 245 | | 245 | 18 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20685 | Eucalyptus crebra | Narrow-leaved Ironbark | 115 | 105 | 156 | 14 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20686 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 15 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20687 | Eucalyptus tereticornis | Forest Red Gum | 265 | | 265 | 18 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20688 | Eucalyptus tereticornis | Forest Red Gum | 290 | | 290 | 19 | 10 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20689 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 18 | 9 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20690 | Corymbia citriodora | Spotted Gum | 125 | | 125 | 14 | 6 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20691 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20692 | Allocasuarina littoralis | Black She-oak | 150 | | 150 | 11 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20693 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 18 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20694 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 15 | 6 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20695 | Eucalyptus crebra | Narrow-leaved Ironbark | 340 | 215 | 402 | 23 | 12 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20696 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 19 | 9 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20697 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 23 | 12 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20698 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 15 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20699 | Corymbia citriodora | Spotted Gum | 115 | | 115 | 14 | 5 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20700 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20701 | Corymbia citriodora | Spotted Gum | 105 | | 105 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typ | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|--------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 20715 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 23 | 7 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20716 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 13 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20717 | Allocasuarina littoralis | Black She-oak | 250 | | 250 | 14 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20718 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 16 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20719 | Eucalyptus crebra | Narrow-leaved Ironbark | 460 | | 460 | 26 | 9 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20720 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 16 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20721 | Corymbia tessellaris | Moreton Bay Ash | 270 | | 270 | 17 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20722 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 14 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20723 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20724 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 14 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20725 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 15 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20726 | Eucalyptus tereticornis | Forest Red Gum | 660 | | 660 | 29 | 12 | 7.9 | 2.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20727 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 26 | 8 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20728 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 12 | 3 | 3.0 | 1.8 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20729 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 20 | 5 | 3.8 | 2.1 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20730 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 10 | 3 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20731 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 23 | 7 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20732 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20733 | Acacia disparima | Hickory Wattle | 240 | | 240 | 14 | 10 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20734 | Eucalyptus crebra | Narrow-leaved Ironbark | 370 | 320 | 489 | 29 | 11 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20735 | Eucalyptus tereticornis | Forest Red Gum | 340 | | 340 | 26 | 7 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20736 | Eucalyptus crebra | Narrow-leaved Ironbark | 430 | | 430 | 28 | 9 | 5.2 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20737 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 17 | 6 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20738 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 18 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20739 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20740 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 26 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20741 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 26 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20742 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 17 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20743 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 22 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20744 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 20 | 6 | 3.1 | 1.9 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20745 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 24 | 7 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20746 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 24 | 8 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20747 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20748 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 17 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20749 | Acacia disparima | Hickory Wattle | 190 | | 190 | 14 | 8 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 20750 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 27 | 7 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | Native | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20751 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 18 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20752 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 27 | 8 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20753 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 24 | 8 | 4.7 | 2.2 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20754 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 17 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20755 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 14 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20756 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 23 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20757 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 20 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20758 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 12 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20759 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 16 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20760 | Eucalyptus tereticornis | Forest Red Gum | 170 | | 170 | 16 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20761 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 18 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20762 | Eucalyptus tereticornis | Forest Red Gum | 140 | | 140 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20763 | Eucalyptus crebra | Narrow-leaved Ironbark | 120 | | 120 | 15 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20764 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 26 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20765 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 19 | 7 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20766 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 13 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20767 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 23 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20768 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 16 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20769 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 23 | 6 | 4.0 | 2.1 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20770 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 17 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20771 | Eucalyptus tereticornis | Forest Red Gum | 180 | | 180 | 16 | 4 | 2.2 | 1.6 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20772 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 15 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20773 | Lophostemon suaveolens | Swamp Box | 180 | | 180 | 14 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20774 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 24 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20775 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20776 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 16 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20777 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 15 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typ | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|-------|--------------|---------|---|
| 20791 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 17 | 4 | 2.3 | 1.6 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20792 | Corymbia citriodora | Spotted Gum | 390 | | 390 | 24 | 9 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20793 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20794 | Corymbia citriodora | Spotted Gum | 370 | | 370 | 24 | 9 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20795 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 22 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20796 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 12 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20797 | Corymbia intermedia | Pink Bloodwood | 200 | 150 | 250 | 15 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20798 | Corymbia citriodora | Spotted Gum | 330 | | 330 | 27 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20799 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 15 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20800 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 17 | 7 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20801 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 25 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20802 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 17 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20803 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 15 | 2 | 2.6 | 1.8 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20804 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 18 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20805 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 16 | 4 | 3.1 | 1.9 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20806 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 25 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | New | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 20807 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 17 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20808 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 26 | 8 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20809 | DEAD/STAG | | 260 | | 260 | 10 | 1 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Retain P9 BAL VMP |
| 20810 | Corymbia citriodora | Spotted Gum | 490 | | 490 | 28 | 12 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20811 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 24 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20812 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20813 | Corymbia citriodora | Spotted Gum | 320 | 210 | 383 | 26 | 10 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20814 | Eucalyptus tereticornis | Forest Red Gum | 170 | | 170 | 16 | 2 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20815 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 25 | 7 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20816 | Eucalyptus tereticornis | Forest Red Gum | 180 | | 180 | 13 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20817 | Eucalyptus crebra | Narrow-leaved Ironbark | 120 | | 120 | 9 | 1 | 2.0 | 1.4 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20818 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 14 | 1 | 2.2 | 1.6 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20819 | Eucalyptus tereticornis | Forest Red Gum | 180 | | 180 | 15 | 2 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20820 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 17 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20821 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 16 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20822 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 18 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20823 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 24 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | Small | - | - | Remove P9 BAL VMP |
| 20824 | Eucalyptus tereticornis | Forest Red Gum | 310 | | 310 | 25 | 7 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20825 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 18 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20826 | Lophostemon suaveolens | Swamp Box | 170 | | 170 | 10 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20827 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 19 | 6 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20828 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 20 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20829 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 26 | 7 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20830 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 25 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20831 | Lophostemon suaveolens | Swamp Box | 170 | | 170 | 12 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20832 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 23 | 8 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20833 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 24 | 8 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20834 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 20 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20835 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 18 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20836 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20837 | Eucalyptus tereticornis | Forest Red Gum | 130 | | 130 | 15 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20838 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 15 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20839 | Eucalyptus tereticornis | Forest Red Gum | 120 | | 120 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20840 | Eucalyptus tereticornis | Forest Red Gum | 100 | | 100 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20841 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 14 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20842 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 23 | 8 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20843 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 17 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20844 | Eucalyptus tereticornis | Forest Red Gum | 130 | | 130 | 14 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20845 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 19 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20846 | Lophostemon suaveolens | Swamp Box | 180 | 160 | 241 | 12 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 20847 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20848 | Alphitonia excelsa | Soap Tree | 150 | | 150 | 14 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20849 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 18 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20850 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20851 | Corymbia citriodora | Spotted Gum | 170 | | 170 | 14 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20852 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 15 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 20853 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 15 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical</ | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 20867 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 18 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20868 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 15 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 20869 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 15 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20870 | Corymbia citriodora | Spotted Gum | 550 | | 550 | 25 | 14 | 6.6 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20871 | Acacia dispartima | Hickory Wattle | 160 | | 160 | 12 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20872 | Corymbia citriodora | Spotted Gum | 390 | | 390 | 25 | 10 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20873 | Eucalyptus crebra | Narrow-leaved Ironbark | 470 | | 470 | 24 | 9 | 5.6 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20874 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 15 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20875 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20876 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 14 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20877 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 12 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20878 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20879 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 15 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20880 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 13 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20881 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20882 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 14 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20883 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20884 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20885 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20886 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 12 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20887 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20888 | Corymbia citriodora | Spotted Gum | 330 | 250 | 414 | 17 | 6 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20889 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20890 | Corymbia tessellaris | Moreton Bay Ash | 260 | | 260 | 17 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20891 | Corymbia citriodora | Spotted Gum | 480 | | 480 | 25 | 8 | 5.8 | 2.4 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20892 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 14 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20893 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 23 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20894 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 18 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20895 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20896 | Allocasuarina littoralis | Black She-oak | 210 | | 210 | 15 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20897 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 15 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20898 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 15 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20899 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 15 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20900 | Eucalyptus crebra | Narrow-leaved Ironbark | 460 | | 460 | 17 | 9 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20901 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 14 | 1 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20902 | Corymbia citriodora | Spotted Gum | 380 | | 380 | 22 | 7 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20903 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 15 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20904 | Angophora leioarpa | Smooth-barked Apple | 180 | | 180 | 15 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20905 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 18 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20906 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20907 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 15 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20908 | Corymbia citriodora | Spotted Gum | 120 | 100 | 156 | 16 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20909 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 14 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20910 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20911 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20912 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 15 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20913 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20914 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20915 | Eucalyptus crebra | Narrow-leaved Ironbark | 410 | | 410 | 25 | 8 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20916 | Alphitonia excelsa | Soap Tree | 150 | | 150 | 12 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20917 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 15 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20918 | Corymbia citriodora | Spotted Gum | 150 | 80 | 170 | 14 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20919 | Eucalyptus tereticornis | Forest Red Gum | 700 | | 700 | 28 | 12 | 8.4 | 2.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20920 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 15 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20921 | Acacia dispartima | Hickory Wattle | 180 | | 180 | 12 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20922 | Alphitonia excelsa | Soap Tree | 240 | | 240 | 12 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20923 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 17 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20924 | Eucalyptus crebra | Narrow-leaved Ironbark | 340 | | 340 | 22 | 7 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20925 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 22 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20926 | Eucalyptus crebra | Narrow-leaved Ironbark | 140 | | 140 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20927 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 28 | 12 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20928 | Eucalyptus crebra | Narrow-leaved Ironbark | 340 | | 340 | 22 | 9 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20929 | Eucalyptus crebra | Narrow-leaved Ironbark | 140 | | 140 | 8 | 1 | 2.0 | 1.4 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 20943 | Corymbia citriodora | Spotted Gum | 160 | 140 | 213 | 17 | 9 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20944 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 17 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20945 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 25 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20946 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 27 | 7 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20947 | Eucalyptus crebra | Narrow-leaved Ironbark | 150 | | 150 | 14 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20948 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 18 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20949 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 24 | 9 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20950 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | 240 | 339 | 18 | 7 | 4.1 | 2.1 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20951 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | 230 | 347 | 26 | 9 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20952 | Eucalyptus crebra | Narrow-leaved Ironbark | 130 | | 130 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20953 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 24 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20954 | DEAD/STAG | | 350 | | 350 | 20 | 6 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 20955 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 22 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20956 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 19 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20957 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 18 | 9 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20958 | Corymbia citriodora | Spotted Gum | 390 | 150 | 418 | 25 | 12 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20959 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 20 | 7 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20960 | Corymbia tessellaris | Moreton Bay Ash | 150 | | 150 | 15 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20961 | Eucalyptus tereticornis | Forest Red Gum | 160 | | 160 | 15 | 6 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20962 | Eucalyptus tereticornis | Forest Red Gum | 170 | | 170 | 16 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20963 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 17 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20964 | Corymbia tessellaris | Moreton Bay Ash | 120 | | 120 | 10 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20965 | Allocasuarina littoralis | Black She-oak | 190 | | 190 | 15 | 7 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20966 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 24 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20967 | Corymbia citriodora | Spotted Gum | 410 | | 410 | 27 | 9 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20968 | Corymbia citriodora | Spotted Gum | 450 | | 450 | 26 | 12 | 5.4 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20969 | Corymbia citriodora | Spotted Gum | 260 | 120 | 286 | 24 | 9 | 3.4 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20970 | Corymbia citriodora | Spotted Gum | 400 | | 400 | 27 | 12 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20971 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 23 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20972 | Eucalyptus crebra | Narrow-leaved Ironbark | 380 | | 380 | 28 | 9 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20973 | Allocasuarina littoralis | Black She-oak | 160 | | 160 | 12 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20974 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 26 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20975 | Eucalyptus crebra | Narrow-leaved Ironbark | 360 | | 360 | 25 | 8 | 4.3 | 2.2 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20976 | Eucalyptus crebra | Narrow-leaved Ironbark | 340 | | 340 | 25 | 13 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20977 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | 230 | 402 | 22 | 7 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20978 | Eucalyptus tereticornis | Forest Red Gum | 490 | | 490 | 24 | 7 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20979 | Eucalyptus crebra | Narrow-leaved Ironbark | 360 | | 360 | 27 | 12 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 20980 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20981 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 15 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20982 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 19 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20983 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 13 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20984 | Corymbia tessellaris | Moreton Bay Ash | 130 | | 130 | 16 | 6 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20985 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 14 | 4 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20986 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 15 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20987 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20988 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20989 | Corymbia citriodora | Spotted Gum | 380 | | 380 | 28 | 11 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20990 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 15 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20991 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 16 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20992 | DEAD/STAG | | 610 | | 610 | 28 | 7 | 7.3 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 20993 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 15 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20994 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20995 | Eucalyptus tereticornis | Forest Red Gum | 510 | | 510 | 28 | 10 | 6.1 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20996 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 20 | 7 | 4.9 | 2.3 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20997 | Corymbia citriodora | Spotted Gum | 160 | 140 | 213 | 15 | 6 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20998 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 25 | 9 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 20999 | Eucalyptus crebra | Narrow-leaved Ironbark | 510 | | 510 | 27 | 9 | 6.1 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21000 | Alphitonia excelsa | Soap Tree | 150 | | 150 | 10 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21001 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 15 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21002 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21003 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21004 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21005 | Corymbia tessellaris | Moreton Bay Ash | 100 | | 100 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 21019 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 14 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21020 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 22 | 6 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21021 | Corymbia citriodora | Spotted Gum | 460 | | 460 | 26 | 10 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21022 | Eucalyptus tereticornis | Forest Red Gum | 690 | | 690 | 29 | 13 | 8.3 | 2.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21023 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 22 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21024 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 26 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21025 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 26 | 7 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21026 | Eucalyptus crebra | Narrow-leaved Ironbark | 440 | | 440 | 27 | 8 | 5.3 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21027 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21028 | Eucalyptus crebra | Narrow-leaved Ironbark | 520 | | 520 | 25 | 8 | 6.2 | 2.5 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21029 | Corymbia citriodora | Spotted Gum | 160 | | 160 | 13 | 2 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21030 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 1 | 2.0 | 1.3 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21031 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 26 | 10 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21032 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21033 | DEAD/STAG | | 490 | | 490 | 24 | 6 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21034 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 24 | 7 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21035 | Eucalyptus crebra | Narrow-leaved Ironbark | 460 | | 460 | 25 | 8 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21036 | Eucalyptus crebra | Narrow-leaved Ironbark | 480 | | 480 | 27 | 9 | 5.8 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21037 | Eucalyptus tereticornis | Forest Red Gum | 490 | | 490 | 25 | 8 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21038 | Eucalyptus crebra | Narrow-leaved Ironbark | 500 | | 500 | 29 | 12 | 6.0 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21039 | Eucalyptus crebra | Narrow-leaved Ironbark | 510 | | 510 | 23 | 10 | 6.1 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21040 | Eucalyptus tereticornis | Forest Red Gum | 100 | | 100 | 12 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21041 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21042 | Corymbia intermedia | Pink Bloodwood | 120 | | 120 | 10 | 1 | 2.0 | 1.4 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21043 | Alphitonia excelsa | Soap Tree | 170 | | 170 | 13 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21044 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 15 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21045 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 25 | 8 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21046 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21047 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 14 | 3 | 2.4 | 1.7 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21048 | Allocasuarina littoralis | Black She-oak | 150 | | 150 | 13 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21049 | Allocasuarina littoralis | Black She-oak | 160 | | 160 | 14 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21050 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 18 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21051 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21052 | Corymbia intermedia | Pink Bloodwood | 140 | | 140 | 15 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21053 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 19 | 7 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21054 | Eucalyptus tereticornis | Forest Red Gum | 510 | | 510 | 24 | 10 | 6.1 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21055 | Corymbia tessellaris | Moreton Bay Ash | 260 | | 260 | 16 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21056 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21057 | Corymbia citriodora | Spotted Gum | 400 | | 400 | 25 | 9 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21058 | Corymbia citriodora | Spotted Gum | 560 | | 560 | 29 | 12 | 6.7 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21059 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 15 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21060 | Eucalyptus crebra | Narrow-leaved Ironbark | 390 | | 390 | 22 | 7 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21061 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 30 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21062 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 15 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21063 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 19 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21064 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 18 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21065 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 23 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21066 | Eucalyptus crebra | Narrow-leaved Ironbark | 390 | | 390 | 26 | 10 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21067 | DEAD/STAG | | 480 | | 480 | 25 | 6 | 5.8 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 21068 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 24 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21069 | Eucalyptus tereticornis | Forest Red Gum | 180 | | 180 | 17 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21070 | Acacia disparrima | Hickory Wattle | 160 | 160 | 226 | 14 | 4 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21071 | Eucalyptus tereticornis | Forest Red Gum | 330 | | 330 | 21 | 6 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21072 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 22 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21073 | Acacia disparrima | Hickory Wattle | 180 | | 180 | 8 | 8 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21074 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 18 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21075 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 27 | 9 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21076 | Corymbia tessellaris | Moreton Bay Ash | 160 | | 160 | 17 | 8 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21077 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21078 | Eucalyptus crebra | Narrow-leaved Ironbark | 410 | | 410 | 27 | 8 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21079 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 24 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21080 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 1 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21081 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 16 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 21095 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 24 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21096 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 25 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21097 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 25 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21098 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21099 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 17 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21100 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 22 | 7 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21101 | Allocasuarina littoralis | Black She-oak | 170 | | 170 | 15 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21102 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 23 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21103 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 23 | 7 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21104 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 19 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21105 | Corymbia citriodora | Spotted Gum | 490 | | 490 | 26 | 10 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21106 | Eucalyptus tereticornis | Forest Red Gum | 640 | | 640 | 24 | 9 | 7.7 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21107 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21108 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 15 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21109 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 28 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21110 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 22 | 8 | 3.1 | 1.9 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21111 | Corymbia citriodora | Spotted Gum | 290 | | 290 | 27 | 9 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21112 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 25 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21113 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 16 | 3 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21114 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 14 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21115 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 24 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21116 | Eucalyptus tereticornis | Forest Red Gum | 490 | | 490 | 26 | 8 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21117 | Eucalyptus tereticornis | Forest Red Gum | 670 | | 670 | 29 | 12 | 8.0 | 2.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21118 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 14 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21119 | Corymbia citriodora | Spotted Gum | 700 | | 700 | 32 | 13 | 8.4 | 2.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21120 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21121 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 18 | 7 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21122 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 14 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21123 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 14 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21124 | Eucalyptus crebra | Narrow-leaved Ironbark | 440 | | 440 | 26 | 8 | 5.3 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21125 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 24 | 9 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 21126 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 16 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21127 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 23 | 9 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21128 | Corymbia citriodora | Spotted Gum | 450 | | 450 | 32 | 12 | 5.4 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21129 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 20 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21130 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 24 | 8 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21131 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 20 | 7 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21132 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 14 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21133 | Eucalyptus crebra | Narrow-leaved Ironbark | 340 | | 340 | 22 | 7 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21134 | Eucalyptus tereticornis | Forest Red Gum | 570 | | 570 | 30 | 11 | 6.8 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21135 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 15 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21136 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | | 180 | 18 | 6 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21137 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 20 | 9 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21138 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 22 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21139 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 23 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21140 | Eucalyptus crebra | Narrow-leaved Ironbark | 350 | | 350 | 22 | 9 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21141 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 18 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21142 | Corymbia citriodora | Spotted Gum | 150 | | 150 | 16 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21143 | Allocasuarina littoralis | Black She-oak | 180 | | 180 | 8 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21144 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 16 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21145 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 15 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21146 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21147 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 14 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21148 | Lophostemon suaveolens | Swamp Box | 115 | | 115 | 7 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21149 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 15 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21150 | Corymbia citriodora | Spotted Gum | 105 | | 105 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21151 | Eucalyptus tereticornis | Forest Red Gum | 195 | | 195 | 16 | 6 | 2.3 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21152 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 15 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21153 | DEAD/STAG | | 330 | | 330 | 18 | 10 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 21154 | Corymbia citriodora | Spotted Gum | 115 | | 115 | 15 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21155 | Eucalyptus tereticornis | Forest Red Gum | 385 | | 385 | 20 | 11 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21156 | Corymbia citriodora | Spotted Gum | 440 | 360 | 569 | 19 | 10 | 6.8 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21157 | DEAD/STAG | | 425 | | 425 | 22 | 12 | 5.1 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | -</ | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 21171 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 20 | 9 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21172 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 7 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21173 | Eucalyptus crebra | Narrow-leaved Ironbark | 255 | | 255 | 18 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21174 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 17 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21175 | Alphitonia excelsa | Soap Tree | 185 | | 185 | 8 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21176 | DEAD/STAG | | 300 | | 300 | 17 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21177 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 19 | 9 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21178 | Eucalyptus tereticornis | Forest Red Gum | 315 | | 315 | 18 | 8 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21179 | DEAD/STAG | | 210 | | 210 | 17 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21180 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 20 | 9 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21181 | Corymbia citriodora | Spotted Gum | 125 | | 125 | 14 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21182 | Corymbia citriodora | Spotted Gum | 115 | | 115 | 12 | 4 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21183 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 20 | 11 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21184 | Eucalyptus tereticornis | Forest Red Gum | 235 | | 235 | 19 | 10 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21185 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 17 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21186 | Corymbia citriodora | Spotted Gum | 390 | | 390 | 22 | 12 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21187 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 17 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21188 | Eucalyptus crebra | Narrow-leaved Ironbark | 140 | | 140 | 15 | 3 | 2.0 | 1.4 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21189 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 9 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21190 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 21 | 10 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21191 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 19 | 11 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21192 | Eucalyptus crebra | Narrow-leaved Ironbark | 225 | | 225 | 18 | 8 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21193 | Corymbia citriodora | Spotted Gum | 205 | | 205 | 15 | 6 | 2.5 | 1.7 | Regular | - | Thinning | - | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21194 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 19 | 9 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21195 | Eucalyptus crebra | Narrow-leaved Ironbark | 170 | | 170 | 18 | 8 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21196 | Corymbia intermedia | Pink Bloodwood | 165 | | 165 | 14 | 5 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21197 | Eucalyptus tereticornis | Forest Red Gum | 165 | | 165 | 17 | 7 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21198 | Eucalyptus crebra | Narrow-leaved Ironbark | 160 | | 160 | 18 | 7 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21199 | Eucalyptus tereticornis | Forest Red Gum | 115 | | 115 | 10 | 2 | 2.0 | 1.3 | Regular | - | Thinning | - | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21200 | Corymbia citriodora | Spotted Gum | 205 | | 205 | 17 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21201 | Lophostemon suaveolens | Swamp Box | 120 | 80 | 144 | 7 | 3 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21202 | Eucalyptus tereticornis | Forest Red Gum | 170 | | 170 | 14 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21203 | Corymbia citriodora | Spotted Gum | 305 | | 305 | 19 | 9 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21204 | Eucalyptus crebra | Narrow-leaved Ironbark | 165 | | 165 | 15 | 7 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21205 | Eucalyptus crebra | Narrow-leaved Ironbark | 125 | | 125 | 12 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21206 | Eucalyptus crebra | Narrow-leaved Ironbark | 235 | | 235 | 20 | 9 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21207 | Eucalyptus tereticornis | Forest Red Gum | 245 | | 245 | 20 | 9 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21208 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 21 | 11 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21209 | Corymbia citriodora | Spotted Gum | 125 | | 125 | 10 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21210 | Corymbia citriodora | Spotted Gum | 105 | | 105 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21211 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 20 | 11 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21212 | Eucalyptus crebra | Narrow-leaved Ironbark | 235 | | 235 | 19 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21213 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 19 | 10 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21214 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 23 | 12 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21215 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 17 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21216 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 18 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21217 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 15 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21218 | Corymbia citriodora | Spotted Gum | 295 | | 295 | 20 | 12 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21219 | Corymbia citriodora | Spotted Gum | 225 | | 225 | 20 | 9 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21220 | Corymbia citriodora | Spotted Gum | 205 | | 205 | 17 | 7 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21221 | Corymbia citriodora | Spotted Gum | 155 | 90 | 179 | 14 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21222 | DEAD/STAG | | 120 | | 120 | 14 | 1 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21223 | Corymbia citriodora | Spotted Gum | 285 | | 285 | 21 | 11 | 3.4 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21224 | Eucalyptus crebra | Narrow-leaved Ironbark | 215 | | 215 | 18 | 9 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21225 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 20 | 12 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21226 | Corymbia citriodora | Spotted Gum | 170 | | 170 | 17 | 7 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21227 | Corymbia citriodora | Spotted Gum | 170 | | 170 | 12 | 4 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21228 | Corymbia citriodora | Spotted Gum | 265 | | 265 | 20 | 5 | 3.2 | 1.9 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21229 | Corymbia citriodora | Spotted Gum | 255 | | 255 | 20 | 12 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21230 | Eucalyptus crebra | Narrow-leaved Ironbark | 130 | | 130 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21231 | Corymbia citriodora | Spotted Gum | 140 | | 140 | 12 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21232 | Eucalyptus crebra | Narrow-leaved Ironbark | 105 | | 105 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21233 | Corymbia citriodora | Spotted Gum | 245 | | 245 | 18 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 21247 | Lophostemon suaveolens | Swamp Box | 150 | | 150 | 11 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 21248 | Corymbia citriodora | Spotted Gum | 130 | | 130 | 16 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21249 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 14 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21250 | Corymbia citriodora | Spotted Gum | 205 | | 205 | 20 | 9 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21251 | Corymbia citriodora | Spotted Gum | 265 | | 265 | 21 | 12 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21252 | Corymbia citriodora | Spotted Gum | 195 | | 195 | 17 | 8 | 2.3 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21253 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 17 | 8 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21254 | Eucalyptus tereticornis | Forest Red Gum | 135 | | 135 | 10 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21255 | Eucalyptus tereticornis | Forest Red Gum | 110 | | 110 | 8 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21256 | Eucalyptus tereticornis | Forest Red Gum | 110 | | 110 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21257 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 20 | 14 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21258 | Eucalyptus crebra | Narrow-leaved Ironbark | 100 | | 100 | 10 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 21259 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 10 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21260 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 20 | 11 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21261 | Corymbia intermedia | Pink Bloodwood | 160 | | 160 | 12 | 5 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21262 | Eucalyptus tereticornis | Forest Red Gum | 120 | | 120 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21263 | Corymbia citriodora | Spotted Gum | 215 | | 215 | 20 | 10 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21264 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 15 | 6 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21265 | Corymbia citriodora | Spotted Gum | 195 | | 195 | 18 | 8 | 2.3 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21266 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 11 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 21267 | Corymbia citriodora | Spotted Gum | 195 | | 195 | 16 | 7 | 2.3 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21268 | Corymbia citriodora | Spotted Gum | 145 | | 145 | 11 | 4 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21269 | Corymbia citriodora | Spotted Gum | 170 | | 170 | 17 | 6 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21270 | Corymbia citriodora | Spotted Gum | 125 | | 125 | 10 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21271 | Corymbia citriodora | Spotted Gum | 170 | | 170 | 17 | 7 | 2.0 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21272 | Corymbia citriodora | Spotted Gum | 110 | | 110 | 10 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21273 | Corymbia citriodora | Spotted Gum | 125 | | 125 | 14 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21274 | Corymbia citriodora | Spotted Gum | 105 | | 105 | 10 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21275 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 17 | 9 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21276 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 20 | 12 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21277 | Corymbia citriodora | Spotted Gum | 315 | | 315 | 20 | 12 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21278 | DEAD/STAG | | 135 | | 135 | 7 | 5 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 21279 | Corymbia citriodora | Spotted Gum | 125 | | 125 | 14 | 4 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21280 | Corymbia citriodora | Spotted Gum | 110 | 75 | 133 | 11 | 3 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21281 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 9 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21282 | Corymbia citriodora | Spotted Gum | 180 | | 180 | 15 | 8 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21283 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 12 | 3 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21284 | Corymbia citriodora | Spotted Gum | 120 | | 120 | 12 | 2 | 2.0 | 1.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 21285 | Corymbia citriodora | Spotted Gum | 100 | | 100 | 11 | 2 | 2.0 | 1.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22245 | Corymbia citriodora | Spotted Gum | 270 | 250 | 368 | 17 | 5 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22246 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 14 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 22247 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 18 | 7 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22248 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 16 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22249 | Corymbia citriodora | Spotted Gum | 430 | | 430 | 26 | 9 | 5.2 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22250 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 14 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22251 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22252 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 24 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22253 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 22 | 7 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22254 | Eucalyptus crebra | Narrow-leaved Ironbark | 380 | | 380 | 15 | 6 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22255 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22256 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 17 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22257 | Corymbia intermedia | Pink Bloodwood | 200 | | 200 | 14 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22258 | Corymbia citriodora | Spotted Gum | 260 | 180 | 316 | 16 | 7 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22259 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 20 | 7 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22260 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 16 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22261 | DEAD/STAG | | 770 | | 770 | 23 | 8 | 9.2 | 3.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22262 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 16 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22263 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 15 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22264 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22265 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 18 | 7 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22266 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 16 | 6 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22267 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 15 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 22268 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 24 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 22753 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 18 | 9 | 3.2 | 1.9 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 22754 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 17 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22755 | Corymbia citriodora | Spotted Gum | 290 | | 290 | 19 | 7 | 3.5 | 2.0 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22756 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 22 | 12 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22757 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 19 | 7 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22758 | Corymbia citriodora | Spotted Gum | 220 | 180 | 284 | 13 | 5 | 3.4 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22759 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 14 | 9 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22760 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 17 | 7 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22761 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 18 | 9 | 3.6 | 2.0 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22762 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 15 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 22763 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 20 | 12 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22764 | Corymbia citriodora | Spotted Gum | 220 | 200 | 297 | 14 | 5 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22765 | Corymbia tessellaris | Moreton Bay Ash | 180 | 100 | 206 | 9 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22766 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 14 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22767 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 15 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 22778 | Corymbia citriodora | Spotted Gum | 130 | 250 | 282 | 13 | 3 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22779 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 15 | 2 | 2.6 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22980 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22981 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 18 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22982 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 14 | 3 | 2.6 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22983 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 15 | 2 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22984 | Lophostemon suaveolens | Swamp Box | 250 | | 250 | 14 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22985 | Eucalyptus tereticornis | Forest Red Gum | 200 | 190 | 276 | 17 | 5 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22986 | Eucalyptus tereticornis | Forest Red Gum | 150 | 220 | 266 | 15 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22987 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 14 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22988 | Eucalyptus tereticornis | Forest Red Gum | 330 | | 330 | 18 | 4 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22989 | Lophostemon suaveolens | Swamp Box | 190 | | 190 | 14 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22990 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 13 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22991 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 14 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22992 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22993 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 18 | 5 | 4.2 | 2.1 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22994 | Eucalyptus tereticornis | Forest Red Gum | 340 | | 340 | 17 | 5 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22995 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 18 | 5 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22996 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 15 | 4 | 3.6 | 2.0 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22997 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22998 | Lophostemon suaveolens | Swamp Box | 170 | 90 | 192 | 14 | 4 | 2.3 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 22999 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 14 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23000 | Lophostemon suaveolens | Swamp Box | 180 | | 180 | 15 | 2 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23001 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 15 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23002 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 14 | 4 | 2.5 | 1.7 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23003 | Melaleuca quinquenervia | Broad-leaved Paperbark | 190 | 200 | 276 | 14 | 4 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23004 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 12 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23005 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | 140 | 244 | 14 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23006 | Allocasuarina littoralis | Black She-oak | 210 | | 210 | 11 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23007 | Allocasuarina littoralis | Black She-oak | 210 | | 210 | 12 | 4 | 2.5 | 1.7 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23008 | Corymbia intermedia | Pink Bloodwood | 260 | | 260 | 15 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23009 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 13 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23015 | Corymbia tessellaris | Moreton Bay Ash | 180 | | 180 | 14 | 2 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23016 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 15 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23020 | Corymbia citriodora | Spotted Gum | 350 | 170 | 389 | 17 | 9 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23021 | Eucalyptus tereticornis | Forest Red Gum | 610 | | 610 | 16 | 9 | 7.3 | 2.7 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23022 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 12 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23023 | Eucalyptus tereticornis | Forest Red Gum | 210 | 390 | 443 | 17 | 10 | 5.3 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23024 | Corymbia intermedia | Pink Bloodwood | 190 | 200, 180 | 329 | 13 | 4 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23025 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | 290 | 424 | 15 | 9 | 5.1 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23026 | Eucalyptus tereticornis | Forest Red Gum | 340 | | 340 | 17 | 5 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23027 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 14 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23028 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 16 | 5 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23029 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 11 | 2 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23030 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23031 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 16 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23032 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 2 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23033 | Eucalyptus tereticornis | Forest Red Gum | 230 | 240 | 332 | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 23047 | Corymbia citriodora | Spotted Gum | 230 | 190, 190 | 354 | 15 | 6 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23048 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 15 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23049 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 17 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23050 | Corymbia citriodora | Spotted Gum | 190 | 150 | 242 | 14 | 3 | 2.9 | 1.8 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23051 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 15 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23052 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 15 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23053 | Eucalyptus crebra | Narrow-leaved Ironbark | 180 | 240 | 300 | 15 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23054 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 14 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23055 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 15 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23056 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 15 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23057 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 15 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23058 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 15 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23059 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | 350 | 442 | 16 | 8 | 5.3 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23060 | Eucalyptus tereticornis | Forest Red Gum | 310 | 220 | 380 | 17 | 8 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23061 | Corymbia intermedia | Pink Bloodwood | 260 | | 260 | 14 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23062 | Allocasuarina littoralis | Black She-oak | 270 | | 270 | 10 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23063 | Eucalyptus tereticornis | Forest Red Gum | 620 | | 620 | 20 | 11 | 7.4 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Retain P9 BAL VMP |
| 23064 | Eucalyptus tereticornis | Forest Red Gum | 210 | 200 | 290 | 14 | 6 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23065 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | | 240 | 13 | 2 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23066 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 13 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23067 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 12 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23068 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 10 | 1 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23069 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | | 240 | 9 | 3 | 2.9 | 1.8 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23070 | Eucalyptus tereticornis | Forest Red Gum | 340 | | 340 | 17 | 6 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23071 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 12 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23072 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | 190 | 283 | 11 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23073 | Lophostemon suaveolens | Swamp Box | 190 | 90 | 210 | 11 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23074 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | 240 | 339 | 15 | 9 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23075 | Eucalyptus tereticornis | Forest Red Gum | 430 | | 430 | 17 | 8 | 5.2 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23076 | Melaleuca quinquenervia | Broad-leaved Paperbark | 380 | | 380 | 15 | 6 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23077 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 15 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23078 | Melaleuca quinquenervia | Broad-leaved Paperbark | 280 | | 280 | 13 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23079 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 12 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23080 | Allocasuarina littoralis | Black She-oak | 180 | | 180 | 11 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23081 | Eucalyptus tereticornis | Forest Red Gum | 130 | 240 | 273 | 14 | 4 | 3.3 | 1.9 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23082 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 16 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23083 | Lophostemon suaveolens | Swamp Box | 190 | | 190 | 13 | 1 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23084 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 16 | 3 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23085 | Corymbia citriodora | Spotted Gum | 280 | 160, 160 | 360 | 16 | 5 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23086 | Corymbia citriodora | Spotted Gum | 550 | | 550 | 16 | 5 | 6.6 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23087 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 16 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23115 | Corymbia citriodora | Spotted Gum | 330 | | 330 | 16 | 8 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23116 | Corymbia citriodora | Spotted Gum | 200 | 130 | 239 | 17 | 5 | 2.9 | 1.8 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23117 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 14 | 1 | 2.4 | 1.7 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23118 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 15 | 1 | 2.9 | 1.8 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23119 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 15 | 6 | 3.2 | 1.9 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23120 | Eucalyptus tereticornis | Forest Red Gum | 290 | 260 | 389 | 16 | 5 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23121 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 17 | 9 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23122 | Melaleuca quinquenervia | Broad-leaved Paperbark | 380 | | 380 | 14 | 8 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23123 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 13 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23124 | Melaleuca quinquenervia | Broad-leaved Paperbark | 170 | 180 | 248 | 13 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23125 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 14 | 2 | 2.5 | 1.7 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23126 | Melaleuca quinquenervia | Broad-leaved Paperbark | 320 | 220 | 388 | 15 | 5 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23127 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | 170 | 262 | 14 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23128 | Melaleuca quinquenervia | Broad-leaved Paperbark | 170 | 120 | 208 | 12 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23129 | Melaleuca quinquenervia | Broad-leaved Paperbark | 180 | 160, 150 | 284 | 15 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23130 | Melaleuca quinquenervia | Broad-leaved Paperbark | 180 | | 180 | 14 | 1 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23131 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 15 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23132 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 13 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23133 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23134 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 16 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23135 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 13 | 4 | 2.4 | 1.7 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 23150 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 14 | 1 | 2.4 | 1.7 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23151 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23152 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 16 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23153 | Corymbia citriodora | Spotted Gum | 260 | 200 | 328 | 16 | 5 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23154 | Corymbia citriodora | Spotted Gum | 390 | | 390 | 17 | 9 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23155 | Corymbia citriodora | Spotted Gum | 270 | 230 | 355 | 15 | 7 | 4.3 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23156 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 17 | 5 | 3.2 | 1.9 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23157 | Corymbia citriodora | Spotted Gum | 240 | 180 | 300 | 16 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23158 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 16 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23159 | Corymbia citriodora | Spotted Gum | 290 | 200, 90 | 364 | 16 | 8 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23160 | Corymbia citriodora | Spotted Gum | 190 | 180 | 262 | 14 | 3 | 3.1 | 1.9 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23161 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 15 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23162 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23163 | Corymbia citriodora | Spotted Gum | 150 | 190 | 242 | 16 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23164 | Corymbia citriodora | Spotted Gum | 260 | 280 | 382 | 17 | 9 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23165 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 15 | 4 | 3.1 | 1.9 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23166 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 15 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23167 | Corymbia tessellaris | Moreton Bay Ash | 180 | | 180 | 15 | 4 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23168 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23169 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 16 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23170 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 16 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23171 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 14 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23172 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 18 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23173 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 18 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23174 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 15 | 1 | 2.4 | 1.7 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23175 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 14 | 2 | 2.9 | 1.8 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23176 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 16 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23177 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 15 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23178 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 15 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23179 | Corymbia tessellaris | Moreton Bay Ash | 240 | | 240 | 18 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23180 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 14 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23181 | Alphitonia excelsa | Soap Tree | 210 | | 210 | 13 | 2 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23182 | Allocasuarina littoralis | Black She-oak | 180 | | 180 | 10 | 5 | 2.2 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23183 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 10 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23184 | Lophostemon suaveolens | Swamp Box | 230 | | 230 | 12 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23185 | Allocasuarina littoralis | Black She-oak | 210 | | 210 | 10 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23186 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 13 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23187 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 13 | 2 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23188 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 11 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23189 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 12 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23190 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 11 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23191 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 12 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23192 | Lophostemon suaveolens | Swamp Box | 230 | | 230 | 14 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23193 | Lophostemon suaveolens | Swamp Box | 250 | | 250 | 13 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23194 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 13 | 2 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23195 | Melaleuca quinquenervia | Broad-leaved Paperbark | 250 | | 250 | 13 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23196 | Melaleuca quinquenervia | Broad-leaved Paperbark | 250 | | 250 | 12 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23197 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 15 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23198 | Eucalyptus tereticornis | Forest Red Gum | 310 | | 310 | 16 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23199 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 15 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23200 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 13 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23201 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 9 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23203 | Lophostemon suaveolens | Swamp Box | 240 | | 240 | 15 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23208 | Eucalyptus tereticornis | Forest Red Gum | 430 | | 430 | 20 | 9 | 5.2 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23209 | Eucalyptus tereticornis | Forest Red Gum | 250 | 630 | 678 | 18 | 7 | 8.1 | 2.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23210 | Eucalyptus tereticornis | Forest Red Gum | 200 | 80 | 215 | 14 | 5 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23211 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 18 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23212 | Lophostemon suaveolens | Swamp Box | 210 | 170, 90 | 285 | 12 | 5 | 3.4 | 2.0 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23213 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | 160 | 305 | 16 | 5 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23214 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 18 | 5 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23215 | Lophostemon suaveolens | Swamp Box | 210 | 200 | 290 | 14 | 6 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23216 | Eucalyptus tereticornis | Forest Red Gum | 250 | 180 | 308 | 16 | 5 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23217 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 16 | 1 | 2.5 | 1.7 | Regular | - | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 23307 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 16 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23308 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 15 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23309 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 16 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23310 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 15 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23311 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 14 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23312 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 17 | 4 | 3.0 | 1.8 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23313 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 23 | 9 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23314 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 13 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23315 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 17 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23316 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 15 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23317 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 16 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23318 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 19 | 7 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23319 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 19 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23320 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 17 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23321 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 14 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23322 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 16 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23323 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 12 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23324 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 11 | 2 | 2.4 | 1.7 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23325 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 12 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23326 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 12 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23327 | Alphitonia excelsa | Soap Tree | 200 | | 200 | 9 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23328 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 11 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 23329 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23330 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 15 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23331 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 17 | 5 | 2.5 | 1.7 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23332 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 8 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 23333 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 10 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23334 | Alphitonia excelsa | Soap Tree | 220 | | 220 | 10 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23335 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 13 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23336 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 12 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23337 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | 230 | 325 | 16 | 7 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23338 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 12 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23339 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 13 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 23340 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 13 | 2 | 2.4 | 1.7 | Regular | - | - | - | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23341 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 15 | 7 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23342 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 14 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23343 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 12 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23344 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 14 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23345 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 13 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23346 | Corymbia citriodora | Spotted Gum | 200 | 170 | 262 | 11 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23347 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | 190, 150 | 314 | 15 | 6 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23348 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | 230 | 378 | 16 | 6 | 4.5 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 23349 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 18 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23350 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 17 | 7 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23351 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 16 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23352 | Corymbia citriodora | Spotted Gum | 210 | 180 | 277 | 15 | 5 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23353 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | 180 | 284 | 16 | 5 | 3.4 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23354 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 17 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23355 | Corymbia citriodora | Spotted Gum | 220 | 200 | 297 | 16 | 5 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23356 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 16 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23357 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 19 | 9 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 23358 | Alphitonia excelsa | Soap Tree | 200 | | 200 | 10 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23359 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 12 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23360 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 17 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23361 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 12 | 6 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23362 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | | 330 | 17 | 5 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23363 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 18 | 8 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23364 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 14 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23365 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 18 | 9 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23366 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 16 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23367 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 16 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23368 | Corymbia intermedia | Pink Bloodwood | 270 | | 270 | 16 | 7 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23369 | Alphitonia excelsa | Soap Tree | 200 | | 200 | 8 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 23383 | Melaleuca quinquenervia | Broad-leaved Paperbark | 180 | 170 | 248 | 9 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23384 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 23 | 11 | 4.6 | 2.2 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23385 | Melaleuca quinquenervia | Broad-leaved Paperbark | 160 | 140, 130 | 249 | 8 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23386 | Eucalyptus tereticornis | Forest Red Gum | 350 | 230 | 419 | 18 | 8 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23387 | Corymbia intermedia | Pink Bloodwood | 250 | | 250 | 18 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23388 | Corymbia intermedia | Pink Bloodwood | 200 | | 200 | 12 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23389 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 10 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23390 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 18 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23391 | Melaleuca quinquenervia | Broad-leaved Paperbark | 190 | 170 | 255 | 13 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23392 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 11 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23393 | Acacia dispartima | Hickory Wattle | 250 | 180 | 308 | 10 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23394 | Eucalyptus tereticornis | Forest Red Gum | 540 | | 540 | 19 | 8 | 6.5 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23395 | Lophostemon suaveolens | Swamp Box | 200 | 100 | 224 | 12 | 4 | 2.7 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23396 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 17 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23397 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 19 | 9 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23398 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 19 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23399 | Corymbia citriodora | Spotted Gum | 300 | 150 | 335 | 18 | 5 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23400 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 18 | 7 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23401 | Corymbia citriodora | Spotted Gum | 220 | 160 | 272 | 18 | 6 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23402 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 16 | 3 | 2.3 | 1.6 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23403 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 17 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23440 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 18 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23441 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 17 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23442 | Corymbia citriodora | Spotted Gum | 420 | | 420 | 18 | 7 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23443 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 17 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23444 | Alphitonia excelsa | Soap Tree | 190 | | 190 | 14 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23445 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 13 | 4 | 2.8 | 1.8 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23446 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 4 | 3.1 | 1.9 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23447 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 18 | 8 | 3.8 | 2.1 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23448 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | | 240 | 12 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23449 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 9 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23450 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | 170 | 278 | 11 | 3 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23451 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 11 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23452 | Melaleuca quinquenervia | Broad-leaved Paperbark | 250 | 180 | 308 | 11 | 4 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23453 | Lophostemon suaveolens | Swamp Box | 190 | | 190 | 10 | 2 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23454 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 18 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23455 | Eucalyptus tereticornis | Forest Red Gum | 310 | | 310 | 18 | 7 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23456 | Melaleuca quinquenervia | Broad-leaved Paperbark | 190 | | 190 | 13 | 2 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23457 | Corymbia intermedia | Pink Bloodwood | 190 | 180 | 262 | 12 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23458 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 17 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23459 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 12 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23460 | Eucalyptus tereticornis | Forest Red Gum | 240 | 230 | 332 | 19 | 6 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23461 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 18 | 6 | 2.5 | 1.7 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23462 | Eucalyptus tereticornis | Forest Red Gum | 340 | 190 | 389 | 21 | 10 | 4.7 | 2.2 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23463 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 10 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23464 | Lophostemon suaveolens | Swamp Box | 230 | | 230 | 11 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23465 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | 170, 100 | 288 | 10 | 5 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23466 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 10 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23467 | Melaleuca quinquenervia | Broad-leaved Paperbark | 310 | | 310 | 11 | 3 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23468 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 10 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23469 | Alphitonia excelsa | Soap Tree | 200 | | 200 | 11 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23470 | DEAD/STAG | | 480 | | 480 | 20 | 6 | 5.8 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 23471 | Corymbia intermedia | Pink Bloodwood | 200 | | 200 | 11 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23472 | Allocasuarina littoralis | Black She-oak | 240 | | 240 | 13 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23473 | Allocasuarina littoralis | Black She-oak | 230 | | 230 | 11 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23474 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 12 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23475 | Corymbia intermedia | Pink Bloodwood | 270 | | 270 | 14 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23476 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 17 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23477 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 18 | 5 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23478 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 14 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23479 | Corymbia citriodora | Spotted Gum | 200 | 150 | 250 | 17 | 3 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23480 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 17 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23481 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 17 | 4 | 3.6 | 2.0 | Regular | -</ | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 23495 | Corymbia citriodora | Spotted Gum | 220 | 180 | 284 | 15 | 3 | 3.4 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23496 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 10 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23497 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 13 | 4 | 2.8 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 23498 | Corymbia citriodora | Spotted Gum | 210 | 200 | 290 | 13 | 4 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23499 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 14 | 2 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23500 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 14 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23501 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 11 | 2 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23502 | Corymbia citriodora | Spotted Gum | 230 | 130 | 264 | 17 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23503 | Corymbia citriodora | Spotted Gum | 200 | 140 | 244 | 10 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23504 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 23505 | Alphitonia excelsa | Soap Tree | 190 | | 190 | 8 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23506 | Eucalyptus crebra | Narrow-leaved Ironbark | 380 | | 380 | 18 | 8 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23507 | Eucalyptus crebra | Narrow-leaved Ironbark | 360 | | 360 | 18 | 8 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23508 | Eucalyptus tereticornis | Forest Red Gum | 590 | | 590 | 18 | 7 | 7.1 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23509 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 17 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23510 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 16 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23511 | Corymbia intermedia | Pink Bloodwood | 180 | 170 | 248 | 10 | 3 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23512 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 14 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23513 | Corymbia intermedia | Pink Bloodwood | 350 | | 350 | 14 | 5 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23514 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 16 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23515 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 16 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23516 | Corymbia intermedia | Pink Bloodwood | 240 | | 240 | 10 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23517 | Alphitonia excelsa | Soap Tree | 250 | | 250 | 9 | 3 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23518 | Alphitonia excelsa | Soap Tree | 190 | | 190 | 9 | 4 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23519 | Alphitonia excelsa | Soap Tree | 200 | | 200 | 9 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23520 | Alphitonia excelsa | Soap Tree | 240 | | 240 | 10 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23521 | Alphitonia excelsa | Soap Tree | 230 | 180 | 292 | 10 | 4 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23522 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 12 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23523 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 9 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23524 | Eucalyptus tereticornis | Forest Red Gum | 290 | 220 | 364 | 17 | 6 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23525 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 10 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23526 | Lophostemon suaveolens | Swamp Box | 190 | 180 | 262 | 10 | 3 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23527 | Lophostemon suaveolens | Swamp Box | 250 | | 250 | 12 | 3 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23528 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 13 | 3 | 2.5 | 1.7 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23529 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 14 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23530 | Melaleuca quinquenervia | Broad-leaved Paperbark | 260 | 120 | 286 | 9 | 3 | 3.4 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23531 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 11 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23532 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 15 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23533 | Acacia dispartima | Hickory Wattle | 220 | | 220 | 9 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23534 | Melaleuca quinquenervia | Broad-leaved Paperbark | 260 | | 260 | 10 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23535 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 10 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23536 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 10 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23537 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 11 | 3 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23538 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 15 | 2 | 2.4 | 1.7 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23539 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23540 | Lophostemon suaveolens | Swamp Box | 230 | | 230 | 11 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23541 | Lophostemon suaveolens | Swamp Box | 270 | | 270 | 11 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23542 | Lophostemon suaveolens | Swamp Box | 170 | 170 | 240 | 10 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23543 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 10 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23544 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 11 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23545 | Eucalyptus tereticornis | Forest Red Gum | 290 | 100 | 307 | 18 | 5 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23546 | Eucalyptus tereticornis | Forest Red Gum | 260 | 230 | 347 | 16 | 6 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23547 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23548 | Lophostemon suaveolens | Swamp Box | 230 | | 230 | 11 | 2 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23549 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 16 | 3 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23550 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 9 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23551 | Eucalyptus tereticornis | Forest Red Gum | 330 | 150 | 362 | 20 | 6 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23552 | Melaleuca quinquenervia | Broad-leaved Paperbark | 330 | | 330 | 10 | 4 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23553 | Eucalyptus tereticornis | Forest Red Gum | 320 | 260 | 412 | 17 | 5 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23554 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 14 | 4 | 3.0 | 1.8 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23555 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 16 | 3 | 2.5 | 1.7 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23556 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 18 | 7 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23557 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 18 | 6 | 4.9 | 2.3 | Regular | - | - | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 23571 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 19 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23572 | Lophostemon suaveolens | Swamp Box | 240 | | 240 | 9 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23806 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 17 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23807 | Corymbia tessellaris | Moreton Bay Ash | 250 | | 250 | 14 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23808 | Corymbia intermedia | Pink Bloodwood | 220 | | 220 | 16 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23809 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 8 | 3.0 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23810 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 18 | 7 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23811 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 18 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23812 | Corymbia intermedia | Pink Bloodwood | 210 | | 210 | 12 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23813 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 10 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23814 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 13 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23815 | Corymbia citriodora | Spotted Gum | 290 | 160 | 331 | 17 | 4 | 4.0 | 2.1 | Regular | - | - | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23816 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 16 | 5 | 2.8 | 1.8 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23817 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 13 | 5 | 2.9 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23818 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 16 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23819 | Corymbia intermedia | Pink Bloodwood | 220 | 100 | 242 | 15 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23820 | Acacia disparrima | Hickory Wattle | 220 | | 220 | 11 | 9 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23821 | Angophora leiocarpa | Smooth-barked Apple | 370 | | 370 | 18 | 9 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23822 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 11 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23823 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 18 | 8 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23824 | Angophora leiocarpa | Smooth-barked Apple | 200 | | 200 | 14 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23825 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 10 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23826 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 11 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23827 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | 190, 190 | 341 | 11 | 4 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23828 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | 200, 190 | 353 | 11 | 5 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23829 | Lophostemon suaveolens | Swamp Box | 190 | | 190 | 11 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23830 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | 210 | 311 | 11 | 4 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23831 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | 210 | 297 | 10 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23832 | Eucalyptus tereticornis | Forest Red Gum | 320 | 190 | 372 | 18 | 6 | 4.5 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23833 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | 210 | 297 | 11 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23880 | Corymbia citriodora | Spotted Gum | 480 | | 480 | 23 | 12 | 5.8 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23882 | Lophostemon suaveolens | Swamp Box | 270 | | 270 | 16 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23884 | Melaleuca quinquenervia | Broad-leaved Paperbark | 270 | | 270 | 13 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23885 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 25 | 8 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23886 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 25 | 12 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23888 | Eucalyptus tereticornis | Forest Red Gum | 550 | | 550 | 26 | 12 | 6.6 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23889 | Corymbia citriodora | Spotted Gum | 490 | | 490 | 26 | 9 | 5.9 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23890 | Corymbia intermedia | Pink Bloodwood | 200 | | 200 | 14 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23891 | Eucalyptus tereticornis | Forest Red Gum | 190 | | 190 | 17 | 7 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23892 | Lophostemon suaveolens | Swamp Box | 240 | | 240 | 14 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23902 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 17 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23903 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 18 | 6 | 4.3 | 2.2 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23904 | DEAD/STAG | | 320 | 260 | 412 | 22 | 9 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23905 | Eucalyptus crebra | Narrow-leaved Ironbark | 330 | 320 | 460 | 23 | 14 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23906 | Eucalyptus tereticornis | Forest Red Gum | 430 | 300 | 524 | 24 | 15 | 6.3 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23907 | Eucalyptus crebra | Narrow-leaved Ironbark | 400 | | 400 | 16 | 10 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23908 | Eucalyptus crebra | Narrow-leaved Ironbark | 350 | | 350 | 26 | 10 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23909 | Eucalyptus tereticornis | Forest Red Gum | 290 | | 290 | 19 | 9 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23910 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 14 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23911 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 16 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23912 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 15 | 8 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23913 | Alphitonia excelsa | Soap Tree | 230 | | 230 | 14 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23914 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 17 | 9 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23915 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 17 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23916 | Alphitonia excelsa | Soap Tree | 250 | | 250 | 9 | 7 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23917 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 16 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23918 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | 200 | 297 | 14 | 7 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23919 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 17 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23920 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 18 | 8 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23921 | DEAD/STAG | | 160 | | 160 | 14 | 1 | 2.0 | 1.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Large | - | - | - | Remove P9 BAL VMP |
| 23922 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 17 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23923 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 16 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23924 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 9 | 4 | 2.3 | 1.6 | Regular | -</ | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 23938 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 17 | 3 | 2.4 | 1.7 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23939 | DEAD/STAG | | 360 | | 360 | 18 | 5 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 23940 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 17 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23941 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 16 | 7 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23942 | Alphitonia excelsa | Soap Tree | 200 | | 200 | 9 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23943 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 16 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23944 | Corymbia intermedia | Pink Bloodwood | 220 | | 220 | 17 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23945 | Corymbia intermedia | Pink Bloodwood | 240 | | 240 | 14 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23946 | Corymbia intermedia | Pink Bloodwood | 280 | | 280 | 18 | 9 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23947 | Corymbia intermedia | Pink Bloodwood | 230 | | 230 | 17 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23948 | Corymbia intermedia | Pink Bloodwood | 290 | | 290 | 19 | 12 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23949 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 18 | 4 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23950 | Alphitonia excelsa | Soap Tree | 210 | | 210 | 16 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23951 | Corymbia intermedia | Pink Bloodwood | 240 | 220 | 326 | 18 | 8 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23952 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | 170 | 262 | 8 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23953 | Eucalyptus tereticornis | Forest Red Gum | 240 | 150 | 283 | 23 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23954 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | 120 | 242 | 16 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23955 | Lophostemon suaveolens | Swamp Box | 190 | | 190 | 15 | 6 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23956 | Allocasuarina littoralis | Black She-oak | 230 | | 230 | 9 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23957 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 9 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23958 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 21 | 8 | 3.2 | 1.9 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23959 | Corymbia citriodora | Spotted Gum | 290 | | 290 | 20 | 12 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23960 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 20 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23961 | Corymbia citriodora | Spotted Gum | 190 | | 190 | 14 | 3 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23962 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 21 | 9 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23963 | Corymbia citriodora | Spotted Gum | 280 | 190 | 338 | 18 | 7 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 23964 | Eucalyptus tereticornis | Forest Red Gum | 310 | | 310 | 21 | 4 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Large | - | - | - | Retain P9 BAL VMP |
| 23989 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 26 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23990 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 18 | 7 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23991 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 18 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23992 | Angophora leiocarpa | Smooth-barked Apple | 240 | 150 | 283 | 17 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23993 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 20 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23994 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 24 | 7 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23995 | Eucalyptus tereticornis | Forest Red Gum | 520 | | 520 | 27 | 14 | 6.2 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23996 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 28 | 9 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23997 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 23 | 7 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23998 | Lophostemon suaveolens | Swamp Box | 280 | | 280 | 18 | 10 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 23999 | Eucalyptus crebra | Narrow-leaved Ironbark | 340 | | 340 | 19 | 9 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24000 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 17 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24001 | Melaleuca quinquenervia | Broad-leaved Paperbark | 250 | | 250 | 17 | 8 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24002 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 14 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24003 | Corymbia intermedia | Pink Bloodwood | 310 | | 310 | 17 | 9 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24004 | Lophostemon confertus | Brush Box | 220 | | 220 | 15 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24005 | Eucalyptus tereticornis | Forest Red Gum | 210 | | 210 | 15 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24006 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 26 | 9 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24007 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 18 | 4 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24008 | Eucalyptus tereticornis | Forest Red Gum | 290 | | 290 | 18 | 3 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24009 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 18 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24010 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 32 | 10 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24011 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 26 | 9 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24012 | DEAD/STAG | | 810 | | 810 | 24 | 15 | 9.7 | 3.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 24013 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 19 | 8 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24014 | Corymbia citriodora | Spotted Gum | 290 | 160 | 331 | 22 | 12 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24015 | Eucalyptus tereticornis | Forest Red Gum | 310 | | 310 | 21 | 8 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24016 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 19 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24017 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 19 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24018 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 17 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24019 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 16 | 7 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24020 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 19 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24021 | Corymbia citriodora | Spotted Gum | 730 | | 730 | 26 | 14 | 8.8 | 2.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24022 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 18 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24023 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 27 | 16 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24024 | Corymbia citriodora | Spotted Gum | 380 | | 380 | 26 | 9 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|-------|--------------|---------|---|
| 24038 | Corymbia tessellaris | Moreton Bay Ash | 210 | | 210 | 16 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24039 | Eucalyptus tereticornis | Forest Red Gum | 870 | | 870 | 26 | 17 | 10.4 | 3.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24040 | Eucalyptus tereticornis | Forest Red Gum | 1070 | | 1070 | 35 | 17 | 12.8 | 3.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | Large | - | - | Remove P9 BAL VMP |
| 24041 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 14 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24042 | Lophostemon suaveolens | Swamp Box | 240 | | 240 | 17 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24043 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 9 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24044 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 14 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24045 | Lophostemon suaveolens | Swamp Box | 270 | | 270 | 14 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24046 | Lophostemon suaveolens | Swamp Box | 280 | | 280 | 17 | 7 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24047 | Lophostemon suaveolens | Swamp Box | 280 | | 280 | 16 | 4 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24048 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 13 | 6 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24049 | Lophostemon suaveolens | Swamp Box | 340 | | 340 | 17 | 8 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24055 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 15 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24062 | Lophostemon suaveolens | Swamp Box | 250 | | 250 | 14 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24063 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 18 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24064 | Eucalyptus crebra | Narrow-leaved Ironbark | 370 | | 370 | 18 | 5 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24065 | Eucalyptus tereticornis | Forest Red Gum | 290 | 190 | 347 | 18 | 4 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24066 | Corymbia citriodora | Spotted Gum | 380 | 380 | 537 | 18 | 8 | 6.4 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24105 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 16 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24107 | Eucalyptus tereticornis | Forest Red Gum | 330 | | 330 | 22 | 6 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24108 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 18 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24110 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 21 | 7 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24111 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 18 | 6 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24127 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 23 | 4 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24128 | Eucalyptus tereticornis | Forest Red Gum | 700 | | 700 | 27 | 9 | 8.4 | 2.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24129 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 10 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24130 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 17 | 9 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24139 | Lophostemon suaveolens | Swamp Box | 230 | | 230 | 14 | 7 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24140 | Melaleuca quinquenervia | Broad-leaved Paperbark | 280 | | 280 | 16 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24141 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 11 | 7 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24142 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 12 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24143 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 8 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24144 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 14 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24145 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 15 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24146 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 14 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24147 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | | 240 | 14 | 8 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24148 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 16 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24149 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 14 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24150 | Corymbia intermedia | Pink Bloodwood | 340 | | 340 | 16 | 10 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24151 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 23 | 15 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24152 | Corymbia citriodora | Spotted Gum | 270 | | 270 | 25 | 8 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24153 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 18 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24154 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 17 | 7 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24155 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 18 | 16 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24156 | Corymbia citriodora | Spotted Gum | 370 | 170 | 407 | 22 | 8 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24157 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 17 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24158 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 17 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24159 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 25 | 9 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24160 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 15 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24161 | Corymbia citriodora | Spotted Gum | 380 | | 380 | 18 | 10 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24162 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 12 | 2 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24163 | Corymbia citriodora | Spotted Gum | 320 | | 320 | 19 | 4 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24164 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 16 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24165 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 17 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24166 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 17 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24232 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | 140 | 261 | 14 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24233 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 12 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24234 | Angophora leiocarpa | Smooth-barked Apple | 230 | | 230 | 16 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24235 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 19 | 9 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 24236 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 18 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24237 | Corymbia citriodora | Spotted Gum | 290 | | 290 | 15 | 9 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24238 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 16 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24239 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 23 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|------------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 24253 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | 180 | 300 | 17 | 9 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24254 | Melaleuca quinquenervia | Broad-leaved Paperbark | 250 | 180 | 308 | 14 | 7 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24255 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 14 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24256 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 14 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24257 | Melaleuca quinquenervia | Broad-leaved Paperbark | 260 | | 260 | 12 | 3 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24258 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 15 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24259 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 14 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24441 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 14 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24442 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 9 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24443 | Corymbia trachyphloia | Brown Bloodwood | 280 | | 280 | 15 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24444 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 17 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | Introduced | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24445 | Alphitonia excelsa | Soap Tree | 210 | | 210 | 11 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24446 | Corymbia trachyphloia | Brown Bloodwood | 220 | | 220 | 13 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24447 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 12 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | Major | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24448 | Corymbia citriodora | Spotted Gum | 290 | | 290 | 18 | 6 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24449 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 16 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24450 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 15 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24451 | Corymbia citriodora | Spotted Gum | 210 | 200 | 290 | 13 | 5 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24452 | Corymbia citriodora | Spotted Gum | 240 | | 240 | 11 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24453 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 10 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24454 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 10 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | Introduced | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24455 | Melaleuca quinquenervia | Broad-leaved Paperbark | 270 | | 270 | 12 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24456 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | 180 | 277 | 12 | 4 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24457 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 10 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24458 | Allocasuarina littoralis | Black She-oak | 210 | | 210 | 14 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24459 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 11 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24506 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 9 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24507 | Melaleuca quinquenervia | Broad-leaved Paperbark | 300 | 100 | 316 | 8 | 2 | 3.8 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24508 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 7 | 1 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24509 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 8 | 1 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24510 | Corymbia trachyphloia | Brown Bloodwood | 240 | | 240 | 12 | 2 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24511 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 5 | 1 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24512 | Eucalyptus tereticornis | Forest Red Gum | 500 | | 500 | 20 | 3 | 6.0 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24513 | Melaleuca quinquenervia | Broad-leaved Paperbark | 300 | | 300 | 5 | 1 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24514 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 7 | 1 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24515 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 8 | 1 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24516 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 5 | 1 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24517 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 6 | 2 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24518 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 6 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24519 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 4 | 2 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24520 | Melaleuca quinquenervia | Broad-leaved Paperbark | 310 | 150 | 344 | 10 | 3 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24521 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 6 | 1 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24522 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 12 | 1 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24523 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 12 | 3 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24524 | Lophostemon suaveolens | Swamp Box | 240 | | 240 | 15 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24525 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 15 | 2 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24570 | Eucalyptus tereticornis | Forest Red Gum | 420 | | 420 | 17 | 4 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24571 | Melaleuca quinquenervia | Broad-leaved Paperbark | 300 | | 300 | 6 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24572 | Melaleuca quinquenervia | Broad-leaved Paperbark | 250 | | 250 | 5 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24573 | Melaleuca quinquenervia | Broad-leaved Paperbark | 300 | | 300 | 6 | 3 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24574 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 7 | 1 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24575 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 6 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24576 | Acacia disparrima | Hickory Wattle | 220 | | 220 | 7 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24577 | Melaleuca quinquenervia | Broad-leaved Paperbark | 400 | 300, 250 | 559 | 8 | 4 | 6.7 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24578 | Melaleuca quinquenervia | Broad-leaved Paperbark | 350 | 100 | 364 | 12 | 1 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24594 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 20 | 6 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24595 | Eucalyptus tereticornis | Forest Red Gum | 240 | | 240 | 20 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24596 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 20 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24597 | Eucalyptus tereticornis | Forest Red Gum | 500 | | 500 | 15 | 6 | 6.0 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24598 | Eucalyptus seeana | Narrow-leaved Red Gum | 340 | | 340 | 15 | 10 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24599 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 6 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24600 | Eucalyptus tereticornis | Forest Red Gum | 600 | | 600 | 20 | 10 | 7.2 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24601 | Corymbia citriodora | Spotted Gum | 380 | 230 | | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|------------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 24666 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | Major | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24667 | Allocasuarina littoralis | Black She-oak | 270 | | 270 | 12 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24668 | Allocasuarina littoralis | Black She-oak | 240 | | 240 | 13 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24669 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | | 240 | 12 | 6 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24670 | Melaleuca quinquenervia | Broad-leaved Paperbark | 310 | | 310 | 12 | 4 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24671 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 14 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24672 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 16 | 5 | 4.9 | 2.3 | Regular | - | Thinning | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24673 | Melaleuca quinquenervia | Broad-leaved Paperbark | 340 | | 340 | 14 | 5 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24674 | Melaleuca quinquenervia | Broad-leaved Paperbark | 290 | | 290 | 14 | 4 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | Introduced | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24675 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 10 | 1 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24676 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 18 | 6 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24677 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 18 | 4 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24678 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 19 | 6 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24679 | Lophostemon suaveolens | Swamp Box | 270 | | 270 | 9 | 3 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24680 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 7 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24681 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 18 | 6 | 4.9 | 2.3 | Regular | - | Thinning | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24746 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 18 | 5 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24747 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 17 | 5 | 3.4 | 1.9 | Regular | - | Thinning | Die-back | - | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24748 | Eucalyptus tereticornis | Forest Red Gum | 290 | | 290 | 18 | 6 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24749 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 7 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24750 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 17 | 6 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24751 | Allocasuarina littoralis | Black She-oak | 320 | | 320 | 9 | 4 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24752 | Corymbia trachyphloia | Brown Bloodwood | 240 | 220 | 326 | 16 | 5 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24753 | Allocasuarina littoralis | Black She-oak | 210 | | 210 | 15 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24754 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 17 | 2 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24755 | Alphitonia excelsa | Soap Tree | 210 | | 210 | 10 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | Introduced | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24756 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 15 | 7 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24757 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 13 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24758 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 14 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24759 | Melaleuca quinquenervia | Broad-leaved Paperbark | 370 | 210 | 425 | 12 | 5 | 5.1 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24760 | Melaleuca quinquenervia | Broad-leaved Paperbark | 380 | 240 | 449 | 15 | 5 | 5.4 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24761 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 18 | 4 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24762 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 17 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24763 | Corymbia trachyphloia | Brown Bloodwood | 220 | | 220 | 14 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24764 | Corymbia trachyphloia | Brown Bloodwood | 240 | | 240 | 15 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24765 | Eucalyptus tereticornis | Forest Red Gum | 290 | | 290 | 16 | 3 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24766 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 17 | 2 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24767 | Eucalyptus tereticornis | Forest Red Gum | 250 | | 250 | 17 | 2 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24768 | Corymbia trachyphloia | Brown Bloodwood | 250 | 220 | 333 | 15 | 4 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24769 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 12 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24770 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 18 | 5 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24771 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 18 | 7 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24795 | Eucalyptus tereticornis | Forest Red Gum | 350 | | 350 | 18 | 6 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24796 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 14 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24797 | Corymbia trachyphloia | Brown Bloodwood | 220 | 170 | 278 | 16 | 4 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24798 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 15 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24799 | Melaleuca quinquenervia | Broad-leaved Paperbark | 330 | | 330 | 15 | 6 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24800 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 8 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24801 | Allocasuarina littoralis | Black She-oak | 270 | | 270 | 12 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24802 | Melaleuca quinquenervia | Broad-leaved Paperbark | 350 | | 350 | 15 | 5 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24803 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 8 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24804 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 9 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24805 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 9 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24806 | Eucalyptus tereticornis | Forest Red Gum | 330 | | 330 | 16 | 4 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24807 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 18 | 7 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24808 | Corymbia trachyphloia | Brown Bloodwood | 200 | | 200 | 9 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24809 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 18 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24810 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 16 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24811 | Eucalyptus tereticornis | Forest Red Gum | 450 | | 450 | 18 | 7 | 5.4 | 2.4 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24812 | Eucalyptus seeana | Narrow-leaved Red Gum | 280 | | 280 | 16 | 4 | 3.4 | 1.9 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24813 | Eucalyptus tereticornis | Forest Red Gum | 300 | | 300 | 17 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24814 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 19 | 5 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24815 | Eucalyptus tereticornis | Forest Red Gum | | | | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|--------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 24907 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 8 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24908 | Melaleuca quinquenervia | Broad-leaved Paperbark | 250 | | 250 | 8 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24909 | Corymbia intermedia | Pink Bloodwood | 310 | | 310 | 14 | 7 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24910 | Allocasuarina littoralis | Black She-oak | 230 | | 230 | 9 | 5 | 2.8 | 1.8 | Regular | - | Thinning | Die-back | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24911 | Eucalyptus tereticornis | Forest Red Gum | 480 | 330 | 582 | 19 | 14 | 7.0 | 2.6 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24912 | Eucalyptus tereticornis | Forest Red Gum | 930 | | 930 | 25 | 16 | 11.2 | 3.2 | Regular | - | - | Die-back | - | - | Typical | - | Native | Trunk Dmg. | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 24913 | Corymbia intermedia | Pink Bloodwood | 230 | | 230 | 9 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Remove P9 BAL VMP |
| 24914 | Acacia disparrima | Hickory Wattle | 220 | | 220 | 7 | 3 | 2.6 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24915 | Corymbia tessellaris | Moreton Bay Ash | 200 | | 200 | 10 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24916 | Eucalyptus tereticornis | Forest Red Gum | 340 | | 340 | 22 | 12 | 4.1 | 2.1 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24917 | Allocasuarina littoralis | Black She-oak | 200 | 170 | 262 | 8 | 3 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24918 | Corymbia intermedia | Pink Bloodwood | 320 | | 320 | 15 | 8 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24919 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 9 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24920 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | 190 | 276 | 9 | 4 | 3.3 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 24921 | Melaleuca quinquenervia | Broad-leaved Paperbark | 260 | | 260 | 11 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24922 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 9 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24923 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 10 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24924 | Lophostemon suaveolens | Swamp Box | 320 | | 320 | 11 | 5 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24925 | Lophostemon suaveolens | Swamp Box | 230 | | 230 | 10 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24926 | Eucalyptus tereticornis | Forest Red Gum | 460 | | 460 | 18 | 11 | 5.5 | 2.4 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24927 | Lophostemon suaveolens | Swamp Box | 200 | | 200 | 9 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24928 | Eucalyptus tereticornis | Forest Red Gum | 280 | | 280 | 19 | 8 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24929 | Eucalyptus tereticornis | Forest Red Gum | 600 | | 600 | 26 | 14 | 7.2 | 2.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24930 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | 180 | 269 | 9 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24931 | Eucalyptus tereticornis | Forest Red Gum | 510 | | 510 | 20 | 12 | 6.1 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24932 | Lophostemon suaveolens | Swamp Box | 220 | | 220 | 12 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24933 | Lophostemon suaveolens | Swamp Box | 270 | | 270 | 13 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24934 | Lophostemon suaveolens | Swamp Box | 260 | | 260 | 9 | 3 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24935 | Melaleuca quinquenervia | Broad-leaved Paperbark | 250 | 240 | 347 | 10 | 5 | 4.2 | 2.1 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24936 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | | 220 | 10 | 3 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24937 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | 230 | 332 | 10 | 5 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24938 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 24 | 13 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24939 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | 190 | 291 | 8 | 3 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24940 | Melaleuca quinquenervia | Broad-leaved Paperbark | 270 | 240 | 361 | 11 | 5 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 24941 | Lophostemon suaveolens | Swamp Box | 270 | | 270 | 10 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25051 | Eucalyptus tereticornis | Forest Red Gum | 310 | | 310 | 19 | 10 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25052 | Melaleuca quinquenervia | Broad-leaved Paperbark | 330 | | 330 | 10 | 6 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25053 | Eucalyptus tereticornis | Forest Red Gum | 410 | | 410 | 22 | 15 | 4.9 | 2.3 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25054 | Lophostemon suaveolens | Swamp Box | 250 | | 250 | 10 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25055 | Melaleuca quinquenervia | Broad-leaved Paperbark | 280 | | 280 | 10 | 4 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25056 | Melaleuca quinquenervia | Broad-leaved Paperbark | 310 | | 310 | 12 | 4 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25057 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 11 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25058 | Eucalyptus seeana | Narrow-leaved Red Gum | 250 | | 250 | 13 | 4 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25059 | Melaleuca quinquenervia | Broad-leaved Paperbark | 350 | 270, 250 | 508 | 12 | 6 | 6.1 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25060 | Melaleuca quinquenervia | Broad-leaved Paperbark | 260 | | 260 | 11 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25061 | Melaleuca quinquenervia | Broad-leaved Paperbark | 280 | | 280 | 12 | 4 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25062 | Lophostemon suaveolens | Swamp Box | 240 | | 240 | 6 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25063 | Allocasuarina littoralis | Black She-oak | 310 | | 310 | 10 | 5 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25064 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | | 200 | 12 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25065 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 11 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25066 | Acacia disparrima | Hickory Wattle | 230 | 160 | 280 | 9 | 4 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25067 | Acacia disparrima | Hickory Wattle | 240 | | 240 | 8 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25068 | Acacia disparrima | Hickory Wattle | 210 | | 210 | 8 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25069 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 17 | 9 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25070 | Corymbia intermedia | Pink Bloodwood | 220 | 200, 140 | 329 | 10 | 5 | 3.9 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25071 | DEAD/STAG | | 420 | | 420 | 17 | 9 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 25072 | Acacia disparrima | Hickory Wattle | 230 | | 230 | 7 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25073 | Acacia disparrima | Hickory Wattle | 200 | | 200 | 8 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25074 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | | 240 | 9 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25075 | Lophostemon suaveolens | Swamp Box | 210 | | 210 | 9 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25076 | Melaleuca quinquenervia | Broad-leaved Paperbark | 260 | | 260 | 9 | 3 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25077 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | | 240 | 8 | 3 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25078 | Allocasuarina littoralis | Black She-oak</ | | | | | | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|---------|-----------|----------|----------|-----------|--------|---------------|---------|------------|--------------|-------------|--------------|-------|-----------|---------|------|--------------|---------|---|
| 25123 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 18 | 11 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25124 | Melaleuca quinquenervia | Broad-leaved Paperbark | 290 | | 290 | 9 | 4 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25125 | Corymbia intermedia | Pink Bloodwood | 370 | | 370 | 16 | 9 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25126 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 7 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25127 | Melaleuca quinquenervia | Broad-leaved Paperbark | 240 | 200 | 312 | 9 | 4 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25128 | Allocasuarina littoralis | Black She-oak | 230 | | 230 | 8 | 5 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25129 | Allocasuarina littoralis | Black She-oak | 320 | | 320 | 11 | 6 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25130 | Melaleuca quinquenervia | Broad-leaved Paperbark | 200 | 170 | 262 | 9 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25131 | Melaleuca quinquenervia | Broad-leaved Paperbark | 210 | | 210 | 9 | 3 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25132 | Acacia disparrima | Hickory Wattle | 230 | | 230 | 9 | 4 | 2.8 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25133 | Eucalyptus seeana | Narrow-leaved Red Gum | 390 | | 390 | 18 | 9 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25134 | Eucalyptus seeana | Narrow-leaved Red Gum | 540 | | 540 | 17 | 11 | 6.5 | 2.6 | Regular | - | - | Die-back | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | Small | - | - | - | Retain P9 BAL VMP |
| 25135 | Eucalyptus seeana | Narrow-leaved Red Gum | 440 | 280 | 522 | 17 | 13 | 6.3 | 2.5 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25136 | Eucalyptus seeana | Narrow-leaved Red Gum | 870 | | 870 | 26 | 14 | 10.4 | 3.1 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25137 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 12 | 4 | 3.5 | 2.0 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25138 | Eucalyptus seeana | Narrow-leaved Red Gum | 380 | | 380 | 17 | 9 | 4.6 | 2.2 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25139 | Corymbia intermedia | Pink Bloodwood | 300 | 230 | 378 | 14 | 7 | 4.5 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25140 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 18 | 9 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25141 | Eucalyptus tereticornis | Forest Red Gum | 440 | | 440 | 19 | 10 | 5.3 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25142 | Eucalyptus seeana | Narrow-leaved Red Gum | 470 | | 470 | 19 | 11 | 5.6 | 2.4 | Regular | - | Thinning | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25143 | Eucalyptus seeana | Narrow-leaved Red Gum | 250 | | 250 | 15 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25144 | Eucalyptus seeana | Narrow-leaved Red Gum | 390 | | 390 | 15 | 7 | 4.7 | 2.2 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25145 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 20 | 11 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25146 | Eucalyptus tereticornis | Forest Red Gum | 370 | | 370 | 19 | 12 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25224 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 18 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25225 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 18 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25226 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 22 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25227 | Eucalyptus tereticornis | Forest Red Gum | 390 | | 390 | 24 | 8 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25293 | Corymbia citriodora | Spotted Gum | 200 | 130 | 239 | 14 | 8 | 2.9 | 1.8 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25295 | Corymbia intermedia | Pink Bloodwood | 310 | | 310 | 17 | 10 | 3.7 | 2.0 | Regular | - | - | Die-back | - | - | Typical | - | - | - | Fire Dmg. | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25296 | Corymbia intermedia | Pink Bloodwood | 275 | | 275 | 15 | 10 | 3.3 | 1.9 | Regular | - | - | Die-back | - | - | Typical | - | - | - | Fire Dmg. | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25297 | Eucalyptus tereticornis | Forest Red Gum | 275 | | 275 | 18 | 11 | 3.3 | 1.9 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25298 | Allocasuarina littoralis | Black She-oak | 230 | | 230 | 13 | 6 | 2.8 | 1.8 | Regular | - | - | Die-back | - | - | Typical | - | - | Trunk Dmg. | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25299 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 14 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25300 | Melaleuca quinquenervia | Broad-leaved Paperbark | 310 | | 310 | 16 | 7 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25382 | Melaleuca quinquenervia | Broad-leaved Paperbark | 255 | 240 | 350 | 17 | 10 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25383 | Melaleuca quinquenervia | Broad-leaved Paperbark | 400 | | 400 | 18 | 13 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | Introduced | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25384 | Melaleuca quinquenervia | Broad-leaved Paperbark | 260 | | 260 | 16 | 9 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25420 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 16 | 8 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25422 | Acacia disparrima | Hickory Wattle | 220 | | 220 | 12 | 7 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Retain P9 BAL VMP |
| 25423 | Eucalyptus crebra | Narrow-leaved Ironbark | 265 | | 265 | 18 | 12 | 3.2 | 1.9 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 25424 | Eucalyptus tereticornis | Forest Red Gum | 315 | | 315 | 17 | 11 | 3.8 | 2.0 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25425 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 10 | 7 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25426 | Allocasuarina littoralis | Black She-oak | 200 | | 200 | 8 | 5 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25427 | Acacia disparrima | Hickory Wattle | 200 | | 200 | 9 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25428 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 17 | 7 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25521 | Eucalyptus crebra | Narrow-leaved Ironbark | 370 | | 370 | 22 | 9 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25522 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 21 | 7 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25523 | Eucalyptus crebra | Narrow-leaved Ironbark | 480 | | 480 | 22 | 9 | 5.8 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25524 | Eucalyptus siderophloia | Northern Grey Ironbark | 350 | | 350 | 22 | 7 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25525 | Eucalyptus siderophloia | Northern Grey Ironbark | 400 | | 400 | 23 | 9 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | Termite nest | - | Retain P9 BAL VMP |
| 25526 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 22 | 9 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25527 | Eucalyptus siderophloia | Northern Grey Ironbark | 200 | | 200 | 17 | 3 | 2.4 | 1.7 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25528 | Eucalyptus tereticornis | Forest Red Gum | 265 | | 265 | 18 | 6 | 3.2 | 1.9 | Regular | - | Thinning | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25529 | Eucalyptus siderophloia | Northern Grey Ironbark | 200 | | 200 | 16 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25530 | Eucalyptus tereticornis | Forest Red Gum | 220 | | 220 | 17 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25531 | Corymbia citriodora | Spotted Gum | 210 | | 210 | 16 | 7 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25532 | Eucalyptus siderophloia | Northern Grey Ironbark | 320 | 160 | 358 | 21 | 7 | 4.3 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25533 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | 260 | 368 | 19 | 6 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25534 | Eucalyptus siderophloia | Northern Grey Ironbark | 300 | | 300 | 22 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25535 | Eucalyptus siderophloia | Northern Grey Ironbark | 420 | | 420 | 22 | 9 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25536 | Corymbia citriodora | Spotted Gum | 365 | | 365 | 23 | 9 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | -</ | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|--------------------------|------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|--------------|----------|---------|---|
| 25572 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 17 | 7 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25573 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 18 | 7 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25746 | Eucalyptus tereticornis | Forest Red Gum | 330 | | 330 | 16 | 7 | 4.0 | 2.1 | One-sided | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25747 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 16 | 5 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25748 | Eucalyptus tereticornis | Forest Red Gum | 360 | | 360 | 17 | 8 | 4.3 | 2.2 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25749 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 15 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25750 | Melaleuca quinquenervia | Broad-leaved Paperbark | 360 | | 360 | 15 | 9 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25751 | Melaleuca quinquenervia | Broad-leaved Paperbark | 290 | | 290 | 14 | 4 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25752 | Melaleuca quinquenervia | Broad-leaved Paperbark | 290 | | 290 | 15 | 6 | 3.5 | 2.0 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25753 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | 210 | 304 | 16 | 6 | 3.6 | 2.0 | One-sided | Spreading | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25754 | Melaleuca quinquenervia | Broad-leaved Paperbark | 230 | | 230 | 16 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25755 | Melaleuca quinquenervia | Broad-leaved Paperbark | 180 | 190 | 262 | 15 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25756 | Melaleuca quinquenervia | Broad-leaved Paperbark | 220 | 230 | 318 | 14 | 6 | 3.8 | 2.0 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 25757 | Allocasuarina littoralis | Black She-oak | 320 | | 320 | 12 | 3 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25759 | Corymbia intermedia | Pink Bloodwood | 470 | | 470 | 14 | 4 | 5.6 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25767 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 15 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25768 | Eucalyptus tereticornis | Forest Red Gum | 200 | | 200 | 16 | 6 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25833 | Melaleuca quinquenervia | Broad-leaved Paperbark | 290 | | 290 | 12 | 6 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25834 | Melaleuca quinquenervia | Broad-leaved Paperbark | 260 | | 260 | 11 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25868 | Eucalyptus tereticornis | Forest Red Gum | 230 | | 230 | 15 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25869 | Eucalyptus tereticornis | Forest Red Gum | 380 | | 380 | 18 | 9 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25870 | Eucalyptus tereticornis | Forest Red Gum | 820 | | 820 | 20 | 11 | 9.8 | 3.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25871 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 17 | 4 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25872 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | 240 | 332 | 16 | 5 | 4.0 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | Termite nest | - | - | Retain P9 BAL VMP |
| 25961 | Eucalyptus crebra | Narrow-leaved Ironbark | 340 | | 340 | 20 | 8 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25962 | Eucalyptus crebra | Narrow-leaved Ironbark | 370 | | 370 | 18 | 7 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25963 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 17 | 6 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25964 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 20 | 7 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25965 | Eucalyptus crebra | Narrow-leaved Ironbark | 380 | | 380 | 20 | 9 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25966 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 17 | 6 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25967 | Corymbia citriodora | Spotted Gum | 460 | | 460 | 26 | 9 | 5.5 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25968 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 22 | 8 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25969 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 16 | 5 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25970 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 19 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25971 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 18 | 6 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25972 | Eucalyptus tereticornis | Forest Red Gum | 270 | | 270 | 19 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25973 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 18 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25974 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 17 | 5 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25975 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 24 | 8 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25976 | Corymbia citriodora | Spotted Gum | 340 | | 340 | 18 | 7 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25977 | Corymbia citriodora | Spotted Gum | 520 | | 520 | 26 | 8 | 6.2 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25978 | Eucalyptus tereticornis | Forest Red Gum | 260 | | 260 | 17 | 6 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25979 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 22 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25980 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 20 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25981 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 16 | 7 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25982 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 20 | 8 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25983 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 22 | 8 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25984 | Eucalyptus crebra | Narrow-leaved Ironbark | 390 | | 390 | 22 | 12 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25985 | Corymbia citriodora | Spotted Gum | 390 | | 390 | 26 | 8 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25986 | Corymbia citriodora | Spotted Gum | 300 | | 300 | 18 | 8 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25987 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 13 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25990 | Corymbia citriodora | Spotted Gum | 370 | | 370 | 20 | 8 | 4.4 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25991 | Corymbia citriodora | Spotted Gum | 250 | | 250 | 18 | 8 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25992 | Corymbia citriodora | Spotted Gum | 580 | | 580 | 25 | 12 | 7.0 | 2.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25993 | Corymbia citriodora | Spotted Gum | 230 | | 230 | 17 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25994 | Corymbia citriodora | Spotted Gum | 310 | | 310 | 20 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25995 | Corymbia citriodora | Spotted Gum | 220 | | 220 | 15 | 6 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25996 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 16 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25997 | Corymbia citriodora | Spotted Gum | 400 | | 400 | 26 | 8 | 4.8 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25998 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 19 | 8 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 25999 | Eucalyptus crebra | Narrow-leaved Ironbark | 500 | | 500 | 26 | 8 | 6.0 | 2.5 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 26000 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 18 | 6 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Retain P9 BAL VMP |
| 26001 | Eucalyptus tereticornis | Forest Red Gum | 400 | | 400 | 24 | 9 | | | | | | | | | | | | | | | | | | | | | |

Everleigh Precinct 9 Balance earthworks VCFMP Tree Schedule

| ID | Botanical Name | Common Name | DBH (mm) | DBH (Additional) (mm) | DBH (Total) (mm) | Height (m) | Spread (m) | TPZ (m) | SRZ (m) | Canopy | Spreading | Thinning | Die back | Epicormic | Lopped | Canopy health | Leaning | Vines | Trunk damage | Fire damage | Trunk health | Scats | Scratches | Hollows | Nest | Termites | Habitat | Precinct 9 balance earthworks VCFMP Retention |
|-------|-------------------------|---------------------------|----------|-----------------------|------------------|------------|------------|---------|---------|-----------|-----------|----------|----------|-----------|--------|---------------|---------|-------|--------------|-------------|--------------|-------|-----------|---------|------|----------|---------|---|
| 26884 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 15 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26885 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 15 | 4 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26886 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 14 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26887 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | | 250 | 16 | 5 | 3.0 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26888 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 16 | 9 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26889 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 16 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26890 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 15 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26891 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 13 | 2 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26892 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 17 | 9 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26893 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 14 | 2 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26894 | Corymbia citriodora | Spotted Gum | 260 | | 260 | 16 | 5 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26895 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 13 | 2 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26896 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 18 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26897 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | 110 | 246 | 15 | 5 | 3.0 | 1.8 | One-sided | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26898 | Eucalyptus crebra | Narrow-leaved Ironbark | 340 | | 340 | 18 | 9 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26899 | Eucalyptus crebra | Narrow-leaved Ironbark | 350 | 170 | 389 | 18 | 10 | 4.7 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26900 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 14 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26901 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 15 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26902 | Eucalyptus tereticornis | Forest Red Gum | 320 | | 320 | 16 | 4 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26903 | Acacia disparrima | Hickory Wattle | 170 | 130 | 214 | 9 | 3 | 2.6 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26904 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 18 | 9 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26905 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | | 220 | 16 | 4 | 2.6 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26906 | Corymbia citriodora | Spotted Gum | 280 | | 280 | 16 | 3 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26907 | Eucalyptus fibrosa | Broad-leaved Red Ironbark | 310 | | 310 | 16 | 6 | 3.7 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26908 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 15 | 6 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26909 | Eucalyptus crebra | Narrow-leaved Ironbark | 190 | | 190 | 14 | 5 | 2.3 | 1.6 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26910 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 10 | 4 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26911 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 11 | 4 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26912 | Corymbia citriodora | Spotted Gum | 420 | | 420 | 13 | 5 | 5.0 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26913 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 14 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26914 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 12 | 5 | 3.8 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26915 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 11 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26916 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | 160 | 358 | 14 | 5 | 4.3 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26917 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 8 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26918 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 15 | 6 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26919 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | | 240 | 13 | 5 | 2.9 | 1.8 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26920 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 13 | 5 | 3.6 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26921 | DEAD/STAG | | 350 | 210 | 408 | 15 | 4 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | Small | - | - | - | Remove P9 BAL VMP |
| 26922 | Corymbia citriodora | Spotted Gum | 440 | | 440 | 16 | 6 | 5.3 | 2.3 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26923 | Corymbia citriodora | Spotted Gum | 350 | | 350 | 16 | 5 | 4.2 | 2.1 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26924 | Eucalyptus crebra | Narrow-leaved Ironbark | 270 | | 270 | 15 | 6 | 3.2 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26925 | Eucalyptus crebra | Narrow-leaved Ironbark | 280 | | 280 | 14 | 5 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26926 | Eucalyptus crebra | Narrow-leaved Ironbark | 300 | | 300 | 11 | 5 | 3.6 | 2.0 | Regular | - | - | Die-back | Epicormic | - | Poor | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26927 | Eucalyptus crebra | Narrow-leaved Ironbark | 240 | 150 | 283 | 15 | 6 | 3.4 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26928 | Corymbia citriodora | Spotted Gum | 380 | | 380 | 16 | 6 | 4.6 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26929 | Corymbia citriodora | Spotted Gum | 440 | | 440 | 17 | 8 | 5.3 | 2.3 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26930 | Eucalyptus crebra | Narrow-leaved Ironbark | 200 | | 200 | 9 | 4 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26931 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 18 | 9 | 4.3 | 2.2 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26932 | Eucalyptus crebra | Narrow-leaved Ironbark | 350 | 280 | 468 | 17 | 9 | 5.4 | 2.4 | Regular | - | - | Die-back | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26933 | Eucalyptus crebra | Narrow-leaved Ironbark | 250 | 230 | 340 | 12 | 6 | 4.1 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26934 | Eucalyptus crebra | Narrow-leaved Ironbark | 230 | | 230 | 13 | 3 | 2.8 | 1.8 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26935 | Eucalyptus crebra | Narrow-leaved Ironbark | 220 | 130 | 256 | 12 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26936 | Corymbia citriodora | Spotted Gum | 360 | | 360 | 15 | 5 | 4.3 | 2.2 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26937 | Corymbia citriodora | Spotted Gum | 200 | | 200 | 12 | 3 | 2.4 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26938 | Eucalyptus crebra | Narrow-leaved Ironbark | 210 | | 210 | 11 | 4 | 2.5 | 1.7 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26939 | Eucalyptus crebra | Narrow-leaved Ironbark | 310 | | 310 | 15 | 5 | 3.7 | 2.0 | Regular | - | - | Die-back | Epicormic | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26940 | Eucalyptus crebra | Narrow-leaved Ironbark | 470 | | 470 | 16 | 7 | 5.6 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26941 | Eucalyptus crebra | Narrow-leaved Ironbark | 290 | | 290 | 14 | 4 | 3.5 | 2.0 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26942 | Eucalyptus crebra | Narrow-leaved Ironbark | 260 | | 260 | 11 | 4 | 3.1 | 1.9 | Regular | - | - | - | - | - | Typical | Minor | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26943 | Eucalyptus crebra | Narrow-leaved Ironbark | 350 | | 350 | 15 | 5 | 4.2 | 2.1 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26944 | Eucalyptus crebra | Narrow-leaved Ironbark | 440 | 160 | 468 | 14 | 6 | 5.6 | 2.4 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26945 | DEAD/STAG | | 350 | 210 | 408 | 16 | 5 | 4.9 | 2.3 | Regular | - | - | - | - | - | Typical | - | - | - | - | Typical | - | - | - | - | - | - | Remove P9 BAL VMP |
| 26946 | Eucalyptus crebra | Narrow-leaved Ironbark | 320 | | 320 | 16 | 7 | 3.8 | 2.1 | Regular | - | -</ | | | | | | | | | | | | | | | | |

Everleigh



Environmental Pre-Start Checklist

Attachment 5

DES NCA Permit & Impact Management Plan

Permit

Section 15 of Nature Conservation (Administration) Regulation 2006

Protected Plant Clearing Permit

This wildlife authority is issued under the following legislation: Nature Conservation (Administration) Regulation 2017 Part 2 Division 1.

Permit number: WA0026119

Valid from: 23 August 2020 to 22 August 2022

Activity: Clearing endangered, vulnerable or near threatened plants

| Role | Name | Registered address | |
|--|---|---|-----------|
| Principal Holder: | Saunders Havill Group Pty Ltd | 9 Thompson St BOWEN HILLS QLD 4006 Australia | |
| Person In Charge: | Mark Clancy | | |
| Business name: | | ABN/ACN | 144972949 |
| Activity location/licensed premises | LOT 9001/SP300875 LOT 9002/SP317644 LOT 9003/SP317644 | | |

Schedule

| Family or Species or Schedule | Details | Category | Quantity | Unit |
|-------------------------------|---|----------|----------|----------|
| Species | bush house or weeping paperbark or swamp teatree, Melaleuca irbyana | Live | 277 | Hectares |

Adam Northam
Department of Environment and Science
Delegate of the administering authority
Nature Conservation Act 1992

Enquiries:
Wildlife Assessment Team
Email: wildlife@des.qld.gov.au
Postal Address: PO Box 102, Toowoomba, QLD, 4350

Date issued: 20 August 2020

Legislative Requirements and Conditions

Legislative Requirements

- PPCLR06 Where monitoring by the permit holder of impact management actions with respect to endangered, vulnerable or near threatened species in the clearing area identifies that those actions appear to be unsuccessful or failing, the permittee must notify DES immediately in order to discuss the significant residual impact of the clearing and furthermore discuss any potential implementation of an offset action in accordance with the Queensland Environmental Offset Policy.
This requirement may be found in Section 284(1) Of the Nature Conservation (Wildlife Management) Regulation 2006
- PPCLR01 This permit does not exempt the permit holder from obtaining other approvals relevant to the harvest of whole protected plants at the site.
- PPCLR02 Activities carried out under this authority, unless otherwise authorised, apply to non-protected areas only.
This requirement may be found in section 15 of the Nature Conservation (Administration) Regulation 2017
- PPCLR03 This permit includes the clearing of least concern protected plants within the clearing area.

Conditions

- PPCM01 Activities relating to the impact of EVNT plant species under this permit must be in accordance with the procedures and actions outlined in the following documents, except where conditions below indicate otherwise:
- 'Impact Management Plan *Melaleuca irbyana* renewal for permit No. WA0009354 432-520 Greenback Road, Greenbank Prepared for Mirvac Queensland Pty Ltd 10 July 2020 Job No. 7598', associated appendices and any other supporting documentation submitted to the department in relation to application number APP0057006.
- PPCM02 The permit holder is to notify DES in writing at least 48 hours in advance of clearing commencing, for example, via an email to wildlife@des.qld.gov.au
- PPCM04 Should the project not proceed, in addition to the requirement to rehabilitate the area/s once cleared, the site/s must not be further disturbed and must be maintained to ensure erosion and weed control.
- PPCM08 It is the permit holder's responsibility to ensure that the proposed rehabilitation area with EVNT species *Melaleuca irbyana* is and remains legally secured.
- PPCM09 Rehabilitation and/or translocation reporting must be maintained from the commencement date of clearing and continue for a minimum period of 24 months.

The written report (including advice on each monitoring period) must be lodged with the department via an email to wildlife@des.qld.gov.au within 10 business days after each annual period.



Impact Management Plan

Melaleuca irbyana

Renewal for Permit No. WA0009354

432-520 Greenbank Road, Greenbank
Prepared for Mirvac Queensland Pty Ltd
10 July 2020

Job No. 7598



Document Control

Document: Impact Management Plan for 432-520 Greenbank Road, prepared by Saunders Havill Group for Mirvac Queensland Pty Ltd.

Document Issue

| Issue | Date | Prepared By | Checked By |
|-------|------------|-------------|------------|
| A | 07.07.2020 | KG | AD |
| B | 10.07.2020 | KG | AD |

Prepared by

© Saunders Havill Group Pty Ltd 2020.

ABN 24 144 972 949

www.saundershavill.com

Reports and plans by others may be included in this document.

SHG has prepared this document for the sole use of the Client and for a specific purpose, as expressly stated in the document. No other party should rely on this document without the prior consent of SHG. SHG undertakes no duty, nor accepts any responsibility, to any third party who may rely on upon or use the document. This document has been prepared based on the Client's description of their requirements and SHG's experience, having regard to assumptions that SHG can reasonably be expected to make in accordance with sound professional principles. SHG may have also relied upon information provided by the Client and other third parties to prepare this document, some of which may have not been verified. Subject to the above conditions, this document may be transmitted, reproduced or disseminated only in its entirety.

Table of Contents

| | |
|--|-----------|
| 1. Introduction | 5 |
| 1.1. Background | 5 |
| 1.2. Site Details | 6 |
| 1.3. Protected Plants Flora Survey | 7 |
| 1.4. IMP Intent | 7 |
| 1.5. Nature Conservation Act 1992 | 10 |
| 2. Nature of the Impact | 11 |
| 2.1. Background | 11 |
| 2.2. Protected Plant Profile | 11 |
| 2.3. <i>Melaleuca irbyana</i> On-site | 11 |
| 2.3.1 Location 1 12 | |
| 2.3.2 Location 2 12 | |
| 2.3.3 Location 3 13 | |
| 2.3.4 Location 4 13 | |
| 2.3.5 Location 5 14 | |
| 3. Management of the Impact | 16 |
| 3.1. Avoidance and Minimisation of Impact | 16 |
| 3.2. Survival of the Plant in the Wild | 17 |
| 3.3. Significant Residual Impact (Justification of the Impact) | 17 |
| 3.4. Voluntary Declaration | 19 |
| 3.5. Rehabilitation | 19 |
| 4. Summary and Conclusion | 30 |
| 5. Appendices | 31 |

Tables

| | | |
|----------|--------------------------------------|----|
| Table 1: | Property Summary | 6 |
| Table 2: | <i>M. irbyana</i> Locations | 7 |
| Table 3: | Wildlife Online Search Results–Flora | 10 |
| Table 4: | Regional Ecosystems Descriptions | 15 |

Plans

| | | |
|---------|-------------------------------|----|
| Plan 1: | 2018 Protected Plants Surveys | 8 |
| Plan 2: | 2020 Protected Plants Surveys | 9 |
| Plan 3: | Rehabilitation Area | 29 |

Abbreviations and Acronyms

| | |
|-------|--|
| DAM | Declared Area Map |
| DES | Department of Environment and Science (Qld) |
| DNRME | Department of Natural Resources, Mines and Energy (Qld) |
| EDQ | Economic Development Queensland (Qld) |
| EVNT | Endangered, Vulnerable or Near Threatened (as defined by the NCA) |
| NCA | <i>Nature Conservation Act 1992</i> (Qld) |
| NCWR | Nature Conservation (Wildlife) Regulation 2006 |
| PDA | Priority Development Area (herein referencing the Greater Flagstone Priority Development Area) |
| PMAV | Property Map of Assessable Vegetation |
| SHG | Sunders Havill Group |

1. Introduction

Saunders Havill Group (SHG) was engaged by Mirvac Queensland Pty Ltd (Mircac) to prepare an Impact Management Plan (IMP) for *Melaleuca irbyana* (Swamp Tee Tree) specimens located within the Greenbank project area located at 432-520 Greenbank Road, Greenbank.

As required under the *Protected Plants Assessment Guidelines* (the Guidelines) this IMP has been prepared to support the renewal of the Protected Plants Clearing Permit (Permit No. WA0009354) for the clearing of *Melaleuca irbyana* specimens within the 277 hectare (ha) development area located at 432-520 Greenbank Road, Greenbank (Lot 1/SP297192). A copy of the Protected Plants Clearing Permit is included at **Appendix A**.

1.1. Background

Protected Plants Flora Surveys undertaken over the site in 2018 recorded four isolated patches of *Melaleuca irbyana*; three of which are located within the Clearing Area (refer **Plan 1**). The species is listed as Endangered under the *Nature Conservation Act 1992*.

Subsequently, an Impact Management Plan 'Impact Management Plan *Melaleuca irbyana* 43-520 Greenbank Road, Greenbank prepared for Mirvac QLD Pty Ltd, dated 3 July 2018' (IMP) was prepared to support a Protected Plants Clearing Permit application to the Department of Environment and Science (DES) in accordance with Section 3.2 of the *Nature Conservation (Wildlife Management) Regulation 2006 – Protected Plants Assessment Guidelines*. A copy of the IMP is included at **Appendix B**.

A Protected Plants Clearing Permit (Permit No. WA0009354) was issued by the DES on 24 August 2018 which allows for clearing of all *M. irbyana* over the entire Clearing Impact Area (i.e. 277 ha site). Conditions of the Permit (PPCM01) require all activities relating to the impact of EVNT plant species under the permit to be carried out in accordance with the procedures and actions in the IMP. This included rehabilitation planting of *M. irbyana* within future Conservation land in the eastern portion of the site to ensure no significant residual impact on the species occurs as a result of the development.

In March 2019, rehabilitation planting by land care consultant Evolve commenced at the rehabilitation area in accordance with the IMP. This included weed treatment and tube-stock planting of *M. irbyana* within a 5,000 m² area within the eastern Conservation land.

As the Conservation land (and *M. irbyana* rehabilitation area) will be ultimately handed over to Logan City Council, the proposed *M. irbyana* rehabilitation area was requested to be legally secured as a Declared Area (Category A) under the *Vegetation Management Act 1999* (VMA) to counterbalance the clearing of *M. irbyana* on site and to ensure objectives of the exchange area are fully achieved. The Voluntary Declaration Management Plan was approved by DNRME and the Declared Area was secured on title on 3 March 2020 and is shown as Category A (PMAV 2019/002658). A copy of the Declared Area Map is included at **Appendix C**.

The Protected Plants Clearing Permit (Permit No. WA0009354) expires on 23 August 2020. While clearing within the Permit area has been undertaken, clearing at the locations of the *M. irbyana* patches has not yet occurred. Importantly, rehabilitation works have commenced and subject to legal rehabilitation success, monitoring and reporting benchmarks under the Voluntary Declaration Management Plan. The purpose of this report is to support renewal of the Protected Plants Clearing Permit.

1.2. Site Details

Contextually, the site is located 30 kilometres (km) south of Brisbane and 10 km west of Logan Village, within the western suburb of Greenbank. The site is bound by Greenbank and Teviot Roads to the west and is predominately surrounded by rural residential development. Wearing Park immediately adjoins the site to the east and Greenbank Shopping Centre and Community Centre are located opposite the site, on the western side of Teviot Road. The site is located approximately 1.5 km southeast of Greenbank Military Training Camp and 500 metres east of the Brisbane – Sydney Railway Line. An infrastructure easement traverses the site parallel to the northern boundary. The site remains one of the last large rural properties in the immediate landscape predominately comprised of rural residential development.

The proposed clearing works will be undertaken over 277 ha of the 412 ha site to facilitate a master planned development and will be subject to future operational works approvals from Economic Development Queensland (EDQ) (DEV 2016/768).

Key site details are provided in **Table 1** below.

Table 1: Property Summary

| | |
|-----------------------------------|--|
| Address | 423-520 Greenbank Road, Greenbank |
| RPD | Lot 1 on SP297192 |
| Local Government Area | Logan City |
| Administering Authority | Economic Development Queensland |
| Priority Development Area | Greater Flagstone PDA |
| Planning Scheme | Greater Flagstone PDA Development Scheme |
| Area Classification / Zone | Urban Living |
| Existing Land Use | Rural |

1.3. Protected Plants Flora Survey

In accordance with the regulatory requirements, Protected Plant Flora surveys were conducted where clearing is proposed, including within areas mapped as ‘High risk’ under the Protect Plants Flora Survey Trigger Map High Risk and as per the Guidelines. The 2020 surveys were undertaken in accordance with the Guidelines (i.e. High Risk Areas), but also included survey at the four previously known locations of *M. irbyana* on site recorded by 2018 surveys.

Protected Plants Flora Surveys undertaken in June 2020 confirmed *M. irbyana* in the four previously recorded locations and well as one new location (location 5). Refer **Plan 1** for *M. irbyana* located during 2018 surveys and **Plan 2** for the location for *M. irbyana* located during 2020 surveys and **Table 2** for a summary. It is noted growth categories have changed since 2018 with the classification of “semi-mature” introduced. Growth categories are defined in **Section 2.2**.

A copy of the 2020 Protected Plans Flora Survey Report is provided under a separate cover.

Table 2: *M. irbyana* Locations

| Location | 2018 Survey Results | 2020 Survey Results |
|----------|-----------------------------|---|
| 1 | 3 x mature + 100 juveniles | 3 x mature + 1 x semi mature + 100 juvenile |
| 2 | 3 x mature + 20 x juveniles | 3 x mature + 11 x semi mature + 10 juvenile |
| 3a | 4 x mature + 10 x juveniles | 3 x mature |
| 3b | | 1 x mature + 9 x juvenile |
| 3c | | 2 x mature + 9 x semi mature + 3 x juvenile |
| 3d | | 2 x semi mature + 2 x juvenile |
| 4 | 5 x mature + 100 juveniles | 5 x mature + 107 x semi mature + 8 x juvenile |
| 5 | | x mature + 3 x semi mature + 24 x juvenile |

1.4. IMP Intent


The IMP has been prepared in accordance with Section 3.2.1, as follows:

3.2.1 Impact management plan

An impact management plan must include the following sections:

- attempts to avoid and minimise impact
- nature of impact
- management of impact
- justification of impact management
- survival of plant in the wild

1. 2018 Protected Plants Survey - *Melaleuca irbyana*



NOTES
 This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources: QLD GIS Layers (QLD Gov. Information Service 2020), Aerial (Aermap 2020)

*This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

LEGEND


- Project DCDB
- Qld DCDB
- Development footprint
- Conservation area
- NCA flora survey trigger area
- No Access under NCA Exemption (AP0007102)
- Surveyed under NCA Exemption (AP0007102)
- Mature *Melaleuca irbyana* specimen
- Melaleuca irbyana* planting/rehab site (Approx. 5,000m²)

Note: Juvenile *Melaleuca irbyana* are specimens less than 2 metres tall

| Issue | Date | Description | Drawn | Checked |
|-------|------------|-------------|-------|---------|
| A | 13/07/2020 | Preliminary | MP | NG |

Transverse Mercator | GDA 1994 | Zone 56 | 1:10,000 @ A3

2. 2020 Protected Plants Survey - *Melaleuca irbyana*






NOTES

This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources: QLD GIS Layers (QLD Gov. Information Service 2020), Aerial (Nearmap 2020)

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.


LEGEND

-  Project DCDB
-  QLD DCDB
-  Development footprint
-  Conservation area
-  NCA flora survey trigger area
-  Mature *Melaleuca irbyana* specimen
-  Semi-mature or juvenile *Melaleuca irbyana* specimen
-  *Melaleuca irbyana* planting/rehab site (Approx. 5,000m²)

Note: Juvenile *Melaleuca irbyana* are specimens less than 2 metres tall

| Issue | Date | Description | Drawn | Checked |
|-------|------------|-------------|-------|---------|
| A | 14/07/2020 | Preliminary | MP | NG |

Transverse Mercator (GDA 1994) Zone 56 | 1:10,000 @ A3



1.5. Nature Conservation Act 1992

The *Nature Conservation Act 1992* (NCA) classifies and protects significant areas (Protected Areas) and protects threatened plant and animal species. The Nature Conservation (Wildlife) Regulation 2006 (NCWR) lists plant and animal species presumed extinct, endangered, vulnerable, near threatened, least concern, international or prohibited.

The Queensland Government has adopted a regulatory framework that captures activities that pose a high risk to plant biodiversity. Under the framework, when a non-exempt clearing activity is proposed within a 'High Risk' area, the proponent of that activity is required to complete a flora survey prior to commencement of clearing. The Protected Plants Flora Survey Trigger Map shows 'High Risk' areas for protected plants and is used to help determine flora survey and clearing permit requirements for a particular location.

A search of the Protected Plants Flora Survey Trigger Mapping indicated proposed clearing areas within the subject site are overlaid as 'High Risk' and so are subject to flora survey requirements (refer **Plan 2**).

Prior to flora surveys, the schedules of the NCWR were considered in this report using a Wildlife Online Database Search with a 10 km radius from the site. Three (3) flora species listed under the NCWR were identified as having the potential to occur on site and are presented in **Table 3**. Refer to **Appendix D** for full search results.

Table 3: Wildlife Online Search Results–Flora

| Scientific Name | Common Name | NCA Status |
|----------------------------|------------------|------------|
| <i>Marsdenia coronata</i> | Slender Milkvine | Vulnerable |
| <i>Coleus habrophyllus</i> | - | Endangered |
| <i>Melaleuca irbyana</i> | Swamp Tea Tree | Endangered |

2. Nature of the Impact

2.1. Background

The only EVNT species located within the Greenbank project area was *Melaleuca irbyana* (Swamp Tea Tree). This species was the only EVNT species recorded by 2018 surveys. Four (4) patches of *M. irbyana* previously located in 2018 were confirmed on site during contemporary surveys in June 2020 to support renewal of the Protected Plants Clearing Permit (refer **Plan 1**). One additional patch of *M. irbyana* was recorded within the Clearing Area (location 5, refer **Plan 2**).

The existing Permit considered impacts for the entire Clearing Area (i.e. 277 ha). This IMP has been prepared for the same Clearing Area. It is anticipated the clearing of *M. irbyana* will occur within the next 2 years.

The profile of the species is detailed below in **Section 2.2**.

2.2. Protected Plant Profile

Melaleuca irbyana, a member of the Myrtaceae family, is listed as a threatened species under Schedule 2 of the *Nature Conservation (Wildlife) Regulation 2006* (NCWR) and is classified as “endangered”. *Melaleuca irbyana* is also included as part of Endangered Regional Ecosystems (RE) 12.3.18, 12.3.19, 12.9-10.11 and 12.9-10.27 under the *Vegetation Management Act 1999* (VMA). This vegetation community is also listed as a Critically Endangered when present as a Threatened Ecological Community under the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC).

M. irbyana forms communities that occur in two (2) structural forms: the more common form consists of a dominant eucalypt canopy with an understorey containing *M. irbyana* thickets 8-12 metres in height; the less common form is an open forest or thicket of *M. irbyana* with emergent eucalypt trees. The understorey is sparse and can comprise of grasses, sedges, and herbs with a few shrubs, vines and possibly orchids present. There are fairly clear descriptions of *M. irbyana* communities, however, there are no clear indications of the point at which an individual tree or small number of trees are considered to be part of a community. An individual tree may still contribute reproductively to a community, or may have the potential to regenerate and in time create a community.

Growth categories for this assessment are defined as juvenile specimens less than two (2) meters in height, semi-mature specimens greater than two (2) meters in height but with a trunk less than 100mm DBH, and mature specimens retaining a trunk diameter of at least 100mm.

Logan City Council defines an *M. irbyana* community as, “where *Melaleuca irbyana* occur in a patch size of 0.25 hectares or greater, or where a patch of *Melaleuca irbyana* less than 0.25 hectares adjoins a second patch and the sum of the patches is greater than 0.25 hectares”. This definition has been determined using methodology from the *Melaleuca irbyana* (Swamp Tea-tree) Community 1:25,000 Scale Mapping Project (Ryan, 2010).

2.3. *Melaleuca irbyana* On-site

The site was traversed as part of previous and contemporary NCA searches. *Melaleuca irbyana* were recorded the species in four (4) separate locations during both 2018 and confirmed again in 2020, with an additional patch also recorded (location 5). Refer to **Plan 1-2** for *Melaleuca irbyana* onsite locations. Four of these locations (locations 1, 2, 3, and 5) occur within the Clearing Area. One patch (location 4) is located outside the Clearing Area and will be retained by the development in Conservation. Refer **Table 4** for a description of the Regional Ecosystems.

2.3.1 Location 1

Location 1 is situated in the northern aspect of the site, adjacent to the power easement. This patch is located within mapped composite 'Of Concern' Regional Ecosystem RE12.9-10.2/12.9-10.7 as confirmed via PMAV 2016/002969 certified on the 11th of May 2017. This patch of *Melaleuca irbyana* (Swamp Tea-tree) consists of three (3) established specimens, one (1) semi-mature specimen and one-hundred (100) juveniles. This patch of *Melaleuca irbyana* was surrounded by vegetation dominated by *Acacia spp.*, *Allocasuarina littoralis* (Black She-oak) and *Alphitonia excelsa* (Soap Tree) regrowth with *Corymbia citriodora* (Spotted Gum) dominated canopy, representing the Least Concern RE12.9-10.2.



Photo Plate 1: Location 1

2.3.2 Location 2

Location 2 is situated towards the south-western property boundary, adjacent to Greenbank Road. This patch is located within mapped non-remnant vegetation as confirmed via PMAV 2016/002969 certified on the 11th of May 2017. This *Melaleuca irbyana* (Swamp Tea-tree) patch consists of three (3) established (mature) specimens, eleven (11) semi-mature specimens and ten (10) juvenile specimens. This patch of *Melaleuca irbyana* was found within a regrowth vegetation community, with surrounding vegetation dominated by *Allocasuarina littoralis* (Black She-oak) and *Acacia spp.* regrowth.



Photo Plate 2: Location 2

2.3.3 Location 3

Location 3 is situated towards the south-western property boundary, adjacent to Greenbank Road and approximately 380 m west of Location 2. This patch is located within mapped non-remnant vegetation as confirmed via PMAV 2016/002969 certified on the 11th of May 2017. This patch of *Melaleuca irbyana* (Swamp Tea-tree) consists of six (6) mature specimens, eleven (11) semi-mature specimens and fourteen (14) juvenile specimens. The overall patch of *Melaleuca irbyana* was found within a regrowth vegetation community, with surrounding vegetation dominated by *Acacia leiocalyx* (Early Flowering Black Wattle), *Allocasuarina littoralis* (Black She-oak) and *Alphitonia excelsa* (Soap Tree) regrowth. The patch is separated into four separate patches.



Photo Plate 3: Location 3

2.3.4 Location 4

Location 4 is situated towards the southern property boundary, approximately 800 m east of Location 3. This patch is located within mapped composite 'Of Concern' Regional Ecosystem RE12.9-10.2/12.9-10.7 as confirmed via PMAV 2016/002969 certified on the 11th of May 2017. This patch consists of five (5) mature specimens, one hundred and seven (107) semi-mature specimens and eight (8) juvenile specimens with a height less than two (2) meters. This patch of *Melaleuca irbyana* was surrounded by vegetation dominated by *Acacia spp.*, *Allocasuarina littoralis* (Black She-oak) and *Alphitonia excelsa* (Soap Tree) regrowth with *Corymbia citriodora* (Spotted Gum) dominated canopy, typically representing the Least Concern RE12.9-10.2.



Photo Plate 4: Location 4

2.3.5 Location 5

Location 5 is situated towards the central portion of the development footprint. This patch is located within mapped non-remnant vegetation or Category X as confirmed via PMAV 2016/002969 certified on the 11th of May 2017. This patch consists of two (2) mature specimens retaining a trunk DBH greater than 100mm, three (3) semi-mature specimens with a trunk less than 100mm and a height greater than two (2) meters, and thirty-four (34) juvenile specimens with a height less than two (2) meters. This patch of *Melaleuca irbyana* was surrounded by vegetation dominated by *Allocasuarina littoralis* (Black She-oak) with scattered *Acacia leiocalyx* (Early Flowering Black Wattle), *Eucalyptus crebra* (Narrow Leaf Ironbark) and *Eucalyptus tereticornis* (Forest Red Gum). These species are typical of the Of Concern Regional Ecosystem community 12.9-10.7.



Photo Plate 5: Location 5

Table 4: Regional Ecosystems Descriptions

| Status | Code | Description |
|----------------------|------------|--|
| Endangered | 12.9-10.12 | <i>Corymbia intermedia</i> , <i>Angophora leiocarpa</i> , <i>Eucalyptus seeana</i> +/- <i>E. siderophloia</i> , <i>E. tereticornis</i> , <i>E. racemosa</i> subsp. <i>racemosa</i> , <i>C. citriodora</i> subsp. <i>variegata</i> woodland to open forest. <i>Lophostemon suaveolens</i> is often present as a sub-canopy or understorey tree. Occasional <i>Melaleuca quinquenervia</i> on lower slopes. Does not include areas dominated by <i>Eucalyptus racemosa</i> subsp. <i>racemosa</i> . Occurs on Cainozoic and Mesozoic sediments. (BVG1M: 9g). |
| Of Concern | 12.9-10.7: | <i>Eucalyptus crebra</i> +/- <i>E. tereticornis</i> , <i>Corymbia tessellaris</i> , <i>Angophora leiocarpa</i> , <i>E. melanophloia</i> woodland. Occurs on Cainozoic and Mesozoic sediments. (BVG1M: 13c). |
| Of Concern | 12.3.11 | <i>Eucalyptus tereticornis</i> +/- <i>E. siderophloia</i> and <i>Corymbia intermedia</i> open forest to woodland. <i>Corymbia tessellaris</i> , <i>Lophostemon suaveolens</i> and <i>Melaleuca quinquenervia</i> frequently occur and often form a low tree layer. Other species present in scattered patches or low densities include <i>Angophora leiocarpa</i> , <i>E. exserta</i> , <i>E. grandis</i> , <i>C. trachyphloia</i> , <i>C. citriodora</i> subsp. <i>variegata</i> , <i>E. latisinensis</i> , <i>E. tindaliae</i> , <i>E. racemosa</i> and <i>Melaleuca sieberi</i> . <i>E. seeana</i> may be present south of Landsborough and <i>Livistona decora</i> may occur in scattered patches or low densities in the Glenbar SF and Wongi SF areas. Occurs on Quaternary alluvial plains and drainage lines along coastal lowlands. Rainfall usually exceeds 1000mm/y. (BVG1M: 16c) |
| Least Concern | 12.3.6: | <i>Melaleuca quinquenervia</i> +/- <i>Eucalyptus tereticornis</i> , <i>Lophostemon suaveolens</i> , <i>Corymbia intermedia</i> open forest to woodland with a grassy ground layer dominated by species such as <i>Imperata cylindrica</i> . <i>Eucalyptus tereticornis</i> may be present as an emergent layer. Occurs on Quaternary floodplains and fringing drainage lines in coastal areas. (BVG1M: 22a) |
| Least Concern | 12.9-10.2: | <i>Corymbia citriodora</i> subsp. <i>variegata</i> open forest or woodland usually with <i>Eucalyptus crebra</i> . Other species such as <i>Eucalyptus tereticornis</i> , <i>E. moluccana</i> , <i>E. acmenoides</i> and <i>E. siderophloia</i> may be present in scattered patches or in low densities. Understorey can be grassy or shrubby. Shrubby understorey of <i>Lophostemon confertus</i> (whipstick form) often present in northern parts of bioregion. Occurs on Cainozoic and Mesozoic sediments. (BVG1M: 10b). |

Based on the information provided in **Section 2.2**, the specimens located on site are not consistent with a *Melaleuca irbyana* community due to the patches predominately containing juvenile individuals with relatively few fully mature specimens. Importantly, these patches are not associated with Endangered Regional Ecosystems. Locations 1 and 4 were confirmed via a certified PMAV to be located within composite 'Of Concern' Regional Ecosystem RE12.9-10.2/12.9-10.7 while locations 2, 3 and 5 were located within non-remnant areas.

While Location 1 contains a substantial amount of juvenile species, overall, the significance of these patches is considered less than if they formed part of a broader existing community. The habitat value they currently provide is considered relatively limited, with no obvious noteworthy habitat for flora or fauna observed at the time of survey.

3. Management of the Impact

The proposed earthworks to facilitate the development footprint will require the removal of four (4) relatively small patches of predominately juvenile *Melaleuca irbyana* specimens over the next two years as development progresses. A significant residual impact (SRI) assessment was undertaken in accordance with the *Queensland environmental Offsets Policy - Significant Residual Impact Guideline (DES 2014)* as part of the approved IMP (refer **Appendix B**). Prior to the SRI, an assessment survival in the wild and avoidance and mitigation was considered.

3.1. Avoidance and Minimisation of Impact

An assessment for the survival of the plant in the wild was previously made as part of the IMP (refer **Appendix B**) and has been updated as part of this assessment.

The proposed works are for the development of Greenbank master planned development in the Greater Flagstone PDA. Preliminary approval for the context plan and master plan has been issued by EDQ. These plans were informed by detailed analysis of the site by specialist consultants, including a detailed ecological analysis by SHG. Subsequently, areas for development shown are concentrated to areas of least constraint. Areas of highest ecological value have been identified for retention as conservation.

The proposed works will include the creation of residential allotments, a proposed school site, new roads, park and conservation areas and corridors. Minimisation of overall clearing impacts are evident through location of the proposed development, located outside Endangered remnant vegetation and waterway corridors. Rehabilitation of conservation areas and waterways is proposed as part of the development.

The proposed earthworks to facilitate the development footprint will require the removal of four (4) relatively small patches of predominately juvenile *Melaleuca irbyana* specimens over the next two years, and ongoing property boundary maintenance within 100 m of the retained patch (Location 4). These specimens are located within Of Concern and non-remnant regrowth areas (refer **Plan 2**).

As per the EDQ endorsed Natural Environment Site Strategy, extensive conservation of greater than 89 hectares of proposed Conservation Parkland adjoining Norris Creek and Wearing Park is proposed as part of the development. In accordance with best practice management, restoration and rehabilitation works will seek to stabilise and reverse the negative effects of ongoing habitat fragmentation. The intent is for managed areas of rehabilitation and restoration to rectify canopy gaps and restore bare or denuded areas to provide additional habitat and refugia within the lower strata to maintain connectivity with external approval corridors and improve terrestrial corridor viability. Rehabilitation works within the conservation area and waterway corridors will include weed management and replanting with native species consistent with mapped Regional Ecosystems to augment ecological values and enhance connectivity.

Melaleuca irbyana grows in flat areas that are periodically waterlogged, in eucalypt forest, mixed forest and *Melaleuca* woodland with a sparse and grassy understorey. The species prefers poorly draining, heavy clay soils (Byrnes 1984; Barlow 1987). The approved conservation land rehabilitation works include an established *Melaleuca irbyana* thicket within remnant woodland forest to the north of the central waterway (Plans **2 & 3**). This land is relatively low lying and adjoins an ephemeral waterway that contains permanent billabongs. The approved *Melaleuca irbyana* planting site is therefore considered ideal for the species, which is dependent on specific groundwater and / or surface water hydrology. Impacts to *Melaleuca irbyana* have been minimised to the greatest practical extent and include establishing the *Melaleuca irbyana*

community, on the project site, within future conservation land and managing potential impacts from ongoing works that will occur within 100 m of a retained patch.

3.2. Survival of the Plant in the Wild

An assessment for the survival of the plant in the wild was previously made as part of the IMP (refer **Appendix B**) and has been updated as part of this assessment.

Based on the current disturbed nature of the site and the locations of the *Melaleuca irbyana* specimens mostly along property boundaries, it is not anticipated that the removal of four (4) relatively small patches of predominately juvenile *Melaleuca irbyana* specimens will significantly hinder the future success of the species in the area. Importantly, the patch in location 4 is to be preserved within the conservation area and approved and established rehabilitation works provide a *Melaleuca irbyana* community on the site allowing the community to be protected in perpetuity.

3.3. Significant Residual Impact (Justification of the Impact)

A SRI assessment (refer Section 3 of the IMP at **Appendix B**) was made to support the Protected Plants Clearing Permit (Permit No. WA0009354) for the clearing of *Melaleuca irbyana* specimens within the 277 hectare clearing area. The SRI assessment concluded the clearing of three small patches of *M. irbyana* for the development would not result in a SRI due to extensive rehabilitation works proposed within the onsite Conservation land, including the establishment of a 5,000 m² *Melaleuca irbyana* thicket resulting in a net gain in *Melaleuca irbyana* across the site.

While rehabilitation for the 5,000 m² *Melaleuca irbyana* thicket has been undertaken, the permit for clearing within the 277 ha area is about to expire.

Renewal of the Protected Plant Clearing Permit for the same impact (i.e. clearing 277 ha) is requested. While an additional patch of *M. irbyana* has been identified, this falls within the same 277 ha impact area as previously assessed under the Permit No. WA0009354. The below SRI assessment for the clearing of the four patches of mostly juvenile *M. irbyana* proposed under this permit renewal concludes, with the established rehabilitation works, the impact would not result in a SRI.

To demonstrate this mitigation of impact, a response to the four (4) points of consideration within Section 1.2 of the *Significant Residual Impact Guideline* was provided below for ease of reference

- **The extent and duration of impact on the matter and its sensitivity to disturbance.**

The impact on the matter is the removal of four (4) relatively small patches (locations 1, 2, 3 and 5) of predominately juvenile *Melaleuca irbyana* specimens from former paddock areas that have already been subject to high disturbance from cattle grazing and historical clearing. A patch (at location 4) will be retained with ongoing adjoining works within 100 m limited to the maintenance of the nearby property boundary. The sites are described in detail in **Section 2.3**, shown in **Plan 2** and summarised below:

- Location 1: 3 x mature s + 1 x semi mature + 100 juvenile specimens, located within the north-east along a drainage feature
- Location 2: 3 x mature + 11 x semi mature + 10 juvenile specimens, located along the southern boundary
- Location 3: 5 mature + 20 semi mature + 14 juvenile specimens, located along the southern boundary
- Location 4: 5 mature + 107 x semi mature + 8 x juvenile specimens, located along the southern boundary in the south-west

- Location 5: 2 x mature + 3 x semi mature + 34 x juvenile specimens, located within the central portion of the site

- **Timeframe for rehabilitation relative to the impact occurring and the ability of the matter to maintain its viability during this timeframe.**

As required under Permit No. WA0009354 rehabilitation planting of six hundred and twenty-five (625) advanced tube stock specimens of *M. irbyana* occurred within a 5,000m² area within the central waterway corridor of the conservation zone (refer **Plan 2**). Although it is expected that these plantings will take approximately four (4) years to reach maturity they have been planted in a thicket to replicate as close to natural conditions for a *M. irbyana* ecological community as possible and will be maintained as part of the extensive rehabilitation works for the conservation zone. The area of planting of this thicket adjoins the central waterway corridor and is not within 100 m of future development areas. This location has been chosen to avoid human disturbance and as far away as possible from conflicting uses. Importantly, the rehabilitation area has been legally secured on title as a declared area (Category A) under the *Vegetation Management Act 1999* (refer **Appendix C**) and will be handed over to Logan City Council, along with the waterway corridor, following the on-maintenance period. Further, the patch of *M. irbyana* at location 4 will be retained within the Conservation area and will be subject to regular compatible weed suppression and monitored for persistence as part of site maintenance before being handed over to Council.

- **Likely success of rehabilitation works to return the impacted matter to its original condition, and;**

It is important to note that the Regional Ecosystems within and adjoining the creek corridor reflect those where the *M. irbyana* patches are currently located on-site. The rehabilitation area was chosen after detailed ecological survey of site attributes, including the prevailing low-lying topography, proximity to the creek, and canopy gaps with limited existing understorey. Thus, the planting of *M. irbyana* in the creek corridor has a high likelihood of success given the suitable landscape and habitat.

Planting was undertaken by land care experts Evolve Environmental. Given that the impact is the removal predominately juvenile *M. irbyana*, the planting of six hundred and twenty-five (625) specimens of *M. irbyana* as a thicket within the conservation zone will result in rehabilitation outcomes and a consolidated *M. irbyana* thicket which will far exceed the impacted matter.

- **The time-lag effect—between impact and rehabilitation successfully delivering the original condition for the matter—on the matter’s viability.**

As mentioned previously, the removal of four relatively small patches of *M. irbyana* is not considered to significantly impact upon the viability of local populations nor remove significant habitat values. Although there will be a time-lag between the removal of the predominantly juvenile *M. irbyana* specimens and the maturity of the tube stock of *M. irbyana*, planting has already occurred to reduce the potential time lag-effect to the greatest practical extent. Overall, the rehabilitation proposed is considered a far superior ecological outcome for viability of local populations.

The extent and number of *M. irbyana* planted is intended to establish a self-sustaining thicket of *M. irbyana* in a safe and secluded buffer environment that is capable of mitigating the proposed impacts. It is acknowledged that any future unavoidable loss of *M. irbyana* from the development area will be assessed by DES on a case by case basis, however, it is requested that DES consider the approval of Permit No. WA0009354 for the clearing of 277ha on the site consistent with the clearing being proposed.

3.4. Voluntary Declaration

As the Conservation land (and *M. irbyana* rehabilitation area) will be ultimately handed over to Logan City Council, the proposed *M. irbyana* rehabilitation area was requested to be legally secured as a Declared Area (Category A) under the *Vegetation Management Act 1999* (VMA) to counterbalance the clearing of *M. irbyana* on site and to ensure objectives of the exchange area are fully achieved.

The “*Voluntary Declaration Management Plan (Melaleuca irbyana Declared Area), 432-520 Greenbank Road, Greenbank, prepared by Saunders Havill Group for Mirvac (Queensland) Pty Ltd, dated March 2019*” was submitted to the Department of Natural Resources, Mines and Energy (DNRME) as part of the Voluntary Declaration and included the following attachments:

- Appendix A – Protected Plants Clearing Permit (Permit No. WA0009354)
- Appendix B - *Impact Management Plan Melaleuca irbyana 43-520 Greenbank Road, Greenbank prepared for Mirvac QLD Pty Ltd, dated 3 July 2018*
- Appendix C – Declared Area Plan (proposed)
- Appendix D - *Melaleuca irbyana Declared Area Rehabilitation Plan, prepared for Mirvac QLD Pty Ltd, by SHG dated March 2019.*

Importantly, the Rehabilitation Plan in Appendix D of the Voluntary Declaration application, provides detailed rehabilitation, monitoring and reporting procedures in format suitable for tender and expands on the single page plan in Section 3 of the IMP (previously assessed and approved by DES in 2018 (Permit No. WA0009354).

The Voluntary Declaration Management Plan was approved by DNRME and the Declared Area was secured on title on 3 March 2020 and is shown as Category A (PMAV 2019/002658).

A copy of the Rehabilitation Plan has been extracted and included hereafter for ease of reference.

3.5. Rehabilitation

Land care Consultants Evolve were engaged by Mirvac to undertake installation and establishment of the *M. irbyana* rehabilitation area. Rehabilitation works area ongoing in accordance with the Rehabilitation Plan (refer Photos below). It is understood that the *M. irbyana* offset area planting was completed in January 2020 and Evolve are continuing maintenance practices as specified in the approved Rehabilitation Plan. Refer to **Plan 3** for a plan of the rehabilitation area extracted from the VDec.







Everleigh, Greenbank

VOLUNTARY DECLARATION REHABILITATION PLAN

| PLAN SET | | | | |
|-----------|----------------------------|---|-------|------------|
| SHEET NO. | TITLE | DESCRIPTION | ISSUE | DATE |
| 1 | 7598 E 01 VDEC RMP B | Cover sheet | B | 23/05/2019 |
| 2 | 7598 E 02 VDEC RMP A | Details sheet | A | 15/04/2019 |
| 3 | 7598 E 03 VDEC RMP B | Introduction / Weed management | B | 23/05/2019 |
| 4 | 7598 E 04 VDEC RMP A | Planting, fauna, responsibilities | A | 15/04/2019 |
| 5 | 7598 E 05 VDEC RMP B | Maintenance and monitoring | B | 23/05/2019 |
| 6 | 7598 E 06 VDEC RMP A | Monitoring photo plan - Pre-works/Maintenance | A | 15/04/2019 |
| 7-9 | 7598 E A01-A03 V-DEC RMP A | Appendix A - Weed treatment & Removal | A | 15/04/2019 |

Legend

-  *Melaleuca irbyana* patch
-  Declared Area
-  Conservation area
-  Urban Area
-  Project site
-  QLD DCDB



CLIENT:



Everleigh

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
 CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
 PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND OTHER BELOW-GROUND UTILITIES OF ALL SERVICES.



AMENDMENTS:

| Issue | Date | Description | Checked |
|-------|------------|-------------------|---------|
| B | 24/05/2019 | Client Amendments | AD |
| | | | |
| | | | |

PROJECT:

423 - 520 Greenbank Road,
Greenbank (1/SP297192)


1:13,000 @ A3

environmental management






PLAN OF:
Rehabilitation Plan
Cover Sheet

| | | | |
|--------------|----------------------|----------|----|
| DATE: | 24/05/2019 | CHECKED: | AD |
| CLIENT REF: | JOB NO. | DRAWN: | MC |
| DRAWING No.: | 7598 E 01 VDEC RMP B | | |

VOLUNTARY DECLARATION REHABILITATION PLAN - DETAIL SHEET





LEGEND

-  Management Zone 1: Melaleuca Irbyana planting and rehabilitation site (Approx. 5,000m²)
 -  Conservation area
 -  Contours (0.5m)
- VM regional ecosystem map - v11**
-  Category A or B area containing endangered regional ecosystems
 -  Category A or B area containing of concern regional ecosystems



DISCLAIMER:
 THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
 CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN METRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
 PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER GUIDANCE SERVICES AND DELIVERED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

| Issue | Date | Description | Checked |
|-------|------------|--------------|---------|
| A | 15/04/2019 | Client Draft | AD |

PROJECT:
 423 - 520 Greenbank Road,
 Greenbank (1/SP297192)

environmental management

PLAN OF:
 Detail Sheet

| | | | |
|--------------|----------------------|----------|----|
| DATE: | 15/04/2019 | CHECKED: | AD |
| CLIENT REF: | 7598 | DRAWN: | MC |
| DRAWING No.: | 7598 E 02 VDEC RMP A | | |

1:600 @ A3

Everleigh, Greenbank

VOLUNTARY DECLARATION REHABILITATION PLAN

INTRODUCTION

Saunders Havill Group (SHG) was engaged by MIRVAC to prepare a Voluntary Declaration Rehabilitation Plan (VDRP) for the clearing of 140 *Melaleuca irbyana* (Swamp Tree Tree) specimens. The replacement plants will be located in a Declared Area within the approved conservation area of the Everleigh project. The clearing works, current and future will facilitate the creation of residential lots, a school, and internal roads for the site's ultimate development layout.

The rehabilitation proposal for the clearing of 140 *Melaleuca Irbyana* is the planting of more than four (4) advanced tube stock specimens of *Melaleuca Irbyana* per tree cleared. A total of 625 (560+65 additional) *Melaleuca Irbyana* will be planted as a result. The Declared planting area is proposed within the site's conservation zone (refer Plan 2) and will cover 5,000 m². The specific location of the planting area was determined onsite by Ecologists from SHG. The percentage of existing canopy cover and the land zone features were taken into consideration when determining the optimal location for planting. Although it is expected that these plantings will take approximately four (4) years to reach the size of the impacted matter, they will be planted in a thicket to replicate as close to natural conditions for a *Melaleuca Irbyana* ecological community as possible and maintained as part of the rehabilitation works for the conservation zones. The area of planting of this thicket is centralised within the conservation zone and adjacent the waterway corridor, as stipulated by the EDQ approved NESS, and not within 100m of future development areas.

This Rehabilitation Plan is drafted to identify and manage the site disturbances for the planting of the 625 *Melaleuca Irbyana* specimens within a 5,000m². The planting will involve low impact weed removal and the retention of any existing native vegetation in the immediate area. The planting will be succeeded by a two (2) year period of maintenance, monitoring and reporting, then annual inspections and reporting by SHG until handover to Logan City Council.

REHABILITATION - APPROACHES

Ecologists from SHG have assessed the site's vegetation. Broadly, it was determined that a hybrid of infill planting and minor reconstruction approaches will be used on site. This approach is described below:

| ECOLOGICAL RESTORATION APPROACH | |
|--|---|
| INFILL PLANTING / MINOR RECONSTRUCTION | |
| Applies: | To natural areas where the native plant community is largely healthy and functioning. Where area retains canopy trees, few T2 layer trees but with largely bare shrub and ground cover layers. Where the natural regeneration processes (seedling germination, root suckering, etc.) are being inhibited by external factors, such as weed invasion, soil compaction, cattle grazing, mechanical slashing, etc. When the main management issue is weed infestation and/or historical land use practices is causing ground and shrub layers to be absent from the area. |
| Role of planting: | Infill planting is to assist the existing natural area reach the intended composition through planting specific species. |
| Goal vegetation community: | The re-establishing plant community will be substantially similar in structure, composition and diversity to the original vegetation. |

Note: Table adapted from Gold Coast City Council's Guideline for the preparation of a Rehabilitation Plan'

WEED MANAGEMENT

Rehabilitation treatment is to generally include the following points:

- A number of weeds are recorded for removal within shrub & ground layer
- Weed removal and management will utilise low impact methods to minimise impacts on planted *Melaleuca Irbyana* specimens

Weed management typically comprises a major part of rehabilitation site works. Weed management provides the basis of aiding natural regeneration and assisted natural regeneration. It also forms part of the preliminary work required for reconstruction and fabrication scopes. Weed

Management to be undertaken in accordance with SEQERF Primary, Follow-up and Maintenance works notes (adjacent).

Critical skills for Weed Management include:

- Knowledge of relevant legislation
- Plant Identification skills
- Knowledge of different weed management techniques

Knowledge of Relevant Legislation:

It is expected contractors have a depth of knowledge of relevant legislation to complete site rehabilitation works.

This may include occupational Health and Safety laws as well as environmental and heritage protection legislation. Bush regenerators must comply with the requirements of the Workplace Health and Safety Act 2011 or, when working on Commonwealth lands, the Commonwealth's Occupational Health and Safety (Commonwealth Employment) Act 1991. Contractors should also obtain all relevant permits required under State and Commonwealth legislation (e.g. Nature Conservation Act 1992, Fisheries Act 1994, Vegetation Management Act 1999, Biosecurity Act 2014). Contractors must also be aware of and adhere to cultural heritage protection obligations under the Aboriginal Cultural Heritage Act 2003 and where chemicals are in use, the Agricultural Chemicals Distribution Control Act 1966.

In addition to the above, contractors should also be familiar with local government body requirements (e.g. Pest Management Plans, Local Codes, Policies and Guidelines) and Classifications of weeds. Refer to adjacent schedules for classification of weeds under the Biosecurity Act 2014).

| RESTRICTED MATTERS (BIOSECURITY ACT 2014) | |
|---|---|
| Category | Description |
| 1 | must be reported to an inspector within 24 hours if it is present in, or on, something in your possession or under your control or at a place where you are the occupier, unless an appropriately authorised officer has already been advised or you possess a permit for the restricted matter. Includes red imported fire ants, electric ants, Asian honey bees, and certain animal diseases, aquatic diseases and pathogens. |
| 2 | must be reported to an inspector within 24 hours if it is present in, or on, something in your possession or under your control or at a place where you are the occupier, unless an appropriately authorised officer has already been advised or you possess a permit for the restricted matter. includes certain noxious fish, weeds and pest animals |
| 3 | You must not distribute this restricted matter. It must not be given as a gift, sold, traded or released into the environment unless the distribution or disposal is authorised in a regulation or under a permit. Deliberate human distribution or disposal contrary to the legislation is a key source of spread into other areas. includes weeds, pest animals and noxious fish |
| 4 | You must not move this restricted matter to ensure that it does not spread into other areas of the state. includes specific weeds, pest animals and noxious fish |
| 5 | You must not possess or keep this restricted matter under your control. These pests have a high risk of negatively impacting on the environment. You may only keep this restricted matter under a permit of the <i>Biosecurity Act 2014</i> or another Act. includes weeds, pest animals and noxious fish |
| 6 | You must not feed this category of restricted matter. Feeding this restricted matter may cause their numbers to increase and negatively impact the economy or the environment. Feeding for the purpose of preparing for or undertaking a control program is exempted. Includes invasive animals such as feral deer, foxes, rabbits and wild dogs and noxious fish such as carp, gambusia and tilapia. |
| 7 | If you have these noxious fish in your possession you must kill the restricted matter and dispose of the carcass by burying the whole carcass in the ground above the high tide water mark or placing it in a waste disposal receptacle. Includes noxious fish such as carp, weather loach, climbing perch and gambusia |

Plant Identification Skills:

Both native and weed species should be identified prior to primary weed removal works and ongoing throughout the follow-up and maintenance periods. This is to maximise natural regeneration and reducing likelihood of accidental weed spraying to native vegetation. Regenerating species to be treated and maintained in a similar manner to newly planted revegetation tubestock. If contractor is unsure of species, advise should be sought by botanist,

specialist contractor or confirmed with Queensland Herbarium. Refer to indicative Weed Treatment schedules derived from Queensland Herbarium for an indication of weed species and treatments.

Knowledge of Different Weed Management Techniques:

A range of weed management techniques are available to combat varying weed species and scenarios. Refer to adjacent schedules and Appendix A for an indication of weed management techniques.

| WEED MANAGEMENT TECHNIQUES | |
|----------------------------|--|
| METHOD | DESCRIPTION |
| Herbicide | The herbicide weed control techniques described below provide a range of proven methods that can be used on a restoration site. |
| Cut - Scrape - Paint | Cut the stem of the plant close to the ground (approximately 1-2cm) ensuring that soil does not come in contact with the cut surface. The cut can be made at a slight angle in order to increase the surface area that is exposed to the chemical. Apply herbicide immediately to the cut stump using poison pot and brush or dripper bottle. Using a knife, scrape the sides of the stump thoroughly to expose the green tissue. Apply herbicide to the scraped stump. The chemical must be applied within 10 seconds of the cut or scrape being made in order for it to be fully effective. |
| Cut - Paint | Cut the stem of the plant close to ground level. Apply herbicide to the cut stump using poison pot and brush or dripper bottle. This method is best suited to easy-to-treat weeds such as small-leaved privet (<i>Ligustrum sinense</i>), provided that the diameter of the stem at ground level is less than approximately three centimetres. If a glyphosate-/ metsulfuron methyl herbicide mix is being used in the poison pot, a greater range of weeds can be controlled using this method e.g. Easter cassia. |
| Scrape - Paint | Scrape as much of the stem as possible (one side of the stem) using a knife and apply herbicide to the scrape. Leave a small section of the vine unscraped, and then twist the vine so that the next scrape is made on the opposite side of the stem to the preceding scrape. Continue along the length of the vine, scraping and painting as much of the stem as possible, with scraping to be concentrated along the thicker stems close to the root of the plant. This is the best method to use for madeira vine, as it allows the chemical to translocate to the underground storage organs and aerial tubers which may be hanging in large clusters above head height. This avoids the potential problem of tubers from cut stems left hanging in the trees from dropping to the ground and sprouting. When scraping madeira vine stems a deep scrape is advisable – scrape right through to the fibrous, stringy section of the stem, taking care not to sever the vine. This method is also suitable for treatment of ochna. |
| Over-spraying | Over-spraying involves the use of knapsacks or power sprayers to treat large expanses of weed such as lantana thickets. The foliage must be covered with herbicide but not to the point of running off the plant. The dead plants remain in place and can be cut down at a later stage. Prior to over-spraying, any weeds that are growing closely around established native plants must be hand removed or treated by cut-scrape-paint. |
| oll-hang | Vines such as mile-a-minute (<i>Ipomoea cairica</i>) which produce long stolons extending many metres along the surface of the ground, are suited to the roll-hang method. Locate the base of the plant and carefully pull up the runners and roll them up. The resulting roll of vine is then hung in the fork of a tree to dry out as if it is left on the ground it is likely to re-shoot. Where runners are climbing up into a tree they are cut off at head height prior to the runner being rolled up – there is no need to pull cut vines down from trees as this action is likely to damage the tree. The base of the vine is treated using the cutscrape-paint method. |
| Gouge-paint | This method applies to plant species that have a fleshy underground storage organ, such as the large tuber that is often found at the base of madeira vine. It is also particularly appropriate for the treatment of climbing asparagus (<i>Protasparagus plumosus</i>). If using this technique on climbing asparagus, first cut the stems that are growing into the canopy at head height and also at the base. The fleshy rhizome can then be gouged, or alternatively in the case of climbing asparagus, it may be struck several times firmly with the head of a pair of loppers, allowing the brown outer covering of the crown to peel away exposing the white fleshy inner section of the rhizome for application of herbicide. Gouge out sections of the fleshy base with a knife and apply herbicide using a paint pot and brush or dripper bottle within 10 seconds. |

| WEED MANAGEMENT TECHNIQUES | |
|----------------------------|--|
| METHOD | DESCRIPTION |
| Basal Barking | This method involves mixing an oil-soluble herbicide in diesel/kerosene and painting or spraying the full circumference of the trunk or stem of the plant from ground level to a height of approximately 45cm. Basal bark application is suitable for thin-barked woody weeds including saplings, regrowth and multi-stemmed shrubs. The method will usually result in the mortality of difficult-to-control woody weeds at any time of the year, provided the bark is not wet or too thick to enable the herbicide to penetrate. The method should not be used in wet weather, adjacent to waterways or in areas where native trees and shrubs are located. The use should be restricted to situations where a weed is particularly difficult to control e.g. cherry guava and where other methods have been unsuccessful. |
| Splatter Gun | This small gas-powered injector kit is fitted into a knapsack for easy carrying and delivers large droplets in a stream over the weed. The gun is used to deliver a concentrated herbicide (glyphosate or metsulfuron methyl) across large dense expanses of weed. The method is used for species such as lantana (ratio of 1:9 of glyphosate:water). Splatter gun involves spraying strips at one to two metre intervals over the thicket. The herbicide is then translocated throughout the entire plant. The method does not require the whole plant to be covered as in over-spray. |
| Spot-spraying | A knapsack filled with an appropriate herbicide mix is used by the operator to selectively control environmental weeds. A keen eye and an ability to distinguish between the native and weed species likely to be present, especially at seedling stage, is essential. Marker dye is added to the chemical mix to allow the operator to see what has already been sprayed, thus covering the ground weeds comprehensively and thoroughly Glyphosate and metsulfuron methyl are the main herbicides used for spot-spraying in ecological restoration, together with the addition of a penetrant and/or surfactant and marker dye. |
| Stem Injection | Large woody weeds such as camphor laurel, coral trees (<i>Erythrina</i> spp, Privet <i>Ligustrum</i> spp) and umbrella trees are generally treated by stem-injection. Holes are drilled at regular intervals around the base of the tree and exposed roots using a drill. A tree injection syringe attached to a small capacity knapsack is used to fill the holes with the herbicide. Stem-injection of trees can also be undertaken using a hatchet to create cuts in a 'brickwork pattern' in trunks of trees for the application of herbicide (known as tree frilling). Frilling is more labour intensive than drilling. The greatest benefit of steminjection is that the trees can be left standing in situ as they die, provided there is no risk to humans or infrastructure from falling limbs. This creates convenient roosts for birds and other animals, and prevents the formation of large amounts of debris on the ground and damage to understorey plants which would result if the trees were to be cut down using a chainsaw. |
| Wick Wiping | Wick wipers can be manually used with a sponge or wick applicator, attached to a container filled with herbicide or as an attachment towed by a tractor. The manual method can be used to selectively apply herbicide to the leaves of weeds growing in sensitive situations. The hand-held container can leak and generally spot spraying would be recommended. The use of a tractor drawn wick wiper is used to control taller growing species such as introduced grasses and to encourage the growth of lower growing species. This method could be used in preparation for planting. |
| Mechanical | Mechanical weed control involves the use of powered and non-powered equipment such as brushcutters, chainsaws, slashers, shovels, pruners, saws, etc. These methods are best used in situations where there is a large, uninterrupted stand of weeds. |
| Dig and Bag | Dig and remove tuberous/ rhizomatous root systems. Remove roots or whole plant in hard/ compacted soils. Place in suitable container and remove from site, dispose of by deep burial, burn or burial at a land fill, must not place declared weed species in recycling (mulch). |
| Hand-Pull | Remove totally from ground by hand (human). Perform when soil is moist. Applicable to small infestations or areas of environmental sensitivity (including sensitive watercourses, when frogs are breeding, or presence of threatened species). |
| General Mechanical | May involve use of machinery (e.g. brushcutter, chainsaw, slasher, dozer, excavator). Suitable for large infestations and weed trees. Initially cost-effective, but requires immediate revegetation of site or matting/ mulch application and extensive maintenance periods. Generates excessive soil and vegetation disturbance. |

Note: Table adapted from a table in SEQERF



CLIENT:



Everleigh

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, DESTRUCTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND CABLED LOCATIONS OF ALL SERVICES.

REFERENCES:

South East Queensland Ecological Restoration Framework (2012)
Guideline for the preparation of a Rehabilitation Plan (GCC)

AMENDMENTS:

| Issue | Date | Description | Checked |
|-------|------------|-------------------|---------|
| A | 15/04/2019 | Client Draft | AD |
| B | 24/05/2019 | Client Amendments | AD |

PROJECT:

423 - 520 Greenbank Road,
Greenbank (1/SP297192)



PLAN OF:
Rehabilitation Plan
Notes

| | | | |
|--------------|----------------------|----------|----|
| DATE: | 24/05/2019 | CHECKED: | AD |
| CLIENT REF: | 7598 | DRAWN: | MC |
| DRAWING No.: | 7598 E 03 VDEC RMP B | | |

Everleigh, Greenbank

VOLUNTARY DECLARATION REHABILITATION PLAN

PLANTING

Prior to undertaking planting installation, the following general items should be considered:

- Sourcing plant material
- Timing of planting
- Site preparation
- Planting density
- Planting installation

Sourcing Plant Material:

There are a number of options for sourcing plant material for revegetation purposes. Propagation from site seed is a good outcome however is often limited by required timing of works. Sourcing planting from local nurseries is the commonly chosen option and has the following benefits:

- Awareness of genetic considerations when collecting seed.
- Experience with breaking dormancy mechanisms in hard to germinate seeds.
- Highly successful propagation techniques.
- Ability to provide high quality stock to order
- Draw on industry resources.

For threatened species, it is recommended to source seed from stock of local provenance, as close to the receiving site as possible—to maintain the genetic signature of the local population. Furthermore, seed should be sourced randomly from as many individuals as possible across the population—to ensure a representative range of genetic material is collected and to minimise potential for inbreeding.

Timing of Planting:

The timing of planting should ideally be aligned with the wet season in SEQ (summer and autumn). This minimises the need for intensive watering to establishment planting. Planting between February to May is the most beneficial as it also seeks to avoid intense heat periods of summer. Despite this, it is understood planting may occur at various times within the rehabilitation areas due to development timing needs.

Site Preparation:

Site or planting preparation includes:

- Fencing to exclude grazing animals and people (if required)
- Pre-spraying of exotic grasses and other weeds to planting areas
- Consideration of source of water for new planting (access tracks, temporary irrigation)
- Arranging delivery of mulch, jute netting and treeguards (if required)
- Treatment of heavily compacted soils by ripping and/or application of gypsum
- Soil amelioration as required

Planting Density:

The planting will provide a net benefit of greater than 4 to 1 in an area protected under the NESS. Planting of the 625 specimens will be planted at approximately 1 per 8m² to form a *Melaleuca lrblyana* thicket.

PLANTING INSTALLATION


The following outlines the preferred installation methodology for revegetation works within the rehabilitation areas. It has been designed to maximise plant establishment success rates and minimise plant mortality. Revegetation works shall be either undertaken or directly supervised by an experienced and qualified bush regenerator. All works shall be in accordance with the provisions of this sheet, local government policies and Australian Standards. Plant installation methods shall include:

- Plants are to be vigorous, well established, hardened off, consistent with species or variety, free from disease and insect pests, with large root systems and no evidence of having been restricted or damaged.
- Plants are to be planted immediately after delivery to the planting site. If not possible, they should be stored in the shade and watered sufficiently during the day.
- Planting is to be undertaken in accordance with the planting grid contained within this drawing sheet.

- Excavate planting medium to a depth suitable for the installation of tube or pot specimens. In areas where planting substrate is deemed to be very poor (compacted, nutrient depauperate, hydrophobic etc.) and above areas of potential frequent inundation and water flow, topsoil may be used or the ground mechanically ripped where access is feasible.
- Pre-water plant hole, if soil is dry, to decrease root stress upon planting and assess the infiltration of water through the soil
- Incorporate into the planting substrate the appropriate quantity of prepared water crystals or other suitable hydrating product such as Hortex 'Rainsaver' or 'Moisturaid'.
- Place plant into hole and backfill ensuring that the plant is upright and the stem is not covered in any less than 10mm or any more than 20mm of planting medium
- Plants are to be watered thoroughly immediately after planting (ensure deep irrigation) and thereafter as required during the construction phase of the development depending on climatic conditions. Creation of a concave hollow around the base of each plant will aid water infiltration to the plant roots.
- A complete, slow release fertiliser is recommended, and is to be administered appropriately during planting. Top dressing with slow release fertiliser is preferred to avoid toxic levels of fertiliser accumulating in the plant hole around the plant roots.
- To ensure successful establishment, all planting surfaces must be covered in:
 - 100mm layer of high-quality weed-free composted chip mulch (site mulch) - Note: to avoid possible stem rot in some 'drier' species ensure mulch is 'dished' and not covering plant stem by more than 200mm
 - suitable individual anchored natural fibre weed mat; or
 - As presented within other section, where available mulch material will be sourced from cleared vegetation material if adequately seasoned.
- A long-term slow release fertiliser, such as Nutricote or similar product should be used for all plantings after initial plant establishment.
- Seedlings and saplings are to be encouraged and maintained throughout the establishment period.

PLANTING SET OUT


Revegetation planting locations shall be generally set out in accordance with a typical random grid pattern as shown below.




MULCH / JUTE MATTING

Areas to be blanket mulched to a minimum depth of 100mm leaving a 50mm gap surrounding the trunk of planted stock. Areas which are too steep or where overland flows may occur, a combination of mulch and Jute mat and/or suitably anchored natural fibre weed mat installed to manufactures specifications have been specified.

Typical planting details as below for standard medium mulch installation and jute netting. Refer to manufacturer's recommendations for detailed jute netting installation including pinning, etc.



Where evidence of plant damage is occurring i.e. Kangaroo or wallaby grazing, tree guards grow tubes to be installed as required.



Jute netting mesh to be installed as per manufacturer's recommendations. Indicative detail shown only.

FAUNA CONSIDERATIONS

Consideration for fauna habitat and values should be given during rehabilitation site works and should seek to enhance and restore the existing native vegetation areas and promote safe fauna movement throughout the site and into the larger greenspace corridors where possible. It is assumed properties adjacent to the rehabilitation scope of works will undertake individual site analysis, fauna investigations, and implement future measures as required. As part of these rehabilitation works, basic fauna works will be undertaken. These treatments will primarily involve:

- Fauna Habitat Value and Protection
- Increased fauna habitat value within the rehabilitation areas.

Rehabilitation Areas to include reuse of site fallen hollow logs and site rock to create fauna safe havens and cover from predators for small fauna. This approach coupled with additional revegetation works allows greater fauna security and movement within the rehabilitation areas. Consideration for bushfire requirements should be reviewed to confirm no conflict in both the fauna and rehabilitation approaches. Refer indicative images below.



RESPONSIBILITIES

It is also critical for all parties to understand their responsibilities as part of the overall rehabilitation 'team'.

| REHABILITATION TEAM RESPONSIBILITIES | |
|--------------------------------------|--|
| PARTY | DESCRIPTION |
| Proponent | <ul style="list-style-type: none"> Ensure all consultants, contractors, sub-contractors or others utilizing the area are aware of the Rehabilitation Plan. Appoint appropriate consultants and contractors to undertake works as prescribed on the drawings and conditioned by the Assessment Manager. Provide security via an uncompleted works bond and maintenance bond for the cost of works if required. Cover the costs of all necessary resources to ensure works are completed as per the approved documents. |
| Consultants | <ul style="list-style-type: none"> Brief proponent on their requirements in implementing and maintaining works as per the Rehabilitation Plan. Attend pre-start and compliance (on and off maintenance) inspections. Undertake monitoring and reporting to the Assessment Manager as set up by this document. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Liaise with the Assessment Manager throughout all stages of approval, initial works and maintenance of works. |
| Assessment Manager | <ul style="list-style-type: none"> Provide technical expertise via commentary on the approval of documentation. Attend pre-start and compliance (on and off maintenance) inspections. Reduce and release securities held against works at the completion of successful milestone inspections. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Accept and review maintenance reports as dictated (if required) in this document. |
| Contractor | <ul style="list-style-type: none"> Complete works in strict accordance with the documentation. Attend pre-start and compliance (on and off maintenance) inspections. Hold relevant licenses in applicable weed management/ revegetation/ fauna management, any required insurances for scope of works and an understanding of required Laws, Act, Policies and Guidelines. Recommend changes to the documentation when specific experience or on-site conditions require so. |



DISCLAIMER:
 THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
 CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN METRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
 PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.

REFERENCES:
 South East Queensland Ecological Restoration Framework (2012)

| AMENDMENTS: | | | |
|-------------|------------|--------------|---------|
| Issue | Date | Description | Checked |
| A | 15/04/2019 | Client Draft | AD |
| | | | |
| | | | |

PROJECT:
 423 - 520 Greenbank Road,
 Greenbank (1/SP297192)

environmental management

PLAN OF:
 Planting, fauna, responsibilities

| | | | |
|------------------------------------|------------|----------|----|
| DATE: | 15/04/2019 | CHECKED: | AD |
| CLIENT REF: | 7598 | DRAWN: | MC |
| DRAWING No.: 7598 E 04 VDEEC RMP A | | | |

VOLUNTARY DECLARATION REHABILITATION PLAN

MAINTENANCE

The planting will be followed up by a two (2) year period of maintenance, monitoring and reporting to ensure benchmarks for plant survival and weed management are obtained. Further annual inspections and reporting will be undertaken by SHG until handover to Logan City Council.

Maintenance, as with all ecological restoration work, is fundamental in ensuring project success. Maintenance of the planting includes tasks such as:

- Herbicide spraying to control competing weeds.
- Watering while plants are establishing. This is often highly variable and depends on the suite of species planted, weather conditions and time of year when planted. A watering schedule may consist of watering every day for week 1, twice per week for weeks 2-6 and then weekly from weeks 6-12.
- Repair of tree guards if they become damaged.
- Replenishment of mulch.
- Maintaining exclusion fencing; and
- Additional planting may be required to replace plants that do not survive (e.g. to meet survival rate requirements, or to fill gaps).

Maintenance is required following installation of the plants, although if maintenance is regular and thorough during the first year, maintenance requirements are likely to taper off significantly in the following years. The utilisation of benchmark criteria helps to determine rehabilitation

success during the maintenance period and assists in prompting when additional maintenance activities are required. Typically accepted benchmarks or performance indicators for dedicated or open space rehabilitation works include:

- Compliance 'On Maintenance' requirements:
 - All required planting completed.
 - 98% plant survival.
 - 98% kill rate of declared environmental weeds.
- Ongoing 'Off Maintenance' requirements:
 - 98% plant survival.
 - Tree guards, stakes and general rubbish removed.
 - No remaining eroded or degraded areas.
 - 98% kill rate of declared environmental weeds.

The desired end-product is a fully-functioning system that can support itself in perpetuity, with minimal maintenance and input required.

MONITORING

Informal monitoring will occur through ongoing site inspections, note taking and photo-monitoring for the duration of the maintenance / monitoring period (2 years) (Refer to tables below for frequency).

Informal monitoring notes and photos (to address accepted benchmarks above) are to be submitted to SHG and DNRME under the Voluntary Declaration. Notes should also be distributed to the rehabilitation team and rectification works completed against notes.

Monitoring of rehabilitation works is a method of determining ecological restoration success in conjunction with the adjacent benchmarks. Monitoring of the weed management and revegetation works allows for:

- Review of the pre-established performance indicators for measuring the success of the weed removal and control.
- Ensure level of protection for existing identified native vegetation inclusive of that which has naturally regenerated
- Review the rate of spread or contraction of weed infestation within the control program.
- Monitor the rate of assisted regeneration and revegetation of desirable native species promoted in areas where weeds have been removed.
- Identification of new weed threats or other factors that may be effecting areas designated for rehabilitation.

Monitoring timeframes may involve a series of key milestones:

- Prestart Inspection - On site meeting prior to the initial commencement of work. Typically involves Consultant, Contractor and Assessment Manager to work through rehabilitation areas and clarify any adjustments to scope against approved works.

- Compliance Inspections - At the completion of the Primary Site Works, a compliance inspection meeting will be held with the Consultant, Contractor and Assessment Manager to inspect the works on-site in relation to the approved plans and previously agreed benchmarks performance indicators. Should the rehabilitation be a dedicated asset (open space) to the assessment manager, this inspection is commonly referred to as 'on maintenance'. For dedicated assets, a secondary compliance inspection will be required (off maintenance).
- Ongoing Monitoring Inspections- Monitoring to occur on a regular basis as highlighted above. These inspections will generally occur throughout the process, specifically before, during and after relevant compliance inspections.

Photo-monitoring is required for submission over the duration of the monitoring period. Approximate photo-monitoring locations were determined by SHG during the preliminary approval process (refer *Sheet 6*) and are to be utilised for the remainder of the monitoring period

A permanent photo point can be set up using a star picket marked with fluorescent yellow safety cap or painted timber stakes, so that a photograph may be taken of the site at regular intervals as it is being restored. A time series of photographs from a degraded state prior to the commencement of restoration, through the transition stages and into the maintenance stage will assist in assessing the success of the ecological restoration process. Collected site data and photos should be compiled in a 'master' monitoring report for proper record keeping.

INDICATIVE SCHEDULE OF WORK ITEMS AND MAINTENANCE SEQUENCING FOR THE TWO (2) YEAR MAINTENANCE PERIOD

| TIMING | SPRING | | | MILESTONE: COMPLIANCE / 'ON MAINTENANCE' | SUMMER | | | AUTUMN | | | WINTER | | | SPRING | | | SUMMER | | | AUTUMN | | | WINTER | | | SPRING | | | MILESTONE: COMPLIANCE / 'OFF MAINTENANCE' |
|--------|---|-------------------------------------|--|--|--|--|--|---|---|---|--|---|---|---|---|---|---|---|--|---|---|---|---|---|---|--|---|---|--|
| | PRIMARY WORKS | | | | FOLLOW-UP WORKS | | | FOLLOW-UP / MAINTENANCE WORKS | | | MAINTENANCE WORKS | | | MAINTENANCE WORKS | | | MAINTENANCE WORKS | | | MAINTENANCE WORKS | | | MAINTENANCE WORKS | | | MAINTENANCE WORKS | | | |
| | Month 1 | Month 2 | Month 3 | | Month 1 | Month 2 | Month 3 | Month 1 | Month 2 | Month 3 | Month 1 | Month 2 | Month 3 | Month 1 | Month 2 | Month 3 | Month 1 | Month 2 | Month 3 | Month 1 | Month 2 | Month 3 | Month 1 | Month 2 | Month 3 | Month 1 | Month 2 | Month 3 | |
| WEEK 1 | Pre-start meeting Council, Contractor and Superintendent | Weed management - "knockdown spray" | Mulch spreading and Jute-mat installation | Watering and Monitoring and reporting (throughout establishment) | Watering and Monitoring and reporting (throughout establishment) | Watering and Monitoring and reporting (throughout establishment) | Monitoring and reporting (watering to replacement plants only) | Monitoring and reporting | Monitoring and reporting | Monitoring and reporting | Monitoring (watering to replacement plants only). Photomonitoring as required. | Informal monitoring and reporting | Informal monitoring and reporting. Photomonitoring as required. | Informal monitoring and reporting | Informal monitoring and reporting | Informal monitoring and reporting | Informal monitoring and reporting | Informal monitoring and reporting | Monitoring (watering to replacement plants only). Photomonitoring as required. | Informal monitoring and reporting | Informal monitoring and reporting. Photomonitoring as required. | Informal monitoring and reporting | Informal monitoring and reporting | Informal monitoring and reporting | Informal monitoring and reporting | Informal monitoring and reporting | Mulch - top up depths to 100mm and replace / repair Jutematting as required | Informal monitoring and reporting. Photomonitoring as required. | Monitoring (watering to replacement plants only) |
| WEEK 2 | Initial weed management works - wood weed removal / "knockdown" spray | Soil Preparation and cultivation | Natural regeneration plants staking for identification | Weed management - "knockdown spray" in mulched areas | Weed management - "knockdown spray" re-apply woody weeds | Weed management - "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Weed management - rotation "knockdown spray" in mulched areas | Natural regeneration plants - weed management | Weed management - "knockdown spray" re-apply woody weeds | Weed management - "knockdown spray" in mulched areas | |
| WEEK 3 | Weed management works - removal by hand | Soil Preparation and modification | Planting and Watering | Natural regeneration plants - weed management | Replacement of Failed Plants | Replacement of Failed Plants | Natural regeneration plants - weed management | Natural regeneration plants - weed management | Replacement of Failed Plants | Replacement of Failed Plants | Natural regeneration plants - weed management | Trees formative pruning | Replacement of Failed Plants | Replacement of Failed Plants | Replacement of Failed Plants | Natural regeneration plants - weed management | Trees formative pruning | Replacement of Failed Plants | Natural regeneration plants - weed management | Trees formative pruning | Replacement of Failed Plants | Replacement of Failed Plants | Replacement of Failed Plants | Replacement of Failed Plants | Replacement of Failed Plants | Trees formative pruning | Replacement of Failed Plants | Replacement of Failed Plants | Natural regeneration plants - weed management |
| WEEK 4 | Weed Management - slashing of maintenance access paths | Mulch - stockpiled on site | Planting and Watering | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths | Weed Management - slashing of maintenance access paths |

INDICATIVE SCHEDULE OF MAINTENANCE AND MONITORING SEQUENCING UNTIL HANDOVER TO COUNCIL

| ACTIVITY | INDICATIVE OCCURANCE - YEAR 0-2 | INDICATIVE OCCURANCE - YEAR 2 UNTIL HANDOVER TO COUNCIL |
|---|---------------------------------|---|
| Cleaning Operations | | |
| Litter Collection (general landscape) | "As above" | Annually* |
| Horticultural Environment | | |
| Planting of shrubs and trees (infill planting post initial works) | "As above" | Annually* |
| Care of existing trees and shrubs (inc. formative pruning) | "As above" | Annually* |
| Native bushland maintenance (inc. maintaining access paths, mulch, matting, etc.) | "As above" | Annually* |
| Pest control | "As above" | Annually* |
| Weed treatment | "As above" | Annually* |
| Watering | "As above" | Monitor* |
| Monitoring / Photo location | Quarterly | Annually |
| * Reactionary maintenance as required | | |



DISCLAIMER:
 THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
 CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
 PRIOR TO ANY DEMOLITION, DEGRADATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND/OR TIED LOCATIONS OF ALL SERVICES.

REFERENCES:
 South East Queensland Ecological Restoration Framework (2012)

AMENDMENTS:

| Issue | Date | Description | Checked |
|-------|------------|-------------------|---------|
| A | 15/04/2019 | Client Draft | AD |
| B | 24/05/2019 | Client Amendments | AD |

PROJECT:
 423 - 520 Greenbank Road,
 Greenbank (1/SP297192)

environmental management




PLAN OF: Maintenance & Monitoring


| | |
|-----------------------------------|-------------|
| DATE: 24/05/2019 | CHECKED: AD |
| CLIENT REF: 7598 | DRAWN: MC |
| DRAWING No.: 7598 E 05 VDEC RMP B | |

VOLUNTARY DECLARATION REHABILITATION PLAN - APPROXIMATE PHOTO MONITORING LOCATIONS



LEGEND

-  Photo monitoring location (approximate)
-  Conservation area
-  Melaleuca Irbyana planting/rehab site (Approx. 5,000m²)



| Issue | Date | Description | Checked |
|-------|------------|--------------|---------|
| A | 15/04/2019 | Client Draft | AD |
| | | | |
| | | | |

| | | | |
|--------------|----------------------|----------|----|
| DATE: | 15/04/2019 | CHECKED: | AD |
| CLIENT REF: | 7598 | DRAWN: | MC |
| DRAWING No.: | 7598 E 06 VDEC RMP A | | |